

(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM _{2.5}	1
2	Ahmedabad	Satisfactory	78	O ₃	1
3	Aizawl	Good	25	PM ₁₀	1
4	Ajmer	Satisfactory	68	PM _{2.5}	1
5	Alwar	Satisfactory	68	PM ₁₀	1
6	Amaravati	Good	25	03	1
7	Ambala	Moderate	138	PM _{2.5}	1
8	Amritsar	Satisfactory	88	PM ₁₀	1
9	Asansol	Satisfactory	67	PM ₁₀	1
10	Aurangabad	Satisfactory	55	со	1
11	Baghpat	Poor	218	PM _{2.5}	1
12	Bahadurgarh	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Notes: Bagalkot, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, D

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	133	PM _{2.5}	1
14	Bengaluru	Good	43	CO, NO ₂ , O ₃	7
15	Bhiwadi	Poor	207	PM _{2.5}	1
16	Bhopal	Satisfactory	56	O ₃	1
17	Bulandshahr	Moderate	184	PM _{2.5}	1
18	Chamarajanagar	Good	34	PM ₁₀	1
19	Chandigarh	Satisfactory	92	PM ₁₀	1
20	Chandrapur	Good	27	O ₃ , NO ₂	2
21	Charkhi Dadri	Moderate	179	PM _{2.5}	1
22	Chennai	Satisfactory	59	PM ₁₀ , O ₃ , CO	7
23	Chikkaballapur	Good	34	со	1
24	Chikkamagaluru	Good	30	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Notes: Bagalkot, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, D

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	25	PM _{2.5}	1
26	Delhi	Moderate	191	PM _{2.5} , PM ₁₀ , O ₃	29
27	Dharuhera	Moderate	180	PM ₁₀	1
28	Durgapur	Satisfactory	83	PM ₁₀	1
29	Eloor	Good	47	со	1
30	Ernakulam	Good	28	со	1
31	Faridabad	Moderate	182	PM _{2.5} , PM ₁₀	3
32	Fatehabad	Moderate	159	PM ₁₀	1
33	Gandhinagar	Good	47	O ₃	1
34	Gaya	Moderate	176	PM _{2.5} , O ₃	2
35	Ghaziabad	Poor	238	PM ₁₀ , PM _{2.5}	4
36	Greater Noida	Poor	202	PM ₁₀	1


Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	185	PM _{2.5}	3
38	Guwahati	Satisfactory	52	PM ₁₀	2
39	Gwalior	Satisfactory	57	PM ₁₀	1
40	Hajipur	Poor	226	PM ₁₀	1
41	Haldia	Good	26	СО	1
42	Hapur	Moderate	199	O ₃	1
43	Hassan	Good	38	PM _{2.5}	1
44	Hisar	Moderate	130	PM ₁₀	1
45	Howrah	Good	31	CO, PM ₁₀	3
46	Hubballi	Good	32	PM ₁₀	1
47	Hyderabad	Good	32	NO ₂ , PM _{2.5} , PM ₁₀	5
48	Indore	Satisfactory	72	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	62	O ₃	1
50	Jaipur	Satisfactory	72	PM ₁₀ , PM _{2.5} , CO	3
51	Jalandhar	Moderate	119	PM _{2.5}	1
52	Jind	Moderate	110	PM ₁₀	1
53	Jodhpur	Satisfactory	99	PM ₁₀	1
54	Kaithal	Moderate	145	PM ₁₀	1
55	Kannur	Satisfactory	78	PM ₁₀	1
56	Kanpur	Satisfactory	94	PM _{2.5}	2
57	Karnal	Satisfactory	95	PM _{2.5}	1
58	Katni	Satisfactory	69	O ₃	1
59	Khanna	Moderate	108	PM ₁₀	1
60	Kohima	Good	50	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Notes: Bagalkot, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, D

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Good	37	O ₃ , PM ₁₀	7
62	Koppal	Satisfactory	58	03	1
63	Kota	Satisfactory	69	PM _{2.5}	1
64	Kozhikode	Good	36	со	1
65	Kurukshetra	Moderate	142	PM _{2.5}	1
66	Lucknow	Moderate	159	PM _{2.5}	4
67	Ludhiana	Moderate	122	PM ₁₀	1
68	Mandi Gobindgarh	Moderate	101	PM ₁₀	1
69	Mandideep	Good	37	SO ₂	1
70	Manesar	Poor	213	PM _{2.5}	1
71	Manglore	Good	33	SO ₂	1
72	Medikeri	Good	31	SO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Poor	210	PM ₁₀ , PM _{2.5}	2
74	Mumbai	Good	47	PM ₁₀	12
75	Muzaffarnagar	Poor	221	PM ₁₀	1
76	Muzaffarpur	Moderate	126	PM _{2.5} , PM ₁₀	2
77	Mysuru	Good	30	PM ₁₀	1
78	Narnaul	Moderate	176	PM ₁₀	1
79	Navi Mumbai	Satisfactory	62	PM ₁₀	1
80	Noida	Moderate	177	PM ₁₀	3
81	Pali	Satisfactory	64	PM ₁₀	1
82	Palwal	Moderate	141	PM ₁₀	1
83	Panchkula	Good	46	PM _{2.5}	1
84	Panipat	Moderate	171	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Notes: Bagalkot, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, D

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Moderate	118	PM ₁₀	1
86	Patna	Moderate	138	PM _{2.5} , PM ₁₀	5
87	Pithampur	Satisfactory	53	PM ₁₀	1
88	Puducherry	Good	40	03	1
89	Pune	Satisfactory	55	CO, PM _{2.5}	6
90	Rajamahendravaram	Good	35	со	1
91	Ratlam	Good	46	PM _{2.5}	1
92	Rohtak	Satisfactory	95	PM _{2.5}	1
93	Rupnagar	Satisfactory	87	PM ₁₀	1
94	Sagar	Good	24	NO ₂	1
95	Satna	Satisfactory	68	PM ₁₀	1
96	Shillong	Good	21	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Siliguri	Satisfactory	56	PM ₁₀	1
98	Sirsa	Moderate	103	PM ₁₀	1
99	Sonipat	Poor	212	PM ₁₀	1
100	Srinagar	Good	43	PM ₁₀	1
101	Talcher	Satisfactory	81	со	1
102	Thiruvananthapuram	Good	28	со	1
103	Tirupati	Good	37	PM ₁₀	1
104	Udaipur	Satisfactory	91	PM ₁₀	1
105	Ujjain	Satisfactory	83	03	1
106	Varanasi	Moderate	148	PM ₁₀	1
107	Vatva	Satisfactory	89	PM ₁₀	1
108	Visakhapatnam	Good	22	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Notes: Bagalkot, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, D

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yadgir	Good	30	O ₃	1
110	Yamunanagar	Poor	233	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Bagalkot, Bathinda, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Dewas, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kollam, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Nandesari, Nashik, Raichur, Ramanagara, Shivamogga, Singrauli, Solapur, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM

* AQI is not calculated for today's bulletin for Agra, Ankleshwar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.