

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM _{2.5}	1
2	Agra	Satisfactory	88	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	89	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	33	PM ₁₀	1
5	Ajmer	Satisfactory	58	PM ₁₀	1
6	Alwar	Satisfactory	60	PM ₁₀	1
7	Amaravati	Good	40	O ₃	1
8	Ambala	Moderate	102	PM ₁₀	1
9	Amritsar	Moderate	139	PM _{2.5}	1
10	Ankleshwar	Satisfactory	76	PM ₁₀	1
11	Bagalkot	Good	26	PM _{2.5}	1
12	Bahadurgarh	Satisfactory	95	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	132	PM ₁₀	1
14	Bathinda	Satisfactory	59	PM ₁₀	1
15	Bengaluru	Satisfactory	67	CO, PM ₁₀	7
16	Bhiwadi	Moderate	162	PM _{2.5}	1
17	Bhopal	Satisfactory	99	PM ₁₀	1
18	Bidar	Good	39	PM ₁₀	1
19	Brajrajnagar	Satisfactory	70	NO ₂	1
20	Bulandshahr	Moderate	166	O ₃	1
21	Chamarajanagar	Satisfactory	54	PM ₁₀	1
22	Chandigarh	Moderate	103	PM ₁₀	1
23	Chandrapur	Satisfactory	53	PM ₁₀	1
24	Charkhi Dadri	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad,

 $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	95	PM ₁₀	7
26	Chikkaballapur	Satisfactory	59	PM ₁₀	1
27	Chikkamagaluru	Good	36	PM _{2.5}	1
28	Damoh	Good	42	со	1
29	Davanagere	Good	44	PM ₁₀	1
30	Delhi	Moderate	135	PM ₁₀ , O ₃ , PM _{2.5}	34
31	Dewas	Satisfactory	65	PM ₁₀	1
32	Dharuhera	Moderate	109	PM ₁₀	1
33	Durgapur	Moderate	111	PM ₁₀	1
34	Eloor	Satisfactory	74	со	1
35	Ernakulam	Satisfactory	64	PM ₁₀	1
36	Faridabad	Moderate	146	PM _{2.5} , PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	112	PM ₁₀	1
38	Gandhinagar	Moderate	128	PM _{2.5}	2
39	Gaya	Good	26	PM _{2.5} , CO	2
40	Ghaziabad	Moderate	159	O ₃ , PM ₁₀	3
41	Greater Noida	Poor	214	03	2
42	Gurugram	Moderate	106	PM ₁₀ , PM _{2.5}	4
43	Guwahati	Satisfactory	54	SO ₂ , PM ₁₀	2
44	Gwalior	Satisfactory	97	03	1
45	Hajipur	Satisfactory	86	PM ₁₀	1
46	Haldia	Satisfactory	54	PM ₁₀	1
47	Hapur	Satisfactory	78	PM ₁₀	1
48	Hassan	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Notes: Baghpat, Bhiwani, Coimbatore, Gadag, Gummidipoondi, Hubballi, Jorapokhar,

Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh,

Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	108	PM ₁₀	1
50	Howrah	Satisfactory	56	PM ₁₀	3
51	Hyderabad	Satisfactory	55	NO ₂ , PM ₁₀ , PM _{2.5}	5
52	Indore	Satisfactory	68	PM ₁₀	1
53	Jabalpur	Satisfactory	76	03	1
54	Jaipur	Satisfactory	76	PM ₁₀ , O ₃	2
55	Jalandhar	Moderate	146	PM ₁₀	1
56	Jind	Moderate	114	PM ₁₀	1
57	Jodhpur	Moderate	106	PM ₁₀	1
58	Kalaburgi	Good	39	PM ₁₀	1
59	Kalyan	Good	42	PM ₁₀	1
60	Kanpur	Good	44	PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	181	O ₃	1
62	Katni	Satisfactory	83	PM ₁₀	1
63	Khanna	Satisfactory	72	PM ₁₀	1
64	Kohima	Satisfactory	52	PM ₁₀	1
65	Kolkata	Satisfactory	55	PM ₁₀	6
66	Kollam	Moderate	110	PM ₁₀	1
67	Koppal	Satisfactory	65	со	1
68	Kota	Satisfactory	63	PM ₁₀	1
69	Kozhikode	Good	38	PM ₁₀	1
70	Kurukshetra	Moderate	124	PM ₁₀	1
71	Lucknow	Satisfactory	63	PM ₁₀ , O ₃ , PM _{2.5}	5
72	Manesar	Moderate	134	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Medikeri	Good	26	со	1
74	Meerut	Moderate	169	O ₃ , PM ₁₀	2
75	Mumbai	Satisfactory	67	PM ₁₀ , CO	14
76	Muzaffarpur	Satisfactory	54	PM _{2.5}	2
77	Mysuru	Satisfactory	52	PM ₁₀	1
78	Nagpur	Satisfactory	73	со	1
79	Nandesari	Moderate	200	PM _{2.5}	1
80	Narnaul	Satisfactory	70	PM ₁₀	1
81	Nashik	Good	42	NO ₂	1
82	Noida	Moderate	152	O ₃ , PM ₁₀	4
83	Pali	Satisfactory	86	PM ₁₀	1
84	Panchkula	Moderate	116	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Moderate	149	PM ₁₀	1
86	Patiala	Satisfactory	94	PM ₁₀	1
87	Patna	Satisfactory	56	CO, O ₃ , PM ₁₀	4
88	Pithampur	Good	50	03	1
89	Prayagraj	Good	42	PM ₁₀ , PM _{2.5}	2
90	Puducherry	Good	42	PM _{2.5}	1
91	Pune	Satisfactory	63	со	5
92	Rajamahendravaram	Satisfactory	78	PM ₁₀	1
93	Ramanagara	Satisfactory	52	PM ₁₀	1
94	Rohtak	Moderate	166	O ₃	1
95	Rupnagar	Satisfactory	100	PM ₁₀	1
96	Sagar	Good	30	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	72	PM ₁₀	1
98	Shivamogga	Good	41	PM ₁₀	1
99	Siliguri	Good	46	PM _{2.5}	1
100	Singrauli	Good	49	со	1
101	Sirsa	Moderate	101	PM ₁₀	1
102	Solapur	Good	41	PM ₁₀	1
103	Srinagar	Satisfactory	59	PM ₁₀	1
104	Talcher	Moderate	110	со	1
105	Thane	Satisfactory	88	PM ₁₀	1
106	Thiruvananthapuram	Satisfactory	78	CO, PM ₁₀	2
107	Thoothukudi	Satisfactory	86	PM ₁₀	1
108	Thrissur	Satisfactory	56	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, $\begin{tabular}{ll} \textbf{Notes:} & \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \end{tabular}$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Satisfactory	72	PM ₁₀	1
110	Udaipur	Satisfactory	97	PM ₁₀	1
111	Udupi	Satisfactory	87	со	1
112	Ujjain	Satisfactory	85	PM ₁₀	1
113	Vapi	Good	47	PM ₁₀	1
114	Varanasi	Good	36	CO, PM _{2.5}	3
115	Vatva	Moderate	106	PM ₁₀	1
116	Vijayapura	Satisfactory	55	PM ₁₀	1
117	Visakhapatnam	Moderate	102	PM ₁₀	1
118	Yadgir	Good	34	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, ${\color{blue} \textbf{Notes:}} \quad \textbf{Baghpat}, \textbf{Bhiwani}, \textbf{Coimbatore}, \textbf{Gadag}, \textbf{Gummidipoondi}, \textbf{Hubballi}, \textbf{Jorapokhar}, \\$ Kaithal, Kannur, Kochi, Kolar, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Mandikhera, Manglore, Moradabad, Muzaffarnagar, Naharlagun, Na Mumbai, Palwal, Raichur, Ratlam, Shillong, Sonipat, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.