

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	60	PM _{2.5}	1
2	Ahmedabad	Poor	214	NO ₂	1
3	Ajmer	Satisfactory	68	PM ₁₀	1
4	Ambala	Moderate	103	PM ₁₀	1
5	Amritsar	Satisfactory	55	PM ₁₀	1
6	Ankleshwar	Satisfactory	75	со	1
7	Asanol	Good	33	PM _{2.5}	1
8	Aurangabad	Satisfactory	73	PM ₁₀	1
9	Baghpat	Moderate	154	PM ₁₀	1
10	Bahadurgarh	Satisfactory	83	OZONE	1
11	Ballabgarh	Moderate	115	PM ₁₀	1
12	Bathinda	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	91	PM _{2.5} , CO, OZONE	9
14	Bhiwadi	Moderate	172	PM _{2.5}	1
15	Bhiwani	Moderate	124	PM _{2.5}	1
16	Brajrajnagar	Satisfactory	98	со	1
17	Bulandshahr	Moderate	103	PM ₁₀	1
18	Chandigarh	Satisfactory	99	PM ₁₀	1
19	Chandrapur	Poor	242	PM ₁₀	1
20	Chennai	Satisfactory	83	OZONE, PM _{2.5} , CO	4
21	Chikkaballapur	Good	44	со	1
22	Coimbatore	Satisfactory	83	со	1
23	Damoh	Good	28	PM ₁₀	1
24	Delhi	Moderate	135	PM ₁₀ , PM _{2.5} , OZONE	34

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	65	PM ₁₀	1
26	Dharuhera	Moderate	127	PM ₁₀	1
27	Eloor	Good	29	со	1
28	Faridabad	Moderate	192	OZONE	1
29	Fatehabad	Satisfactory	94	PM ₁₀	1
30	GandhiNagar	Satisfactory	62	PM ₁₀	1
31	Gaya	Satisfactory	71	NO ₂	1
32	Ghaziabad	Moderate	172	PM _{2.5} , PM ₁₀	2
33	Greater_Noida	Moderate	174	OZONE, PM ₁₀	2
34	Gurugram	Moderate	118	PM _{2.5}	2
35	Guwahati	Good	43	PM ₁₀	1
36	Haldia	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Moderate	134	PM _{2.5}	1
38	Howrah	Satisfactory	79	PM ₁₀	2
39	Hubballi	Satisfactory	96	PM ₁₀	1
40	Hyderabad	Satisfactory	59	PM ₁₀ , CO	6
41	Jaipur	Satisfactory	93	PM _{2.5} , PM ₁₀	3
42	Jalandhar	Satisfactory	53	PM ₁₀	1
43	Jind	Moderate	106	PM _{2.5}	1
44	Jodhpur	Moderate	118	PM ₁₀	1
45	Jorapokhar	Satisfactory	69	OZONE	1
46	Kaithal	Satisfactory	82	PM ₁₀	1
47	Kalaburagi	Good	46	PM ₁₀	1
48	Kalyan	Good	46	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Good	49	PM _{2.5}	1
50	Karnal	Moderate	126	PM ₁₀	1
51	Khanna	Satisfactory	72	PM ₁₀	1
52	Kolkata	Good	40	PM ₁₀ , PM _{2.5}	4
53	Kota	Satisfactory	67	PM ₁₀	1
54	Kurukshetra	Moderate	104	PM ₁₀	1
55	Loni_Dehat	Moderate	172	OZONE	1
56	Lucknow	Satisfactory	62	PM _{2.5} , CO	4
57	Ludhiana	Satisfactory	85	PM ₁₀	1
58	Maihar	Good	38	PM ₁₀	1
59	Mandi Gobindgarh	Satisfactory	90	PM ₁₀	1
60	Mandideep	Good	39	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Manesar	Moderate	125	PM _{2.5}	1
62	Moradabad	Satisfactory	100	PM ₁₀	1
63	Mumbai	Good	44	PM ₁₀	9
64	Muzaffarnagar	Satisfactory	99	PM _{2.5}	1
65	Muzaffarpur	Satisfactory	90	OZONE	1
66	Nagpur	Satisfactory	56	NO ₂	1
67	Narnaul	Satisfactory	51	PM ₁₀	1
68	Nashik	Good	42	PM ₁₀	1
69	Navi Mumbai	Good	46	CO, PM ₁₀	3
70	Noida	Moderate	181	OZONE, PM ₁₀ , PM _{2.5}	4
71	Pali	Satisfactory	80	PM ₁₀	1
72	Palwal	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Satisfactory	82	PM _{2.5}	1
74	Panipat	Moderate	164	PM _{2.5}	1
75	Patiala	Satisfactory	92	PM ₁₀	1
76	Patna	Satisfactory	82	PM _{2.5}	1
77	Pithampur	Satisfactory	64	PM ₁₀	1
78	Pune	Satisfactory	74	SO ₂	1
79	Rajamahendravaram	Satisfactory	54	OZONE	1
80	Rohtak	Satisfactory	56	PM _{2.5}	1
81	Rupnagar	Satisfactory	84	PM ₁₀	1
82	Shillong	Good	32	OZONE	1
83	Singrauli	Satisfactory	68	PM ₁₀	1
84	Sirsa	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Solapur	Good	42	PM ₁₀	1
86	Sonipat	Moderate	125	PM _{2.5}	1
87	Talcher	Satisfactory	56	PM ₁₀	1
88	Thane	Satisfactory	59	СО	1
89	Thiruvananthapuram	Satisfactory	52	СО	1
90	Tirupati	Good	34	NO ₂	1
91	Udaipur	Satisfactory	99	PM ₁₀	1
92	Ujjain	Satisfactory	70	OZONE	1
93	Vapi	Satisfactory	54	PM ₁₀	1
94	Varanasi	Satisfactory	70	PM ₁₀	1
95	Vatva	Moderate	109	PM ₁₀	1
96	Vijayawada	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	86	PM ₁₀	1
98	Yamunanagar	Moderate	162	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Alwar, Amaravati, Mandikhera, Mysuru, Ratlam, Satna, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.