

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM ₁₀	2
2	Agra	Moderate	109	O ₃ , PM ₁₀	4
3	Ahmedabad	Moderate	153	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Moderate	119	PM _{2.5}	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Satisfactory	57	PM ₁₀	1
8	Ambala	Moderate	111	PM ₁₀	1
9	Amritsar	Moderate	108	PM ₁₀	1
10	Ankleshwar	Moderate	106	PM _{2.5}	1
11	Arrah	Moderate	127	PM ₁₀	1
12	Asansol	Satisfactory	81	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Moderate	107	PM ₁₀	1
14	Baddi	Moderate	126	PM ₁₀	1
15	Baghpat	Moderate	121	NO ₂	1
16	Bahadurgarh	Moderate	112	PM _{2.5}	1
17	Bathinda	Good	46	СО	1
18	Bengaluru	Satisfactory	68	PM ₁₀ , NO ₂	8
19	Bhagalpur	Moderate	108	PM ₁₀	2
20	Bhiwadi	Moderate	200	PM _{2.5}	1
21	Bhopal	Moderate	140	PM ₁₀	1
22	Bihar Sharif	Moderate	130	PM ₁₀	1
23	Bilaspur	Satisfactory	51	СО	1
24	Brajrajnagar	Satisfactory	70	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Moderate	160	03	1
26	Buxar	Satisfactory	68	PM _{2.5}	1
27	Chamarajanagar	Good	40	PM ₁₀	1
28	Chandigarh	Moderate	139	O ₃ , PM ₁₀	3
29	Chandrapur	Satisfactory	88	O ₃ , PM ₁₀	2
30	Charkhi Dadri	Moderate	195	PM _{2.5}	1
31	Chennai	Satisfactory	91	O ₃ , PM ₁₀ , PM _{2.5}	8
32	Chhapra	Satisfactory	82	PM ₁₀	1
33	Chikkaballapur	Satisfactory	59	O ₃	1
34	Chikkamagaluru	Good	49	PM ₁₀	1
35	Damoh	Satisfactory	60	PM ₁₀	1
36	Darbhanga	Satisfactory	98	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	56	PM ₁₀	1
38	Delhi	Moderate	146	PM ₁₀ , O ₃	34
39	Durgapur	Moderate	111	PM ₁₀	1
40	Eloor	Satisfactory	67	PM ₁₀	1
41	Ernakulam	Satisfactory	52	NO ₂	1
42	Faridabad	Moderate	142	PM ₁₀	1
43	Firozabad	Moderate	140	O ₃ , PM ₁₀	2
44	Gadag	Satisfactory	61	PM ₁₀	1
45	Gandhinagar	Moderate	151	PM _{2.5} , PM ₁₀	3
46	Gaya	Moderate	125	O ₃ , PM _{2.5}	2
47	Ghaziabad	Moderate	176	O ₃ , PM _{2.5} , PM ₁₀	4
48	Gorakhpur	Good	38	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Moderate	167	O ₃	1
50	Gummidipoondi	Good	40	PM ₁₀	1
51	Gurugram	Moderate	137	PM _{2.5} , PM ₁₀	2
52	Guwahati	Good	30	PM ₁₀	2
53	Gwalior	Moderate	147	PM ₁₀	1
54	Hajipur	Satisfactory	68	PM ₁₀	1
55	Haldia	Good	44	PM ₁₀	1
56	Hapur	Moderate	117	PM ₁₀	1
57	Haveri	Satisfactory	57	PM ₁₀	1
58	Hisar	Moderate	146	PM ₁₀	1
59	Howrah	Satisfactory	61	PM ₁₀	3
60	Hyderabad	Satisfactory	91	PM ₁₀ , PM _{2.5} , NO ₂	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Imphal	Satisfactory	72	SO ₂	1
62	Indore	Moderate	142	PM ₁₀	1
63	Jabalpur	Moderate	152	PM ₁₀	1
64	Jaipur	Moderate	144	PM _{2.5} , PM ₁₀	3
65	Jalandhar	Satisfactory	91	PM ₁₀	1
66	Jhansi	Moderate	174	PM ₁₀	1
67	Jodhpur	Poor	201	PM _{2.5}	1
68	Kaithal	Satisfactory	91	PM ₁₀	1
69	Kalaburgi	Satisfactory	75	PM ₁₀	1
70	Kannur	Satisfactory	57	PM ₁₀	1
71	Kanpur	Moderate	101	PM ₁₀ , O ₃	3
72	Karnal	Satisfactory	78	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Moderate	121	PM ₁₀	1
74	Katni	Moderate	126	PM ₁₀	1
75	Khanna	Satisfactory	75	PM ₁₀	1
76	Kishanganj	Satisfactory	78	PM ₁₀	1
77	Kochi	Moderate	134	со	1
78	Kohima	Satisfactory	51	PM ₁₀	1
79	Kolkata	Satisfactory	68	PM ₁₀ , O ₃ , PM _{2.5}	7
80	Kollam	Satisfactory	79	PM ₁₀	1
81	Koppal	Satisfactory	59	PM ₁₀	1
82	Kota	Moderate	173	PM _{2.5}	1
83	Kozhikode	Satisfactory	57	PM ₁₀	1
84	Kurukshetra	Moderate	187	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Moderate	136	PM _{2.5} , PM ₁₀	6
86	Ludhiana	Moderate	135	PM ₁₀	1
87	Madikeri	Good	48	03	1
88	Mandi Gobindgarh	Poor	234	PM _{2.5}	1
89	Mandideep	Satisfactory	65	PM ₁₀	1
90	Mandikhera	Satisfactory	100	PM ₁₀	1
91	Manglore	Satisfactory	70	СО	1
92	Meerut	Satisfactory	91	PM ₁₀	3
93	Moradabad	Satisfactory	71	PM ₁₀	3
94	Motihari	Satisfactory	93	03	1
95	Mumbai	Moderate	118	PM ₁₀ , PM _{2.5} , CO	16
96	Muzaffarpur	Satisfactory	75	PM ₁₀ , PM _{2.5}	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Good	48	O ₃	1
98	Nagpur	Moderate	141	PM _{2.5}	1
99	Nandesari	Good	25	PM _{2.5}	1
100	Narnaul	Moderate	138	PM ₁₀	1
101	Nashik	Satisfactory	71	PM ₁₀	1
102	Navi Mumbai	Satisfactory	96	PM ₁₀	3
103	Noida	Moderate	183	O ₃ , PM ₁₀	3
104	Pali	Moderate	147	PM _{2.5}	1
105	Palwal	Moderate	124	PM ₁₀	1
106	Panchkula	Satisfactory	80	PM _{2.5}	1
107	Panipat	Moderate	113	PM ₁₀	1
108	Patiala	Satisfactory	63	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Satisfactory	100	PM ₁₀ , NO ₂	6
110	Pithampur	Moderate	119	PM ₁₀	1
111	Prayagraj	Moderate	109	PM ₁₀	2
112	Pune	Moderate	118	PM _{2.5} , PM ₁₀	5
113	Purnia	Satisfactory	96	PM ₁₀	1
114	Raichur	Satisfactory	89	PM ₁₀	1
115	Rajamahendravaram	Good	48	PM ₁₀	1
116	Ramanagara	Good	33	PM ₁₀	1
117	Rohtak	Moderate	160	PM _{2.5}	1
118	Rupnagar	Satisfactory	65	PM ₁₀	1
119	Saharsa	Moderate	120	PM ₁₀	1
120	Sasaram	Moderate	156	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Satna	Satisfactory	61	PM ₁₀	1
122	Shillong	Good	46	PM ₁₀	1
123	Shivamogga	Satisfactory	55	PM ₁₀	1
124	Siliguri	Satisfactory	53	03	1
125	Singrauli	Moderate	181	PM ₁₀	1
126	Sirsa	Moderate	155	03	1
127	Siwan	Satisfactory	96	PM ₁₀	1
128	Solapur	Satisfactory	83	PM ₁₀	1
129	Srinagar	Good	31	NH ₃	1
130	Talcher	Satisfactory	63	O ₃	1
131	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
132	Thoothukudi	Good	42	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Tirupati	Satisfactory	79	PM ₁₀	1
134	Udaipur	Moderate	139	PM ₁₀	1
135	Ujjain	Moderate	176	PM ₁₀	1
136	Varanasi	Satisfactory	77	O ₃ , PM ₁₀	4
137	Vatva	Satisfactory	91	PM ₁₀	1
138	Vijayapura	Satisfactory	51	PM ₁₀	1
139	Visakhapatnam	Moderate	103	PM ₁₀	1
140	Vrindavan	Satisfactory	90	PM ₁₀	1
141	Yadgir	Satisfactory	60	PM ₁₀	1
142	Yamunanagar	Moderate	143	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.