

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM ₁₀	2
2	Agra	Moderate	123	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	90	PM _{2.5} , PM ₁₀ , SO ₂	8
4	Aizawl	Good	50	PM ₁₀	1
5	Ajmer	Moderate	157	PM _{2.5}	1
6	Alwar	Moderate	121	PM ₁₀	1
7	Amaravati	Satisfactory	81	03	1
8	Ambala	Poor	203	PM ₁₀	1
9	Amritsar	Moderate	168	PM _{2.5}	1
10	Ankleshwar	Satisfactory	51	NO ₂	1
11	Arrah	Moderate	145	PM ₁₀	1
12	Asansol	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Poor	263	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	88	PM _{2.5}	1
15	Baddi	Poor	221	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Bahadurgarh	Very Poor	315	PM _{2.5}	1
18	Ballabgarh	Poor	218	PM ₁₀	1
19	Bareilly	Moderate	185	PM ₁₀	1
20	Bathinda	Moderate	113	PM ₁₀	1
21	Begusarai	Satisfactory	96	PM ₁₀	1
22	Bengaluru	Satisfactory	66	PM ₁₀ , CO	9
23	Bettiah	Satisfactory	54	со	1
24	Bhagalpur	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Very Poor	319	PM _{2.5}	1
26	Bhiwani	Poor	233	PM _{2.5}	1
27	Bhopal	Moderate	108	PM ₁₀	1
28	Bihar Sharif	Severe	425	PM ₁₀	1
29	Bilaspur	Satisfactory	58	PM ₁₀	1
30	Bulandshahr	Poor	223	PM ₁₀	1
31	Buxar	Poor	262	PM _{2.5}	1
32	Chamarajanagar	Good	39	PM ₁₀	1
33	Chandigarh	Moderate	189	O ₃ , PM ₁₀	3
34	Chandrapur	Satisfactory	93	PM ₁₀	1
35	Charkhi Dadri	Poor	228	PM ₁₀	1
36	Chennai	Satisfactory	67	PM ₁₀ , CO	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	144	PM ₁₀	1
38	Chikkaballapur	Good	32	03	1
39	Chikkamagaluru	Good	34	03	1
40	Coimbatore	Good	33	со	1
41	Damoh	Satisfactory	59	PM ₁₀	1
42	Darbhanga	Satisfactory	60	PM _{2.5}	1
43	Davanagere	Good	21	PM ₁₀	1
44	Dehradun	Poor	251	03	1
45	Delhi	Poor	223	PM ₁₀ , PM _{2.5}	34
46	Dewas	Moderate	106	PM ₁₀	1
47	Dharuhera	Poor	271	PM ₁₀	1
48	Durgapur	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	54	PM _{2.5}	1
50	Ernakulam	Satisfactory	51	со	1
51	Faridabad	Moderate	166	PM _{2.5} , PM ₁₀	3
52	Firozabad	Moderate	144	O ₃ , PM ₁₀	2
53	Gandhinagar	Satisfactory	76	PM _{2.5} , PM ₁₀	3
54	Gangtok	Good	27	PM ₁₀	1
55	Gaya	Moderate	172	PM _{2.5} , PM ₁₀	3
56	Ghaziabad	Poor	260	PM ₁₀	4
57	Greater Noida	Poor	238	PM ₁₀	2
58	Gurugram	Poor	270	PM _{2.5} , PM ₁₀	4
59	Guwahati	Satisfactory	64	O ₃ , PM ₁₀	2
60	Gwalior	Moderate	155	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	163	PM _{2.5}	1
62	Haldia	Satisfactory	75	PM ₁₀	1
63	Hapur	Very Poor	305	PM ₁₀	1
64	Hassan	Good	38	NO ₂	1
65	Hisar	Poor	224	PM ₁₀	1
66	Howrah	Satisfactory	80	PM ₁₀	3
67	Hubballi	Satisfactory	51	со	1
68	Hyderabad	Satisfactory	86	O ₃ , PM ₁₀	11
69	Imphal	Satisfactory	78	SO ₂ , PM ₁₀	2
70	Indore	Satisfactory	98	PM ₁₀	1
71	Jabalpur	Moderate	144	PM ₁₀	1
72	Jaipur	Poor	233	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	125	PM ₁₀	1
74	Jhansi	Moderate	146	PM ₁₀	1
75	Jind	Moderate	195	PM _{2.5}	1
76	Jodhpur	Poor	236	PM ₁₀	1
77	Kaithal	Moderate	195	PM ₁₀	1
78	Kalaburgi	Satisfactory	66	03	1
79	Kalyan	Satisfactory	54	PM ₁₀	1
80	Kannur	Satisfactory	53	PM _{2.5}	1
81	Kanpur	Poor	204	PM ₁₀ , PM _{2.5}	3
82	Karnal	Moderate	156	PM ₁₀	1
83	Katihar	Moderate	127	PM ₁₀	1
84	Katni	Moderate	172	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Moderate	166	PM _{2.5}	1
86	Khurja	Moderate	166	PM ₁₀	1
87	Kishanganj	Satisfactory	82	03	1
88	Kochi	Satisfactory	95	со	1
89	Kohima	Satisfactory	77	PM ₁₀	1
90	Kolkata	Satisfactory	78	PM ₁₀ , O ₃	7
91	Kollam	Satisfactory	68	PM ₁₀	1
92	Kota	Moderate	127	PM ₁₀	1
93	Kozhikode	Satisfactory	66	PM ₁₀	1
94	Kurukshetra	Very Poor	301	PM _{2.5}	1
95	Lucknow	Poor	284	PM ₁₀ , PM _{2.5}	6
96	Ludhiana	Moderate	180	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	42	03	1
98	Maihar	Satisfactory	57	PM ₁₀	1
99	Mandi Gobindgarh	Moderate	174	PM _{2.5}	1
100	Mandideep	Moderate	110	PM ₁₀	1
101	Mandikhera	Moderate	110	PM ₁₀	1
102	Manesar	Poor	232	PM _{2.5}	1
103	Manglore	Satisfactory	53	со	1
104	Manguraha	Satisfactory	52	03	1
105	Meerut	Poor	277	PM ₁₀	3
106	Moradabad	Poor	204	PM ₁₀	3
107	Mumbai	Satisfactory	56	PM ₁₀ , CO, O ₃	17
108	Munger	Moderate	165	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Very Poor	334	PM ₁₀	1
110	Muzaffarpur	Satisfactory	99	PM _{2.5} , PM ₁₀	3
111	Mysuru	Good	35	O ₃	1
112	Nagpur	Moderate	105	PM ₁₀	1
113	Nandesari	Moderate	129	со	1
114	Narnaul	Moderate	150	PM ₁₀	1
115	Nashik	Good	38	PM ₁₀	1
116	Navi Mumbai	Satisfactory	67	CO, PM ₁₀	3
117	Noida	Poor	258	PM ₁₀	4
118	Pali	Moderate	122	PM _{2.5}	1
119	Palwal	Moderate	152	PM ₁₀	1
120	Panchkula	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Poor	242	PM ₁₀	1
122	Patiala	Moderate	159	PM ₁₀	1
123	Patna	Moderate	164	PM _{2.5} , PM ₁₀	6
124	Pithampur	Satisfactory	73	PM ₁₀	1
125	Prayagraj	Poor	224	PM ₁₀	2
126	Pune	Satisfactory	80	NO ₂ , CO, O ₃	6
127	Raichur	Satisfactory	51	со	1
128	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
129	Rajgir	Moderate	123	PM ₁₀	1
130	Ramanagara	Good	28	SO ₂	1
131	Ratlam	Satisfactory	94	PM ₁₀	1
132	Rohtak	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Moderate	128	PM ₁₀	1
134	Sagar	Poor	248	NO ₂	1
135	Saharsa	Moderate	178	PM ₁₀	1
136	Samastipur	Moderate	183	PM ₁₀	1
137	Satna	Satisfactory	82	PM ₁₀	1
138	Shillong	Satisfactory	58	PM ₁₀	1
139	Shivamogga	Satisfactory	52	PM ₁₀	1
140	Siliguri	Good	44	PM ₁₀	1
141	Singrauli	Very Poor	336	PM ₁₀	1
142	Sirsa	Poor	211	PM ₁₀	1
143	Solapur	Satisfactory	70	PM ₁₀	1
144	Sonipat	Moderate	184	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Moderate	105	PM ₁₀	1
146	Talcher	Satisfactory	67	СО	1
147	Thiruvananthapuram	Satisfactory	58	PM _{2.5} , PM ₁₀	2
148	Thoothukudi	Good	31	O ₃	1
149	Tirupati	Good	45	PM ₁₀	1
150	Udaipur	Moderate	103	PM ₁₀	1
151	Ujjain	Moderate	110	PM ₁₀	1
152	Varanasi	Moderate	116	PM ₁₀	4
153	Vatva	Satisfactory	95	PM ₁₀	1
154	Vijayapura	Satisfactory	55	PM ₁₀	1
155	Visakhapatnam	Moderate	143	PM ₁₀	1
156	Vrindavan	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Good	32	PM ₁₀	1
158	Yamunanagar	Poor	296	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Motihari, Naharlagun, Puducherry, Purnia, Sasaram, Siwan, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.