

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	145	PM ₁₀ , PM _{2.5}	4
2	Ahmedabad	Satisfactory	83	CO, PM ₁₀	9
3	Aizawl	Good	14	SO ₂	1
4	Ajmer	Satisfactory	78	PM ₁₀	1
5	Alwar	Satisfactory	61	PM ₁₀	1
6	Amaravati	Good	38	03	1
7	Ambala	Satisfactory	88	PM ₁₀	1
8	Amritsar	Satisfactory	80	PM ₁₀	1
9	Asansol	Satisfactory	79	PM _{2.5}	1
10	Aurangabad	Satisfactory	62	PM ₁₀	1
11	Bagalkot	Good	25	со	1
12	Baghpat	Poor	222	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	132	PM ₁₀	1
14	Ballabgarh	Moderate	175	PM ₁₀	1
15	Bathinda	Good	39	PM ₁₀	1
16	Bengaluru	Satisfactory	54	PM _{2.5} , CO, PM ₁₀	8
17	Bhiwadi	Moderate	196	PM _{2.5}	1
18	Bhiwani	Moderate	148	PM ₁₀	1
19	Bhopal	Satisfactory	98	PM ₁₀	1
20	Brajrajnagar	Satisfactory	93	NO ₂	1
21	Bulandshahr	Moderate	175	PM ₁₀	1
22	Chamarajanagar	Satisfactory	52	PM ₁₀	1
23	Chandigarh	Moderate	166	PM _{2.5}	1
24	Chandrapur	Good	32	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	155	PM ₁₀	1
26	Chennai	Satisfactory	56	PM ₁₀ , CO, O ₃	8
27	Chikkaballapur	Good	32	NO ₂	1
28	Chikkamagaluru	Good	31	03	1
29	Damoh	Good	31	со	1
30	Davanagere	Good	20	PM ₁₀	1
31	Delhi	Moderate	164	PM ₁₀	35
32	Dewas	Satisfactory	89	PM ₁₀	1
33	Dharuhera	Moderate	179	PM ₁₀	1
34	Faridabad	Moderate	180	PM _{2.5} , PM ₁₀ , CO	4
35	Fatehabad	Moderate	151	PM ₁₀	1
36	Gadag	Good	39	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	108	PM _{2.5} , PM ₁₀	3
38	Gaya	Satisfactory	53	PM _{2.5} , PM ₁₀	2
39	Ghaziabad	Poor	207	PM ₁₀	4
40	Gorakhpur	Good	34	PM ₁₀	1
41	Greater Noida	Moderate	196	PM ₁₀	1
42	Gummidipoondi	Satisfactory	61	PM ₁₀	1
43	Gurugram	Moderate	129	PM ₁₀	3
44	Guwahati	Good	40	SO ₂	2
45	Gwalior	Satisfactory	94	PM ₁₀	1
46	Hajipur	Moderate	115	PM _{2.5}	1
47	Haldia	Good	44	PM ₁₀	1
48	Hapur	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	60	PM ₁₀	1
50	Hisar	Moderate	148	PM ₁₀	1
51	Howrah	Good	50	PM ₁₀ , PM _{2.5}	2
52	Hubballi	Good	42	PM ₁₀	1
53	Hyderabad	Good	44	NO ₂ , PM ₁₀ , PM _{2.5}	6
54	Indore	Satisfactory	99	PM ₁₀	1
55	Jabalpur	Satisfactory	65	PM ₁₀	1
56	Jaipur	Moderate	109	PM ₁₀	2
57	Jalandhar	Moderate	107	PM ₁₀	1
58	Jind	Poor	247	PM _{2.5}	1
59	Jodhpur	Moderate	118	PM ₁₀	1
60	Jorapokhar	Satisfactory	72	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	170	PM ₁₀	1
62	Kalaburgi	Good	39	NO ₂	1
63	Kalyan	Good	45	со	1
64	Kannur	Satisfactory	67	PM ₁₀	1
65	Kanpur	Satisfactory	86	PM _{2.5} , O ₃	2
66	Karnal	Moderate	120	PM ₁₀	1
67	Katni	Moderate	110	PM ₁₀	1
68	Khanna	Moderate	108	PM ₁₀	1
69	Kochi	Good	47	со	1
70	Kohima	Good	37	PM ₁₀	1
71	Kolar	Satisfactory	83	со	1
72	Kolkata	Good	44	O ₃ , PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	60	PM ₁₀	1
74	Koppal	Satisfactory	74	со	1
75	Kota	Satisfactory	73	PM ₁₀	1
76	Kozhikode	Good	49	со	1
77	Kurukshetra	Moderate	140	PM ₁₀	1
78	Lucknow	Moderate	110	PM ₁₀ , PM _{2.5}	5
79	Ludhiana	Satisfactory	87	PM ₁₀	1
80	Maihar	Good	47	со	1
81	Mandi Gobindgarh	Moderate	106	PM _{2.5}	1
82	Mandikhera	Moderate	127	PM ₁₀	1
83	Manesar	Moderate	140	PM ₁₀	1
84	Manglore	Satisfactory	78	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	26	со	1
86	Meerut	Moderate	198	PM ₁₀	3
87	Mumbai	Satisfactory	66	O ₃ , PM _{2.5} , NO ₂	19
88	Muzaffarnagar	Moderate	171	PM ₁₀	1
89	Muzaffarpur	Satisfactory	62	PM _{2.5} , CO	2
90	Nagpur	Moderate	101	со	1
91	Nandesari	Satisfactory	77	PM _{2.5}	1
92	Narnaul	Moderate	168	PM ₁₀	1
93	Nashik	Good	42	PM ₁₀	1
94	Navi Mumbai	Good	48	PM ₁₀ , PM _{2.5}	2
95	Noida	Moderate	183	PM ₁₀	3
96	Pali	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	78	PM _{2.5}	1
98	Panipat	Moderate	174	PM ₁₀	1
99	Patiala	Moderate	117	PM ₁₀	1
100	Patna	Satisfactory	83	PM ₁₀ , PM _{2.5}	5
101	Pithampur	Satisfactory	66	PM ₁₀	1
102	Prayagraj	Satisfactory	98	PM ₁₀	2
103	Puducherry	Satisfactory	52	O ₃	1
104	Pune	Satisfactory	79	PM _{2.5} , CO	7
105	Raichur	Good	42	PM ₁₀	1
106	Rajamahendravaram	Good	37	со	1
107	Ratlam	Satisfactory	77	PM ₁₀	1
108	Rupnagar	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	32	PM _{2.5}	1
110	Satna	Satisfactory	84	PM ₁₀	1
111	Shivamogga	Good	41	PM ₁₀	1
112	Siliguri	Good	50	PM ₁₀	1
113	Singrauli	Moderate	118	PM ₁₀	1
114	Sirsa	Moderate	126	PM ₁₀	1
115	Solapur	Good	36	O ₃	1
116	Sonipat	Moderate	182	PM ₁₀	1
117	Srinagar	Moderate	120	PM ₁₀	1
118	Talcher	Satisfactory	99	со	1
119	Thane	Satisfactory	100	PM ₁₀	1
120	Thiruvananthapuram	Satisfactory	52	со	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	32	PM ₁₀	1
122	Udaipur	Moderate	118	PM ₁₀	1
123	Ujjain	Moderate	107	PM ₁₀	1
124	Varanasi	Satisfactory	97	PM ₁₀	4
125	Vatva	Moderate	114	PM ₁₀	1
126	Vijayapura	Satisfactory	73	СО	1
127	Visakhapatnam	Satisfactory	79	PM ₁₀	1
128	Yadgir	Good	27	PM ₁₀	1
129	Yamunanagar	Moderate	160	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Coimbatore, Durgapur, Eloor, Ernakulam, Mandideep, Moradabad, Mysuru, Naharlagun, Palwal, Ramanagara, Rohtak, Shillong, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.