

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	399	PM _{2.5}	1
2	Ahmedabad	Poor	213	PM _{2.5}	1
3	Ajmer	Moderate	150	PM _{2.5}	1
4	Alwar	Satisfactory	91	PM ₁₀	1
5	Amaravati	Satisfactory	62	O ₃	1
6	Ambala	Poor	226	PM _{2.5}	1
7	Amritsar	Poor	223	PM _{2.5}	1
8	Ankleshwar	Moderate	144	PM ₁₀	1
9	Asansol	Poor	236	PM _{2.5}	1
10	Aurangabad	Satisfactory	84	PM ₁₀	1
11	Bagalkot	Satisfactory	86	PM _{2.5}	1
12	Baghpat	Severe	403	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	394	PM _{2.5}	1
14	Ballabgarh	Very Poor	334	PM _{2.5}	1
15	Bathinda	Moderate	193	PM _{2.5}	1
16	Bengaluru	Satisfactory	74	PM _{2.5} , PM ₁₀ , CO	8
17	Bhiwadi	Very Poor	375	PM _{2.5}	1
18	Bhiwani	Poor	230	PM ₁₀	1
19	Bhopal	Poor	213	PM _{2.5}	1
20	Brajrajnagar	Moderate	141	PM _{2.5}	1
21	Bulandshahr	Severe	401	PM _{2.5}	1
22	Chandigarh	Moderate	111	PM ₁₀	1
23	Chandrapur	Moderate	114	PM ₁₀	2
24	Charkhi Dadri	Very Poor	339	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	48	PM _{2.5} , CO, PM ₁₀	4
26	Chikkaballapur	Satisfactory	100	PM _{2.5}	1
27	Chikkamagaluru	Satisfactory	90	PM ₁₀	1
28	Coimbatore	Good	42	PM _{2.5}	1
29	Damoh	Moderate	118	PM ₁₀	1
30	Delhi	Severe	406	PM _{2.5} , PM ₁₀	35
31	Dewas	Moderate	110	O ₃	1
32	Dharuhera	Very Poor	377	PM ₁₀	1
33	Eloor	Good	37	СО	1
34	Ernakulam	Satisfactory	89	со	1
35	Faridabad	Severe	415	PM ₁₀ , PM _{2.5}	4
36	Fatehabad	Severe	466	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	96	PM ₁₀	1
38	Gaya	Moderate	122	O ₃ , PM _{2.5}	2
39	Ghaziabad	Severe	433	PM _{2.5} , PM ₁₀	4
40	Greater Noida	Severe	421	PM ₁₀ , PM _{2.5}	2
41	Gurugram	Very Poor	392	PM _{2.5}	4
42	Guwahati	Poor	265	PM _{2.5}	1
43	Gwalior	Very Poor	302	PM _{2.5}	1
44	Hajipur	Poor	207	PM _{2.5}	1
45	Hapur	Very Poor	352	PM ₁₀	1
46	Hisar	Very Poor	387	PM _{2.5}	1
47	Howrah	Poor	248	PM _{2.5}	3
48	Hubballi	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	141	PM _{2.5} , PM ₁₀	6
50	Indore	Poor	204	PM _{2.5}	1
51	Jabalpur	Moderate	192	PM _{2.5}	1
52	Jaipur	Moderate	165	PM _{2.5}	3
53	Jalandhar	Poor	215	PM _{2.5}	1
54	Jind	Severe	414	PM _{2.5}	1
55	Jodhpur	Poor	226	PM _{2.5}	1
56	Kaithal	Very Poor	375	PM _{2.5}	1
57	Kalaburgi	Moderate	122	PM ₁₀	1
58	Kalyan	Moderate	142	PM _{2.5}	1
59	Kannur	Satisfactory	58	со	1
60	Kanpur	Severe	441	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	249	PM _{2.5}	1
62	Katni	Poor	285	PM ₁₀	1
63	Khanna	Poor	202	PM _{2.5}	1
64	Kochi	Moderate	107	со	1
65	Kohima	Moderate	102	PM ₁₀	1
66	Kolkata	Poor	238	PM _{2.5} , O ₃	6
67	Kollam	Satisfactory	76	PM _{2.5}	1
68	Kota	Moderate	128	PM _{2.5}	1
69	Kozhikode	Good	45	PM ₁₀	1
70	Kurukshetra	Very Poor	321	PM _{2.5}	1
71	Lucknow	Severe	447	PM _{2.5} , PM ₁₀	4
72	Ludhiana	Poor	222	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	178	PM _{2.5}	1
74	Mandideep	Poor	203	PM _{2.5}	1
75	Mandikhera	Poor	227	PM _{2.5}	1
76	Manesar	Very Poor	337	PM _{2.5}	1
77	Meerut	Very Poor	342	PM ₁₀ , PM _{2.5}	2
78	Moradabad	Severe	457	PM _{2.5}	1
79	Mumbai	Moderate	128	O ₃ , PM ₁₀ , PM _{2.5}	8
80	Muzaffarnagar	Very Poor	321	PM _{2.5}	1
81	Muzaffarpur	Very Poor	316	PM _{2.5} , O ₃	2
82	Mysuru	Good	29	O ₃	1
83	Nagpur	Satisfactory	83	PM _{2.5}	1
84	Nandesari	Moderate	128	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	223	PM _{2.5}	1
86	Nashik	Satisfactory	95	PM _{2.5}	1
87	Navi Mumbai	Moderate	165	PM _{2.5}	2
88	Noida	Severe	406	PM ₁₀ , PM _{2.5}	4
89	Pali	Moderate	112	PM ₁₀	1
90	Palwal	Poor	244	PM _{2.5}	1
91	Panchkula	Moderate	160	PM _{2.5}	1
92	Panipat	Very Poor	334	PM ₁₀	1
93	Patiala	Poor	266	PM ₁₀	1
94	Patna	Poor	231	PM _{2.5} , PM ₁₀	6
95	Pithampur	Moderate	140	PM ₁₀	1
96	Pune	Satisfactory	65	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	117	O ₃	1
98	Ratlam	Moderate	181	PM ₁₀	1
99	Rohtak	Very Poor	376	PM _{2.5}	1
100	Rupnagar	Poor	220	PM _{2.5}	1
101	Sagar	Poor	236	PM _{2.5}	1
102	Satna	Satisfactory	65	PM ₁₀	1
103	Shillong	Satisfactory	57	PM _{2.5}	1
104	Siliguri	Very Poor	313	PM _{2.5}	1
105	Singrauli	Poor	222	PM _{2.5}	1
106	Sirsa	Very Poor	310	PM _{2.5}	1
107	Sonipat	Very Poor	372	NO ₂	1
108	Talcher	Moderate	172	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Poor	219	PM ₁₀	1
110	Thiruvananthapuram	Satisfactory	62	CO, PM ₁₀	2
111	Thrissur	Satisfactory	51	PM ₁₀	1
112	Tirupati	Good	37	со	1
113	Udaipur	Moderate	103	PM ₁₀	1
114	Ujjain	Poor	275	O ₃	1
115	Vapi	Poor	208	PM _{2.5}	1
116	Varanasi	Very Poor	317	PM ₁₀	1
117	Vatva	Poor	260	PM _{2.5}	1
118	Vijayapura	Satisfactory	88	PM ₁₀	1
119	Visakhapatnam	Moderate	158	PM _{2.5}	1
120	Yadgir	Moderate	107	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Jorapokhar, Maihar, Ramanagara, Solapur, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.