

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM _{2.5} , PM ₁₀	2
2	Agra	Moderate	124	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Poor	206	PM ₁₀	1
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Moderate	109	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Satisfactory	59	O ₃	1
8	Ambala	Moderate	116	PM ₁₀	1
9	Amritsar	Moderate	107	PM ₁₀	1
10	Anantapur	Good	50	PM ₁₀	1
11	Ankleshwar	Satisfactory	89	PM ₁₀	1
12	Araria	Poor	221	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	154	O ₃	1
14	Asansol	Moderate	145	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	153	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	122	PM ₁₀	1
17	Baddi	Poor	234	O ₃	1
18	Bagalkot	Good	43	PM ₁₀	1
19	Baghpat	Poor	283	PM _{2.5}	1
20	Bahadurgarh	Poor	235	PM _{2.5}	1
21	Ballabgarh	Satisfactory	76	PM ₁₀	1
22	Bareilly	Moderate	152	PM ₁₀ , PM _{2.5}	2
23	Bathinda	Moderate	189	PM _{2.5}	1
24	Belgaum	Good	48	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	57	PM _{2.5} , PM ₁₀ , O ₃	8
26	Bettiah	Poor	202	PM _{2.5}	1
27	Bhagalpur	Moderate	140	PM _{2.5}	2
28	Bhiwadi	Moderate	186	PM ₁₀	1
29	Bhiwani	Moderate	142	PM _{2.5}	1
30	Bhopal	Moderate	136	PM _{2.5} , PM ₁₀	2
31	Bihar Sharif	Moderate	128	PM ₁₀	1
32	Bilaspur	Satisfactory	55	PM ₁₀	1
33	Bulandshahr	Poor	249	PM _{2.5}	1
34	Buxar	Moderate	148	PM ₁₀	1
35	Chamarajanagar	Good	40	PM ₁₀	1
36	Chandigarh	Moderate	172	O ₃ , PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Satisfactory	75	PM ₁₀	1
38	Charkhi Dadri	Moderate	198	PM _{2.5}	1
39	Chennai	Satisfactory	74	CO, PM ₁₀	8
40	Chhapra	Moderate	182	PM ₁₀	1
41	Chikkaballapur	Good	38	PM ₁₀	1
42	Chikkamagaluru	Good	31	03	1
43	Coimbatore	Good	50	со	1
44	Damoh	Satisfactory	91	PM _{2.5}	1
45	Darbhanga	Poor	230	PM _{2.5}	1
46	Davanagere	Good	22	PM ₁₀	1
47	Delhi	Poor	228	PM _{2.5} , PM ₁₀	29
48	Dewas	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Poor	215	PM _{2.5}	1
50	Dindigul	Good	44	SO ₂	1
51	Durgapur	Moderate	101	PM ₁₀	1
52	Eloor	Satisfactory	67	PM ₁₀	1
53	Ernakulam	Good	41	со	1
54	Faridabad	Very Poor	304	PM ₁₀ , PM _{2.5}	4
55	Fatehabad	Moderate	177	PM _{2.5}	1
56	Firozabad	Moderate	157	PM _{2.5}	2
57	Gadag	Good	36	PM ₁₀	1
58	Gandhinagar	Moderate	101	PM ₁₀	1
59	Gangtok	Good	34	O ₃	1
60	Gaya	Moderate	131	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	276	PM ₁₀	4
62	Gorakhpur	Moderate	184	PM _{2.5}	1
63	Greater Noida	Poor	237	PM ₁₀	2
64	Gurugram	Moderate	186	PM _{2.5} , PM ₁₀	4
65	Guwahati	Satisfactory	80	PM _{2.5} , PM ₁₀	3
66	Gwalior	Moderate	116	PM _{2.5}	1
67	Hajipur	Moderate	168	PM _{2.5}	1
68	Haldia	Satisfactory	94	PM ₁₀	1
69	Hapur	Poor	252	PM _{2.5}	1
70	Hassan	Good	30	NO ₂	1
71	Haveri	Good	34	со	1
72	Hisar	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	88	со	1
74	Howrah	Moderate	109	PM _{2.5} , PM ₁₀	3
75	Hubballi	Satisfactory	58	со	1
76	Hyderabad	Satisfactory	68	CO, PM _{2.5} , PM ₁₀	11
77	Imphal	Moderate	111	O ₃ , SO ₂	2
78	Indore	Moderate	103	PM ₁₀	1
79	Jabalpur	Satisfactory	91	PM ₁₀	1
80	Jaipur	Satisfactory	97	PM ₁₀ , O ₃	3
81	Jalandhar	Moderate	101	PM ₁₀	1
82	Jhansi	Moderate	144	PM ₁₀	1
83	Jind	Moderate	159	PM _{2.5}	1
84	Jodhpur	Poor	212	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Poor	269	PM _{2.5}	1
86	Kalyan	Satisfactory	63	PM ₁₀	1
87	Kannur	Satisfactory	66	PM ₁₀	1
88	Kanpur	Moderate	117	PM _{2.5} , PM ₁₀	3
89	Karnal	Poor	216	PM _{2.5}	1
90	Katihar	Poor	258	PM ₁₀	1
91	Katni	Moderate	179	PM ₁₀	1
92	Khanna	Moderate	114	PM ₁₀	1
93	Khurja	Moderate	163	PM ₁₀	1
94	Kishanganj	Satisfactory	97	PM ₁₀	1
95	Kochi	Moderate	101	PM _{2.5}	1
96	Kohima	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Satisfactory	83	PM ₁₀ , PM _{2.5}	7
98	Kollam	Satisfactory	86	PM ₁₀	1
99	Koppal	Satisfactory	92	PM _{2.5}	1
100	Kota	Moderate	178	PM _{2.5}	1
101	Kozhikode	Satisfactory	75	PM ₁₀	1
102	Kurukshetra	Poor	206	PM _{2.5}	1
103	Lucknow	Moderate	160	PM _{2.5} , PM ₁₀	6
104	Ludhiana	Moderate	198	PM _{2.5}	1
105	Madikeri	Good	31	O ₃	1
106	Maihar	Satisfactory	87	СО	1
107	Mandi Gobindgarh	Satisfactory	90	PM ₁₀	1
108	Mandideep	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Moderate	108	PM ₁₀	1
110	Manesar	Poor	202	PM ₁₀	1
111	Manglore	Good	48	со	1
112	Manguraha	Good	50	PM ₁₀	1
113	Meerut	Poor	286	PM ₁₀ , PM _{2.5}	3
114	Moradabad	Poor	204	PM ₁₀ , PM _{2.5}	6
115	Motihari	Moderate	146	PM ₁₀	1
116	Mumbai	Satisfactory	72	CO, PM ₁₀	18
117	Munger	Moderate	186	PM _{2.5}	1
118	Muzaffarnagar	Moderate	150	03	1
119	Muzaffarpur	Moderate	180	PM _{2.5} , PM ₁₀	3
120	Mysuru	Satisfactory	54	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Satisfactory	72	PM ₁₀	1
122	Narnaul	Moderate	137	PM ₁₀	1
123	Nashik	Good	36	PM ₁₀	1
124	Navi Mumbai	Satisfactory	93	PM _{2.5} , PM ₁₀	3
125	Noida	Poor	269	PM ₁₀ , PM _{2.5}	4
126	Ooty	Satisfactory	56	со	1
127	Pali	Satisfactory	88	PM ₁₀	1
128	Palwal	Moderate	127	PM ₁₀	1
129	Panchkula	Satisfactory	63	PM _{2.5}	1
130	Panipat	Moderate	192	PM ₁₀	1
131	Patiala	Moderate	143	PM _{2.5}	1
132	Patna	Moderate	165	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	106	PM ₁₀	1
134	Prayagraj	Moderate	117	PM _{2.5} , PM ₁₀	3
135	Puducherry	Good	45	со	1
136	Raichur	Satisfactory	76	со	1
137	Rajamahendravaram	Good	37	PM _{2.5}	1
138	Rajgir	Moderate	104	PM ₁₀	1
139	Ramanagara	Good	39	03	1
140	Ramanathapuram	Good	34	PM ₁₀	1
141	Ratlam	Moderate	107	PM ₁₀	1
142	Rohtak	Moderate	133	PM _{2.5}	1
143	Rupnagar	Satisfactory	99	PM _{2.5}	1
144	Sagar	Satisfactory	65	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Saharsa	Moderate	174	PM _{2.5}	1
146	Samastipur	Moderate	196	PM ₁₀	1
147	Sasaram	Moderate	105	O ₃	1
148	Satna	Satisfactory	55	03	1
149	Shillong	Good	23	SO ₂	1
150	Shivamogga	Satisfactory	95	NO ₂	1
151	Siliguri	Satisfactory	74	PM ₁₀	1
152	Singrauli	Moderate	153	PM _{2.5}	1
153	Sirsa	Moderate	127	PM ₁₀	1
154	Sivasagar	Good	24	PM ₁₀	1
155	Siwan	Poor	223	PM _{2.5}	1
156	Solapur	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sonipat	Moderate	189	PM ₁₀	1
158	Srinagar	Good	41	PM ₁₀	1
159	Talcher	Satisfactory	82	PM ₁₀	1
160	Thiruvananthapuram	Good	36	CO, PM ₁₀	2
161	Thoothukudi	Good	27	PM ₁₀	1
162	Tirupati	Good	50	PM _{2.5}	1
163	Udaipur	Moderate	123	PM ₁₀	1
164	Udupi	Satisfactory	74	со	1
165	Ujjain	Moderate	157	PM _{2.5}	1
166	Varanasi	Moderate	132	PM _{2.5} , PM ₁₀	4
167	Vatva	Moderate	156	PM _{2.5}	1
168	Vijayapura	Good	40	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Visakhapatnam	Satisfactory	99	PM ₁₀	1
170	Vrindavan	Satisfactory	97	PM ₁₀	1
171	Yadgir	Good	30	СО	1
172	Yamunanagar	Moderate	164	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dehradun, Gummidipoondi, Jorapokhar, Kalaburgi, Kolar, Naharlagun, Nandesari, Pune, Purnia, Salem, Thane, Thrissur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.