

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	58	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	69	PM ₁₀	6
3	Ahmedabad	Moderate	115	PM ₁₀ , PM _{2.5}	8
4	Alwar	Satisfactory	65	PM ₁₀	1
5	Ambala	Good	34	PM ₁₀	1
6	Amritsar	Moderate	116	PM _{2.5}	1
7	Anantapur	Satisfactory	51	PM ₁₀	1
8	Ankleshwar	Satisfactory	76	PM ₁₀	1
9	Araria	Moderate	145	PM ₁₀	1
10	Ariyalur	Satisfactory	62	NO ₂	1
11	Arrah	Moderate	146	PM ₁₀	1
12	Asansol	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	142	PM ₁₀	1
14	Aurangabad (Maharashtra)	Moderate	102	PM ₁₀	1
15	Baddi	Satisfactory	97	O ₃	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Moderate	143	PM _{2.5}	1
18	Bahadurgarh	Satisfactory	76	PM _{2.5}	1
19	Banswara	Moderate	142	PM ₁₀	1
20	Bareilly	Satisfactory	66	PM ₁₀	2
21	Baripada	Moderate	172	O ₃	1
22	Barmer	Satisfactory	97	PM ₁₀	1
23	Bathinda	Satisfactory	97	PM ₁₀	1
24	Begusarai	Poor	294	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	74	PM ₁₀	9
26	Bettiah	Moderate	107	PM _{2.5}	1
27	Bhagalpur	Poor	260	PM _{2.5}	2
28	Bharatpur	Moderate	160	PM ₁₀	1
29	Bhilai	Satisfactory	62	PM ₁₀	3
30	Bhiwadi	Moderate	168	PM ₁₀	1
31	Bhopal	Satisfactory	95	со	3
32	Bihar Sharif	Moderate	176	PM ₁₀	1
33	Bikaner	Moderate	154	PM ₁₀	1
34	Bilaspur	Satisfactory	74	PM ₁₀	1
35	Bileipada	Moderate	175	PM ₁₀	1
36	Brajrajnagar	Satisfactory	93	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	117	PM ₁₀	1
38	Byrnihat	Satisfactory	55	PM _{2.5}	1
39	Chamarajanagar	Good	42	PM ₁₀	1
40	Chandigarh	Satisfactory	74	PM ₁₀	3
41	Chandrapur	Moderate	134	PM _{2.5}	1
42	Charkhi Dadri	Moderate	145	PM _{2.5}	1
43	Chennai	Satisfactory	53	CO, O ₃	7
44	Chhal	Moderate	101	PM ₁₀	1
45	Chhapra	Moderate	172	PM ₁₀	1
46	Chikkaballapur	Satisfactory	53	PM ₁₀	1
47	Chikkamagaluru	Good	46	PM ₁₀	1
48	Chittorgarh	Poor	209	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Churu	Satisfactory	98	O ₃	1
50	Coimbatore	Poor	219	PM ₁₀	1
51	Cuddalore	Good	25	PM _{2.5}	1
52	Damoh	Good	26	со	1
53	Dausa	Moderate	104	со	1
54	Davanagere	Satisfactory	62	PM ₁₀	1
55	Dehradun	Satisfactory	66	O ₃	1
56	Delhi	Moderate	135	PM _{2.5} , PM ₁₀	38
57	Dewas	Moderate	112	PM ₁₀	1
58	Dhanbad	Moderate	192	PM _{2.5}	1
59	Dharuhera	Moderate	151	PM ₁₀	1
60	Dharwad	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Ballab

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Moderate	106	PM _{2.5}	1
62	Durgapur	Moderate	108	PM ₁₀	1
63	Faridabad	Moderate	112	PM ₁₀ , PM _{2.5}	4
64	Firozabad	Satisfactory	72	PM ₁₀	2
65	Gandhinagar	Moderate	129	PM _{2.5} , PM ₁₀	3
66	Gangtok	Satisfactory	53	03	1
67	Gaya	Moderate	108	PM ₁₀ , CO	3
68	Ghaziabad	Moderate	119	PM ₁₀	4
69	Gorakhpur	Satisfactory	59	SO ₂	1
70	Greater Noida	Moderate	178	PM ₁₀	2
71	Gummidipoondi	Satisfactory	74	PM ₁₀	1
72	Gurugram	Moderate	128	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Satisfactory	64	PM ₁₀	4
74	Gwalior	Moderate	140	O ₃	2
75	Hajipur	Moderate	125	PM ₁₀	1
76	Haldia	Good	43	PM ₁₀	1
77	Hanumangarh	Moderate	103	PM ₁₀	1
78	Hapur	Satisfactory	65	03	1
79	Hassan	Satisfactory	90	PM ₁₀	1
80	Haveri	Satisfactory	53	PM ₁₀	1
81	Hosur	Satisfactory	97	PM ₁₀	1
82	Howrah	Satisfactory	66	PM ₁₀	3
83	Hubballi	Satisfactory	68	PM ₁₀	2
84	Hyderabad	Satisfactory	78	PM ₁₀	13

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Imphal	Satisfactory	78	SO ₂	2
86	Indore	Satisfactory	98	PM ₁₀	2
87	Jabalpur	Moderate	126	PM ₁₀	1
88	Jaipur	Satisfactory	80	PM _{2.5} , PM ₁₀	4
89	Jalandhar	Satisfactory	81	PM ₁₀	1
90	Jhalawar	Satisfactory	96	PM ₁₀	1
91	Jhansi	Satisfactory	68	SO ₂	1
92	Jhunjhunu	Poor	247	O ₃	1
93	Jind	Satisfactory	74	СО	1
94	Jodhpur	Moderate	142	PM ₁₀	2
95	Jorapokhar	Moderate	119	PM ₁₀	1
96	Kadapa	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	56	PM ₁₀	1
98	Kalaburgi	Satisfactory	75	PM ₁₀	2
99	Kalyan	Moderate	106	PM ₁₀	1
100	Kanchipuram	Good	34	PM ₁₀	1
101	Kannur	Satisfactory	79	PM ₁₀	1
102	Kanpur	Satisfactory	93	PM ₁₀	3
103	Karauli	Good	47	O ₃	1
104	Karnal	Good	50	PM ₁₀	1
105	Katihar	Poor	244	PM _{2.5}	1
106	Katni	Moderate	108	PM ₁₀	1
107	Keonjhar	Satisfactory	87	PM ₁₀	1
108	Khanna	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	91	PM _{2.5}	1
110	Kishanganj	Moderate	103	PM ₁₀	1
111	Kochi	Satisfactory	60	PM ₁₀	1
112	Kohima	Satisfactory	80	PM ₁₀	1
113	Kolar	Satisfactory	67	PM ₁₀	1
114	Kolkata	Satisfactory	74	O ₃	7
115	Kollam	Satisfactory	62	PM _{2.5}	1
116	Koppal	Satisfactory	60	O ₃	1
117	Korba	Satisfactory	89	PM ₁₀	2
118	Kota	Moderate	113	O ₃	3
119	Kurukshetra	Satisfactory	80	PM ₁₀	1
120	Lucknow	Satisfactory	80	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	65	PM ₁₀	1
122	Madikeri	Good	44	03	1
123	Maihar	Good	44	PM ₁₀	1
124	Mandi Gobindgarh	Satisfactory	98	PM ₁₀	1
125	Mandideep	Moderate	108	PM ₁₀	1
126	Mandikhera	Moderate	105	PM ₁₀	1
127	Manesar	Moderate	122	PM _{2.5}	1
128	Mangalore	Satisfactory	68	PM ₁₀	1
129	Meerut	Moderate	106	PM ₁₀ , NO ₂	3
130	Milupara	Good	49	PM ₁₀	1
131	Moradabad	Satisfactory	95	PM _{2.5}	6
132	Motihari	Satisfactory	95	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bal

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	87	PM _{2.5} , CO	20
134	Munger	Poor	251	PM ₁₀	1
135	Muzaffarnagar	Moderate	109	PM _{2.5}	1
136	Muzaffarpur	Moderate	160	PM _{2.5} , PM ₁₀	3
137	Mysuru	Satisfactory	59	PM ₁₀	1
138	Nagaon	Satisfactory	56	PM ₁₀	1
139	Nagpur	Satisfactory	94	PM ₁₀	1
140	Naharlagun	Good	20	PM _{2.5}	1
141	Nandesari	Good	25	PM _{2.5}	1
142	Narnaul	Satisfactory	97	PM ₁₀	1
143	Nashik	Satisfactory	62	PM ₁₀	1
144	Navi Mumbai	Moderate	130	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Moderate	139	PM _{2.5}	1
146	Noida	Moderate	137	NO ₂ , PM ₁₀	4
147	Ooty	Satisfactory	86	PM _{2.5}	1
148	Pali	Satisfactory	79	PM ₁₀	1
149	Palkalaiperur	Satisfactory	51	SO ₂	1
150	Palwal	Satisfactory	68	PM ₁₀	1
151	Panchkula	Good	47	PM _{2.5}	1
152	Panipat	Satisfactory	62	PM ₁₀	1
153	Patiala	Satisfactory	62	PM ₁₀	1
154	Patna	Moderate	184	PM ₁₀ , PM _{2.5}	6
155	Pithampur	Moderate	115	PM ₁₀	1
156	Prayagraj	Satisfactory	68	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Puducherry	Good	32	PM ₁₀	1
158	Pune	Satisfactory	76	PM ₁₀	3
159	Purnia	Satisfactory	86	PM _{2.5}	1
160	Raichur	Moderate	117	PM ₁₀	1
161	Raipur	Satisfactory	88	PM ₁₀ , NO ₂	4
162	Rairangpur	Moderate	160	PM _{2.5}	1
163	Rajgir	Moderate	117	PM ₁₀	1
164	Rajsamand	Satisfactory	76	PM ₁₀	1
165	Ramanagara	Satisfactory	77	PM ₁₀	1
166	Ramanathapuram	Good	20	PM ₁₀	1
167	Ratlam	Satisfactory	87	PM ₁₀	1
168	Rishikesh	Good	42	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Good	44	PM _{2.5}	1
170	Rourkela	Moderate	140	PM ₁₀	3
171	Rupnagar	Moderate	115	PM ₁₀	1
172	Sagar	Satisfactory	82	03	1
173	Saharsa	Moderate	178	PM ₁₀	1
174	Samastipur	Moderate	195	PM ₁₀	1
175	Satna	Moderate	179	PM ₁₀	1
176	Sawai Madhopur	Moderate	107	PM ₁₀	1
177	Shillong	Satisfactory	88	PM _{2.5}	1
178	Shivamogga	Good	47	03	1
179	Sikar	Satisfactory	82	03	1
180	Silchar	Good	27	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Satisfactory	55	PM ₁₀	1
182	Singrauli	Moderate	131	PM ₁₀	1
183	Sirsa	Satisfactory	84	03	1
184	Sivasagar	Good	21	PM _{2.5}	1
185	Siwan	Moderate	132	PM ₁₀	1
186	Solapur	Moderate	140	PM ₁₀	1
187	Sri Ganganagar	Poor	220	PM ₁₀	1
188	Srinagar	Good	37	PM ₁₀	1
189	Suakati	Satisfactory	97	PM ₁₀	1
190	Surat	Satisfactory	87	PM _{2.5}	1
191	Talcher	Moderate	108	PM _{2.5}	1
192	Tensa	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	44	PM ₁₀	2
194	Thoothukudi	Satisfactory	63	O ₃	1
195	Thrissur	Moderate	135	PM ₁₀	1
196	Tirupati	Satisfactory	84	PM _{2.5}	1
197	Tonk	Moderate	132	PM ₁₀	1
198	Tumakuru	Moderate	127	со	1
199	Tumidih	Moderate	132	PM ₁₀	1
200	Udaipur	Satisfactory	83	PM ₁₀	1
201	Udupi	Satisfactory	73	03	1
202	Ujjain	Moderate	120	PM ₁₀	1
203	Vapi	Satisfactory	81	PM _{2.5}	1
204	Varanasi	Satisfactory	66	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vatva	Moderate	156	PM _{2.5}	1
206	Vijayapura	Good	42	PM ₁₀	1
207	Visakhapatnam	Satisfactory	68	PM ₁₀	1
208	Vrindavan	Moderate	151	PM ₁₀	1
209	Yadgir	Satisfactory	53	PM _{2.5}	1
210	Yamunanagar	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Amaravati, Ballabgarh, Belgaum, Bhiwani, Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Kashipur, Kozhikode, Kunjemura, Manguraha, Nalbari, Pratapgarh, Rajamahendravaram, Salem, Sasaram, Sirohi, Sonipat, Thane, Tirupur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.