

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	127	PM <sub>2.5</sub>	1
2	Agra	Very Poor	390	PM <sub>2.5</sub>	4
3	Ahmedabad	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	29	PM <sub>10</sub>	1
5	Ajmer	Moderate	164	PM <sub>2.5</sub>	1
6	Alwar	Poor	203	PM <sub>2.5</sub>	1
7	Amaravati	Satisfactory	93	PM <sub>2.5</sub>	1
8	Ambala	Poor	228	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	124	PM <sub>2.5</sub>	1
10	Asansol	Moderate	177	03	1
11	Aurangabad	Moderate	122	PM <sub>10</sub>	1
12	Bagalkot	Good	49	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	445	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	388	PM <sub>2.5</sub>	1
15	Ballabgarh	Severe	431	PM <sub>10</sub>	1
16	Bathinda	Poor	222	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	70	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	10
18	Bhiwadi	Very Poor	390	PM <sub>2.5</sub>	1
19	Bhiwani	Very Poor	384	PM <sub>2.5</sub>	1
20	Bhopal	Moderate	145	PM <sub>10</sub>	1
21	Bilaspur	Satisfactory	74	PM <sub>10</sub>	1
22	Brajrajnagar	Moderate	166	03	1
23	Bulandshahr	Severe	433	PM <sub>2.5</sub>	1
24	Chamarajanagar	Satisfactory	53	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Chandrapur	Moderate	132	O <sub>3</sub> , PM <sub>2.5</sub>	2
27	Charkhi Dadri	Severe	408	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	52	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	8
29	Chikkaballapur	Good	28	со	1
30	Chikkamagaluru	Good	28	PM <sub>10</sub>	1
31	Coimbatore	Moderate	163	СО	1
32	Davanagere	Satisfactory	80	PM <sub>2.5</sub>	1
33	Delhi	Severe	437	PM <sub>2.5</sub> , PM <sub>10</sub>	37
34	Dewas	Satisfactory	58	PM <sub>10</sub>	1
35	Dharuhera	Very Poor	310	PM <sub>2.5</sub>	1
36	Durgapur	Poor	276	PM <sub>2.5</sub>	1

## Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	44	СО	1
38	Faridabad	Severe	449	PM <sub>10</sub> , PM <sub>2.5</sub>	3
39	Fatehabad	Very Poor	374	PM <sub>2.5</sub>	1
40	Firozabad	Severe	430	PM <sub>2.5</sub>	1
41	Gandhinagar	Moderate	119	PM <sub>2.5</sub>	3
42	Gaya	Satisfactory	64	PM <sub>2.5</sub>	1
43	Ghaziabad	Severe	466	PM <sub>2.5</sub>	4
44	Gorakhpur	Very Poor	386	PM <sub>2.5</sub>	1
45	Greater Noida	Severe	414	PM <sub>2.5</sub>	2
46	Gurugram	Severe	456	PM <sub>2.5</sub>	4
47	Guwahati	Poor	208	PM <sub>2.5</sub>	2
48	Gwalior	Very Poor	337	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Poor	245	PM <sub>2.5</sub>	1
50	Haldia	Moderate	150	PM <sub>2.5</sub>	1
51	Hapur	Severe	445	PM <sub>2.5</sub>	1
52	Hassan	Good	25	PM <sub>10</sub>	1
53	Hisar	Severe	422	PM <sub>2.5</sub>	1
54	Howrah	Poor	216	PM <sub>2.5</sub>	3
55	Hubballi	Good	38	PM <sub>10</sub>	1
56	Hyderabad	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	5
57	Indore	Moderate	178	PM <sub>2.5</sub>	1
58	Jabalpur	Moderate	156	PM <sub>10</sub>	1
59	Jaipur	Poor	274	PM <sub>2.5</sub>	2
60	Jalandhar	Poor	219	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Severe	422	PM <sub>2.5</sub>	1
62	Jodhpur	Poor	268	PM <sub>2.5</sub>	1
63	Kaithal	Very Poor	345	PM <sub>2.5</sub>	1
64	Kalaburgi	Moderate	103	PM <sub>2.5</sub>	1
65	Kalyan	Moderate	106	PM <sub>2.5</sub>	1
66	Kannur	Satisfactory	55	со	1
67	Kanpur	Poor	270	PM <sub>2.5</sub>	4
68	Karnal	Poor	287	PM <sub>2.5</sub>	1
69	Katni	Poor	213	PM <sub>2.5</sub>	1
70	Khanna	Poor	248	PM <sub>2.5</sub>	1
71	Kochi	Satisfactory	52	со	1
72	Kohima	Satisfactory	53	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

# Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	7
74	Kollam	Satisfactory	66	PM <sub>10</sub>	1
75	Koppal	Satisfactory	57	O <sub>3</sub>	1
76	Kota	Very Poor	315	PM <sub>2.5</sub>	1
77	Kozhikode	Satisfactory	54	PM <sub>10</sub>	1
78	Kurukshetra	Very Poor	314	PM <sub>2.5</sub>	1
79	Lucknow	Poor	260	PM <sub>2.5</sub> , PM <sub>10</sub>	6
80	Ludhiana	Moderate	163	PM <sub>2.5</sub>	1
81	Mandi Gobindgarh	Poor	223	PM <sub>2.5</sub>	1
82	Mandideep	Moderate	168	PM <sub>10</sub>	1
83	Mandikhera	Very Poor	316	PM <sub>2.5</sub>	1
84	Manglore	Good	49	со	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	28	СО	1
86	Meerut	Severe	438	PM <sub>2.5</sub>	2
87	Moradabad	Severe	414	PM <sub>2.5</sub>	1
88	Mumbai	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	18
89	Muzaffarnagar	Very Poor	328	PM <sub>2.5</sub>	1
90	Muzaffarpur	Poor	288	PM <sub>2.5</sub>	2
91	Mysuru	Satisfactory	62	PM <sub>10</sub>	1
92	Naharlagun	Good	48	PM <sub>10</sub>	1
93	Nandesari	Satisfactory	73	PM <sub>2.5</sub>	1
94	Nashik	Satisfactory	76	PM <sub>2.5</sub>	1
95	Navi Mumbai	Satisfactory	92	PM <sub>2.5</sub>	3
96	Noida	Severe	461	PM <sub>2.5</sub> , PM <sub>10</sub>	4

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Moderate	159	PM <sub>2.5</sub>	1
98	Palwal	Poor	294	PM <sub>10</sub>	1
99	Panchkula	Moderate	137	PM <sub>2.5</sub>	1
100	Panipat	Very Poor	337	PM <sub>10</sub>	1
101	Patiala	Poor	222	PM <sub>2.5</sub>	1
102	Patna	Poor	217	PM <sub>2.5</sub> , PM <sub>10</sub>	5
103	Pithampur	Moderate	107	PM <sub>10</sub>	1
104	Prayagraj	Poor	259	PM <sub>2.5</sub>	3
105	Puducherry	Good	39	со	1
106	Pune	Satisfactory	83	PM <sub>2.5</sub> , CO	4
107	Raichur	Satisfactory	79	PM <sub>10</sub>	1
108	Rajamahendravaram	Moderate	166	03	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Satisfactory	61	03	1
110	Ratlam	Moderate	139	PM <sub>2.5</sub>	1
111	Rohtak	Very Poor	380	PM <sub>2.5</sub>	1
112	Rupnagar	Moderate	178	PM <sub>10</sub>	1
113	Sagar	Moderate	171	PM <sub>2.5</sub>	1
114	Satna	Satisfactory	86	PM <sub>10</sub>	1
115	Shillong	Good	12	SO <sub>2</sub>	1
116	Shivamogga	Good	43	PM <sub>10</sub>	1
117	Siliguri	Moderate	111	PM <sub>2.5</sub>	1
118	Singrauli	Poor	247	PM <sub>10</sub>	1
119	Sirsa	Very Poor	322	PM <sub>2.5</sub>	1
120	Solapur	Satisfactory	75	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sonipat	Very Poor	337	PM <sub>2.5</sub>	1
122	Srinagar	Good	31	со	1
123	Talcher	Moderate	177	PM <sub>2.5</sub>	1
124	Thane	Moderate	111	PM <sub>10</sub>	1
125	Thiruvananthapuram	Good	46	со	1
126	Thoothukudi	Moderate	103	со	1
127	Thrissur	Good	42	PM <sub>10</sub>	1
128	Tirupati	Good	47	со	1
129	Udaipur	Poor	250	PM <sub>2.5</sub>	1
130	Ujjain	Moderate	168	03	1
131	Vapi	Moderate	113	PM <sub>10</sub>	1
132	Varanasi	Moderate	198	PM <sub>2.5</sub>	4

## Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Satisfactory	87	O <sub>3</sub>	1
134	Vijayapura	Satisfactory	57	PM <sub>10</sub>	1
135	Visakhapatnam	Moderate	158	PM <sub>2.5</sub>	1
136	Vrindavan	Severe	424	PM <sub>2.5</sub>	1
137	Yadgir	Satisfactory	78	PM <sub>10</sub>	1
138	Yamunanagar	Very Poor	314	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Eloor, Gadag, Gummidipoondi, Jorapokhar, Kolar, Maihar, Manesar, Motihari, Nagpur, Narnaul, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.