

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM <sub>2.5</sub>	1
2	Agra	Good	43	03	6
3	Ahmedabad	Satisfactory	73	PM <sub>10</sub> , CO	6
4	Aizawl	Good	26	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	95	PM <sub>10</sub>	1
6	Akola	Good	39	PM <sub>10</sub>	1
7	Alwar	Satisfactory	68	PM <sub>10</sub>	1
8	Amaravati	Good	30	O <sub>3</sub>	1
9	Ambala	Good	36	O <sub>3</sub>	1
10	Amravati	Good	38	CO, O <sub>3</sub>	2
11	Amritsar	Satisfactory	73	PM <sub>10</sub>	1
12	Anantapur	Good	43	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	66	O <sub>3</sub>	1
14	Ariyalur	Good	35	NO <sub>2</sub>	1
15	Asansol	Good	47	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Good	49	O <sub>3</sub> , PM <sub>10</sub>	3
17	Baddi	Satisfactory	80	O <sub>3</sub>	1
18	Badlapur	Good	44	PM <sub>10</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Satisfactory	84	O <sub>3</sub>	1
21	Bahadurgarh	Good	48	PM <sub>10</sub>	1
22	Ballabgarh	Good	50	PM <sub>10</sub>	1
23	Banswara	Good	48	PM <sub>2.5</sub>	1
24	Baran	Satisfactory	60	O <sub>3</sub>	1

## Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	25	SO <sub>2</sub>	2
26	Baripada	Satisfactory	72	PM <sub>10</sub>	1
27	Barmer	Satisfactory	63	PM <sub>10</sub>	1
28	Belapur	Good	46	со	1
29	Belgaum	Good	47	со	1
30	Bengaluru	Good	43	PM <sub>10</sub> , CO	12
31	Bharatpur	Satisfactory	57	O <sub>3</sub>	1
32	Bhilai	Good	33	со	3
33	Bhilwara	Satisfactory	59	PM <sub>10</sub>	1
34	Bhiwadi	Moderate	121	PM <sub>10</sub>	1
35	Bhiwandi	Satisfactory	69	PM <sub>10</sub>	1
36	Bhiwani	Satisfactory	57	СО	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Good	47	PM <sub>10</sub> , CO	3
38	Bidar	Good	41	NH <sub>3</sub>	1
39	Bikaner	Satisfactory	83	O <sub>3</sub>	1
40	Bilaspur	Satisfactory	88	со	1
41	Bileipada	Moderate	110	PM <sub>10</sub>	1
42	Bulandshahr	Good	29	03	1
43	Bundi	Satisfactory	67	PM <sub>10</sub>	1
44	Byrnihat	Moderate	103	PM <sub>10</sub>	1
45	Chamarajanagar	Good	41	PM <sub>10</sub>	1
46	Chandigarh	Satisfactory	75	O <sub>3</sub> , PM <sub>2.5</sub>	3
47	Chandrapur	Satisfactory	52	PM <sub>10</sub>	1
48	Charkhi Dadri	Satisfactory	92	PM <sub>2.5</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	61	NO <sub>2</sub> , CO	7
50	Chhal	Good	44	PM <sub>10</sub>	1
51	Chhapra	Satisfactory	99	со	1
52	Chikkaballapur	Good	35	PM <sub>10</sub>	1
53	Chikkamagaluru	Good	40	03	1
54	Chittoor	Good	39	03	1
55	Chittorgarh	Good	48	со	1
56	Churu	Moderate	105	03	1
57	Coimbatore	Satisfactory	73	PM <sub>10</sub>	1
58	Cuddalore	Poor	217	NO <sub>2</sub>	1
59	Damoh	Good	20	со	1
60	Dausa	Moderate	136	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	16	PM <sub>2.5</sub>	1
62	Dehradun	Satisfactory	69	O <sub>3</sub>	1
63	Delhi	Satisfactory	69	NO <sub>2</sub> , CO	36
64	Dewas	Very Poor	327	PM <sub>10</sub>	1
65	Dhanbad	Moderate	186	PM <sub>2.5</sub>	1
66	Dharuhera	Satisfactory	52	PM <sub>10</sub>	1
67	Dharwad	Good	38	со	1
68	Dhule	Good	25	03	1
69	Dindigul	Good	41	SO <sub>2</sub>	1
70	Durgapur	Satisfactory	78	PM <sub>10</sub>	1
71	Faridabad	Poor	287	PM <sub>10</sub>	1
72	Fatehabad	Moderate	162	O <sub>3</sub>	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Good	43	PM <sub>2.5</sub>	1
74	Gandhinagar	Good	37	PM <sub>2.5</sub>	1
75	Gangtok	Good	50	SO <sub>2</sub>	1
76	Gaya	Moderate	107	03	3
77	Ghaziabad	Good	46	PM <sub>2.5</sub> , PM <sub>10</sub>	4
78	Gorakhpur	Good	49	SO <sub>2</sub>	1
79	Greater Noida	Satisfactory	66	PM <sub>10</sub> , O <sub>3</sub>	2
80	Gurugram	Satisfactory	67	PM <sub>2.5</sub>	3
81	Guwahati	Good	22	03	3
82	Gwalior	Good	50	PM <sub>2.5</sub>	4
83	Hajipur	Good	29	со	1
84	Haldia	Good	39	03	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	156	PM <sub>10</sub>	1
86	Hapur	Good	26	со	1
87	Hassan	Satisfactory	51	PM <sub>10</sub>	1
88	Hisar	Satisfactory	72	03	1
89	Hosur	Good	40	PM <sub>10</sub>	1
90	Howrah	Satisfactory	58	NO <sub>2</sub> , PM <sub>10</sub>	3
91	Hubballi	Good	48	со	2
92	Hyderabad	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	14
93	Indore	Good	47	PM <sub>10</sub>	1
94	Jabalpur	Satisfactory	56	O <sub>3</sub>	2
95	Jaipur	Satisfactory	56	O <sub>3</sub> , PM <sub>10</sub>	6
96	Jaisalmer	Satisfactory	98	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	74	PM <sub>10</sub>	1
98	Jalgaon	Satisfactory	65	PM <sub>10</sub>	1
99	Jalna	Satisfactory	70	PM <sub>10</sub>	1
100	Jhalawar	Good	43	03	1
101	Jhansi	Satisfactory	74	PM <sub>10</sub>	1
102	Jhunjhunu	Poor	263	03	1
103	Jodhpur	Satisfactory	74	PM <sub>10</sub>	5
104	Kadapa	Good	32	03	1
105	Kaithal	Satisfactory	51	PM <sub>10</sub>	1
106	Kanchipuram	Good	34	PM <sub>10</sub>	1
107	Kannur	Satisfactory	77	PM <sub>10</sub>	1
108	Kanpur	Satisfactory	53	СО	3

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	82	O <sub>3</sub>	1
110	Karnal	Good	24	PM <sub>10</sub>	1
111	Kashipur	Good	20	PM <sub>10</sub>	1
112	Katihar	Satisfactory	71	со	1
113	Katni	Good	42	PM <sub>10</sub>	1
114	Keonjhar	Satisfactory	58	PM <sub>10</sub>	1
115	Khanna	Satisfactory	69	PM <sub>10</sub>	1
116	Khurja	Satisfactory	92	SO <sub>2</sub>	1
117	Kishanganj	Good	34	со	1
118	Kohima	Good	43	SO <sub>2</sub>	1
119	Kolhapur	Good	27	PM <sub>2.5</sub> , NO <sub>2</sub>	2
120	Kolkata	Good	43	O <sub>3</sub> , PM <sub>10</sub>	7

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	63	PM <sub>10</sub>	1
122	Koppal	Satisfactory	53	O <sub>3</sub>	1
123	Korba	Good	42	NO <sub>2</sub> , PM <sub>10</sub>	2
124	Kota	Satisfactory	56	PM <sub>10</sub>	3
125	Kunjemura	Moderate	124	PM <sub>10</sub>	1
126	Kurukshetra	Satisfactory	53	03	1
127	Latur	Satisfactory	51	PM <sub>10</sub>	1
128	Lucknow	Good	41	PM <sub>10</sub>	6
129	Ludhiana	Satisfactory	89	PM <sub>10</sub>	1
130	Madikeri	Good	21	SO <sub>2</sub>	1
131	Mahad	Good	39	со	1
132	Maihar	Good	22	СО	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Satisfactory	83	PM <sub>2.5</sub>	1
134	Mandideep	Satisfactory	80	03	1
135	Mandikhera	Good	30	PM <sub>10</sub>	1
136	Manesar	Satisfactory	75	PM <sub>10</sub>	1
137	Manguraha	Satisfactory	76	03	1
138	Meerut	Satisfactory	61	CO, O <sub>3</sub>	3
139	Moradabad	Good	45	SO <sub>2</sub> , PM <sub>2.5</sub>	6
140	Motihari	Satisfactory	52	со	1
141	Mumbai	Satisfactory	67	O <sub>3</sub> , PM <sub>2.5</sub>	20
142	Munger	Satisfactory	83	NO <sub>2</sub>	1
143	Muzaffarnagar	Good	35	PM <sub>10</sub>	1
144	Muzaffarpur	Moderate	149	PM <sub>2.5</sub> , CO	2

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## '-AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Good	43	PM <sub>10</sub>	1
146	Nagaon	Good	50	PM <sub>2.5</sub>	1
147	Nagaur	Poor	289	O <sub>3</sub>	1
148	Nagpur	Good	34	PM <sub>10</sub> , O <sub>3</sub>	4
149	Naharlagun	Good	17	PM <sub>2.5</sub>	1
150	Nalbari	Good	24	PM <sub>10</sub>	1
151	Nanded	Good	49	PM <sub>10</sub>	1
152	Narnaul	Very Poor	327	PM <sub>10</sub>	1
153	Nashik	Good	30	PM <sub>10</sub>	3
154	Navi Mumbai	Good	48	со	3
155	Nayagarh	Good	47	PM <sub>10</sub>	1
156	Noida	Satisfactory	90	O <sub>3</sub>	4

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Good	49	SO <sub>2</sub>	1
158	Pali	Satisfactory	99	PM <sub>10</sub>	1
159	Palkalaiperur	Satisfactory	64	SO <sub>2</sub>	1
160	Panchkula	Satisfactory	86	со	1
161	Panipat	Moderate	131	PM <sub>2.5</sub>	1
162	Parbhani	Good	35	03	1
163	Patiala	Good	50	03	1
164	Patna	Satisfactory	68	PM <sub>10</sub> , PM <sub>2.5</sub>	5
165	Pimpri Chinchwad	Good	35	NO <sub>2</sub> , PM <sub>10</sub>	3
166	Pithampur	Satisfactory	53	PM <sub>10</sub>	1
167	Pratapgarh	Good	45	PM <sub>10</sub>	1
168	Prayagraj	Good	30	PM <sub>10</sub>	2

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Good	46	PM <sub>10</sub>	1
170	Pune	Moderate	116	NO <sub>2</sub> , CO	4
171	Purnia	Satisfactory	78	со	1
172	Raichur	Good	36	PM <sub>10</sub>	1
173	Raipur	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub>	3
174	Rairangpur	Satisfactory	75	PM <sub>10</sub>	1
175	Rajamahendravaram	Good	36	PM <sub>10</sub>	1
176	Rajsamand	Moderate	159	со	1
177	Ramanagara	Good	47	PM <sub>10</sub>	1
178	Ratlam	Good	40	NO <sub>2</sub>	1
179	Rishikesh	Good	40	O <sub>3</sub>	1
180	Rohtak	Satisfactory	83	PM <sub>2.5</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Satisfactory	92	PM <sub>10</sub>	2
182	Rupnagar	Moderate	104	PM <sub>10</sub>	1
183	Sagar	Good	43	O <sub>3</sub>	1
184	Saharsa	Poor	280	03	1
185	Samastipur	Satisfactory	66	NO <sub>2</sub>	1
186	Sangli	Good	25	03	1
187	Satna	Satisfactory	75	PM <sub>10</sub>	1
188	Sawai Madhopur	Satisfactory	70	PM <sub>2.5</sub>	1
189	Shillong	Good	22	SO <sub>2</sub>	1
190	Shivamogga	Satisfactory	60	O <sub>3</sub>	1
191	Sikar	Good	43	PM <sub>10</sub>	1
192	Silchar	Good	27	СО	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	31	PM <sub>10</sub>	1
194	Singrauli	Good	44	NO <sub>2</sub>	1
195	Sirsa	Moderate	177	O <sub>3</sub>	1
196	Sivasagar	Good	15	PM <sub>10</sub>	1
197	Siwan	Very Poor	341	PM <sub>10</sub>	1
198	Solapur	Satisfactory	87	PM <sub>10</sub>	3
199	Sonipat	Satisfactory	63	PM <sub>10</sub>	1
200	Sri Ganganagar	Moderate	176	PM <sub>10</sub>	1
201	Srinagar	Satisfactory	62	PM <sub>10</sub>	1
202	Suakati	Satisfactory	69	O <sub>3</sub>	1
203	Surat	Good	15	PM <sub>2.5</sub>	1
204	Tensa	Good	37	O <sub>3</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thane	Good	32	O <sub>3</sub>	2
206	Thiruvananthapuram	Good	38	PM <sub>10</sub> , CO	2
207	Thoothukudi	Satisfactory	60	PM <sub>10</sub>	1
208	Thrissur	Satisfactory	55	PM <sub>10</sub>	1
209	Tirupati	Good	42	со	2
210	Tirupur	Good	41	PM <sub>10</sub>	1
211	Tonk	Moderate	122	PM <sub>2.5</sub>	1
212	Tumidih	Good	43	PM <sub>10</sub>	1
213	Udaipur	Satisfactory	61	PM <sub>10</sub>	1
214	Ujjain	Satisfactory	91	со	1
215	Vapi	Satisfactory	59	со	1
216	Varanasi	Good	34	SO <sub>2</sub>	3

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vatva	Good	44	PM <sub>10</sub>	1
218	Vijayapura	Good	49	PM <sub>10</sub>	1
219	Vijayawada	Good	44	O <sub>3</sub>	1
220	Visakhapatnam	Satisfactory	89	PM <sub>10</sub>	1
221	Vrindavan	Good	40	PM <sub>10</sub>	1
222	Yadgir	Good	30	со	1
223	Yamunanagar	Satisfactory	83	со	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.