

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	195	PM _{2.5}	1
2	Agra	Poor	291	PM _{2.5}	1
3	Ahmedabad	Poor	207	PM ₁₀	1
4	Aizawl	Moderate	101	PM _{2.5}	1
5	Ajmer	Moderate	129	PM _{2.5}	1
6	Alwar	Moderate	108	PM ₁₀	1
7	Amaravati	Satisfactory	89	PM _{2.5}	1
8	Ambala	Moderate	123	PM _{2.5}	1
9	Amritsar	Moderate	178	PM _{2.5}	1
10	Ankleshwar	Poor	236	PM _{2.5}	1
11	Asansol	Moderate	190	PM _{2.5}	1
12	Aurangabad	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	38	PM ₁₀	1
14	Baghpat	Very Poor	303	PM _{2.5}	1
15	Bahadurgarh	Very Poor	307	PM _{2.5}	1
16	Ballabgarh	Very Poor	301	PM _{2.5}	1
17	Bathinda	Moderate	145	PM _{2.5}	1
18	Bengaluru	Satisfactory	95	PM ₁₀ , PM _{2.5} , O ₃	10
19	Bhiwadi	Poor	278	PM ₁₀	1
20	Bhiwani	Moderate	173	PM ₁₀	1
21	Bhopal	Moderate	122	PM ₁₀	1
22	Bidar	Satisfactory	92	PM ₁₀	1
23	Brajrajnagar	Moderate	172	PM ₁₀	1
24	Bulandshahr	Very Poor	337	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Satisfactory	89	PM ₁₀	1
26	Chandigarh	Moderate	135	PM _{2.5}	1
27	Chandrapur	Moderate	118	PM _{2.5} , PM ₁₀	2
28	Charkhi Dadri	Moderate	129	PM _{2.5}	1
29	Chennai	Satisfactory	72	PM _{2.5} , PM ₁₀	8
30	Chikkaballapur	Moderate	113	PM _{2.5}	1
31	Damoh	Satisfactory	70	PM ₁₀	1
32	Delhi	Very Poor	341	PM _{2.5}	38
33	Dewas	Satisfactory	88	O ₃	1
34	Dharuhera	Very Poor	335	PM ₁₀	1
35	Durgapur	Poor	268	PM _{2.5}	1
36	Eloor	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	factory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Moderate	108	PM ₁₀	1
38	Faridabad	Very Poor	326	PM ₁₀ , PM _{2.5}	3
39	Fatehabad	Poor	209	PM _{2.5}	1
40	Gandhinagar	Moderate	108	PM ₁₀	1
41	Gaya	Moderate	188	PM _{2.5} , O ₃	2
42	Ghaziabad	Very Poor	372	PM _{2.5}	4
43	Greater Noida	Very Poor	352	PM _{2.5}	1
44	Gummidipoondi	Poor	204	PM _{2.5}	1
45	Gurugram	Very Poor	347	PM _{2.5}	4
46	Guwahati	Poor	268	PM _{2.5}	2
47	Gwalior	Poor	256	PM _{2.5}	2
48	Hajipur	Very Poor	318	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	82	PM ₁₀	1
50	Hapur	Moderate	123	PM ₁₀	1
51	Hisar	Very Poor	317	PM _{2.5}	1
52	Howrah	Poor	244	PM _{2.5}	3
53	Hubballi	Moderate	108	PM ₁₀	1
54	Hyderabad	Satisfactory	99	PM ₁₀ , PM _{2.5}	5
55	Indore	Moderate	106	PM ₁₀	1
56	Jabalpur	Moderate	178	PM ₁₀	1
57	Jaipur	Moderate	128	PM _{2.5}	3
58	Jalandhar	Moderate	129	PM ₁₀	1
59	Jind	Very Poor	324	PM _{2.5}	1
60	Jodhpur	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	126	PM ₁₀	1
62	Kalaburgi	Moderate	111	PM _{2.5}	1
63	Kalyan	Poor	282	PM _{2.5}	1
64	Kannur	Satisfactory	95	PM _{2.5}	1
65	Kanpur	Poor	284	PM _{2.5}	2
66	Karnal	Moderate	180	PM _{2.5}	1
67	Katni	Moderate	129	PM _{2.5}	1
68	Khanna	Moderate	107	PM _{2.5}	1
69	Kochi	Moderate	144	PM _{2.5}	1
70	Kohima	Moderate	171	PM ₁₀	1
71	Kolar	Satisfactory	55	O ₃	1
72	Kolkata	Poor	203	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Moderate	101	PM _{2.5}	1
74	Koppal	Satisfactory	96	PM ₁₀	1
75	Kota	Moderate	120	PM _{2.5}	1
76	Kozhikode	Satisfactory	89	PM ₁₀	1
77	Kurukshetra	Poor	275	PM _{2.5}	1
78	Lucknow	Very Poor	308	PM ₁₀ , PM _{2.5}	4
79	Ludhiana	Moderate	114	PM ₁₀	1
80	Maihar	Satisfactory	75	PM ₁₀	1
81	Mandi Gobindgarh	Poor	215	PM ₁₀	1
82	Mandideep	Moderate	193	PM ₁₀	1
83	Mandikhera	Moderate	152	PM _{2.5}	1
84	Manesar	Very Poor	313	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Moderate	101	PM _{2.5}	1
86	Medikeri	Satisfactory	70	PM ₁₀	1
87	Meerut	Very Poor	328	PM _{2.5}	2
88	Moradabad	Very Poor	360	PM _{2.5}	1
89	Mumbai	Poor	249	PM _{2.5} , PM ₁₀	17
90	Muzaffarpur	Very Poor	343	PM _{2.5}	2
91	Mysuru	Moderate	105	O ₃	1
92	Nagpur	Satisfactory	80	PM _{2.5}	1
93	Nandesari	Moderate	106	СО	1
94	Narnaul	Poor	294	PM _{2.5}	1
95	Nashik	Moderate	130	PM _{2.5}	1
96	Navi Mumbai	Poor	285	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Very Poor	363	PM _{2.5}	3
98	Pali	Moderate	108	PM ₁₀	1
99	Palwal	Moderate	122	PM ₁₀	1
100	Panipat	Poor	218	PM ₁₀	1
101	Patiala	Moderate	139	PM _{2.5}	1
102	Patna	Very Poor	306	PM _{2.5} , PM ₁₀	6
103	Pithampur	Moderate	101	O ₃	1
104	Puducherry	Satisfactory	53	03	1
105	Pune	Moderate	131	PM _{2.5} , PM ₁₀	5
106	Raichur	Moderate	121	PM ₁₀	1
107	Ramanagara	Poor	247	03	1
108	Ratlam	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Very Poor	330	PM _{2.5}	1
110	Rupnagar	Satisfactory	65	PM ₁₀	1
111	Sagar	Satisfactory	58	PM _{2.5}	1
112	Satna	Satisfactory	98	PM ₁₀	1
113	Shivamogga	Satisfactory	88	NO ₂	1
114	Siliguri	Poor	293	PM _{2.5}	1
115	Singrauli	Poor	227	PM _{2.5}	1
116	Sirsa	Moderate	173	PM _{2.5}	1
117	Solapur	Moderate	124	PM ₁₀	1
118	Sonipat	Moderate	150	PM ₁₀	1
119	Srinagar	Moderate	194	PM _{2.5}	1
120	Talcher	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Very Poor	333	PM ₁₀	1
122	Thiruvananthapuram	Satisfactory	70	PM ₁₀	1
123	Thoothukudi	Good	45	03	1
124	Thrissur	Moderate	112	03	1
125	Tirupati	Satisfactory	58	PM _{2.5}	1
126	Udaipur	Moderate	180	PM _{2.5}	1
127	Udupi	Poor	216	O ₃	1
128	Ujjain	Moderate	153	PM ₁₀	1
129	Vapi	Moderate	185	PM ₁₀	1
130	Varanasi	Poor	264	PM _{2.5}	1
131	Vatva	Poor	273	PM ₁₀	1
132	Vijayapura	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Moderate	123	PM ₁₀	1
134	Yadgir	Satisfactory	86	O ₃	1
135	Yamunanagar	Poor	223	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Davanagere, Gadag, Jorapokhar, Muzaffarnagar, Panchkula, Rajamahendravaram, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.