

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	41	PM ₁₀	1
2	Agra	Satisfactory	74	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	92	PM ₁₀ , O ₃	9
4	Aizawl	Good	21	PM ₁₀	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	82	PM ₁₀	1
7	Amaravati	Good	37	PM ₁₀	1
8	Ambala	Satisfactory	94	PM _{2.5}	1
9	Amritsar	Moderate	111	PM ₁₀	1
10	Ankleshwar	Satisfactory	79	PM _{2.5}	1
11	Asansol	Satisfactory	52	PM ₁₀	1
12	Aurangabad	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	36	PM ₁₀	1
14	Baghpat	Moderate	130	PM ₁₀	1
15	Bahadurgarh	Satisfactory	71	PM ₁₀	1
16	Ballabgarh	Moderate	113	PM ₁₀	1
17	Bathinda	Satisfactory	58	PM ₁₀	1
18	Bengaluru	Satisfactory	78	CO, PM _{2.5} , PM ₁₀	9
19	Bhiwadi	Moderate	122	PM ₁₀	1
20	Bhiwani	Satisfactory	98	PM ₁₀	1
21	Bhopal	Satisfactory	92	PM ₁₀	1
22	Bidar	Satisfactory	75	SO ₂	1
23	Bulandshahr	Moderate	110	PM ₁₀	1
24	Chamarajanagar	Good	46	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	101	PM ₁₀	1
26	Chandrapur	Satisfactory	60	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Moderate	127	PM _{2.5}	1
28	Chennai	Satisfactory	67	PM ₁₀ , O ₃ , CO	6
29	Chikkaballapur	Good	32	PM ₁₀	1
30	Chikkamagaluru	Good	48	NO ₂	1
31	Damoh	Good	32	PM _{2.5}	1
32	Davanagere	Good	19	03	1
33	Delhi	Moderate	114	PM ₁₀	33
34	Dewas	Satisfactory	72	PM ₁₀	1
35	Dharuhera	Satisfactory	56	PM _{2.5}	1
36	Durgapur	Moderate	113	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Good	48	O ₃	1
38	Ernakulam	Good	41	СО	1
39	Faridabad	Moderate	113	PM ₁₀ , O ₃	4
40	Fatehabad	Moderate	120	PM ₁₀	1
41	Firozabad	Satisfactory	75	PM ₁₀	1
42	Gadag	Good	18	со	1
43	Gandhinagar	Satisfactory	54	PM _{2.5} , PM ₁₀	2
44	Gaya	Good	44	CO, NO ₂	2
45	Ghaziabad	Moderate	143	PM ₁₀	3
46	Gorakhpur	Good	22	со	1
47	Greater Noida	Moderate	159	O ₃ , PM ₁₀	2
48	Gurugram	Moderate	106	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	52	SO ₂	2
50	Gwalior	Satisfactory	77	PM ₁₀	2
51	Hajipur	Satisfactory	73	со	1
52	Haldia	Satisfactory	61	PM ₁₀	1
53	Hapur	Moderate	128	PM ₁₀	1
54	Hassan	Satisfactory	67	PM ₁₀	1
55	Hisar	Satisfactory	84	PM ₁₀	1
56	Howrah	Satisfactory	65	PM ₁₀	3
57	Hubballi	Good	48	PM ₁₀	1
58	Hyderabad	Good	49	PM ₁₀ , PM _{2.5}	5
59	Indore	Satisfactory	81	PM ₁₀	1
60	Jabalpur	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Satisfactory	81	PM ₁₀	3
62	Jalandhar	Satisfactory	92	PM ₁₀	1
63	Jind	Moderate	112	PM ₁₀	1
64	Jodhpur	Moderate	126	PM ₁₀	1
65	Kaithal	Moderate	141	PM ₁₀	1
66	Kalaburgi	Satisfactory	61	PM ₁₀	1
67	Kannur	Good	44	NO ₂	1
68	Kanpur	Satisfactory	64	PM ₁₀ , O ₃ , NO ₂	3
69	Karnal	Satisfactory	77	SO ₂	1
70	Katni	Satisfactory	100	PM ₁₀	1
71	Khanna	Satisfactory	77	PM ₁₀	1
72	Kochi	Good	37	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Good	46	PM ₁₀	1
74	Kolkata	Satisfactory	68	PM _{2.5} , PM ₁₀	6
75	Kollam	Satisfactory	89	СО	1
76	Koppal	Good	39	со	1
77	Kota	Satisfactory	69	PM ₁₀	1
78	Kozhikode	Good	29	PM ₁₀	1
79	Kurukshetra	Moderate	119	PM ₁₀	1
80	Lucknow	Satisfactory	74	PM ₁₀ , PM _{2.5}	6
81	Ludhiana	Satisfactory	90	PM ₁₀	1
82	Maihar	Satisfactory	61	PM _{2.5}	1
83	Mandi Gobindgarh	Moderate	128	PM _{2.5}	1
84	Mandideep	Good	49	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Good	50	PM _{2.5}	1
86	Manesar	Moderate	126	PM _{2.5}	1
87	Medikeri	Good	29	O ₃	1
88	Meerut	Moderate	134	PM ₁₀	3
89	Moradabad	Moderate	152	PM ₁₀	1
90	Mumbai	Satisfactory	58	PM ₁₀ , CO	20
91	Muzaffarnagar	Moderate	124	PM ₁₀	1
92	Muzaffarpur	Good	24	PM ₁₀	1
93	Mysuru	Good	38	PM ₁₀	1
94	Nagpur	Satisfactory	51	O ₃	1
95	Naharlagun	Good	37	SO ₂	1
96	Nandesari	Satisfactory	56	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Narnaul	Good	44	PM _{2.5}	1
98	Nashik	Good	33	PM _{2.5}	1
99	Navi Mumbai	Satisfactory	56	CO, PM ₁₀	3
100	Noida	Moderate	125	PM ₁₀	4
101	Pali	Satisfactory	86	PM ₁₀	1
102	Palwal	Satisfactory	89	PM ₁₀	1
103	Panchkula	Satisfactory	86	PM _{2.5}	1
104	Panipat	Moderate	124	PM ₁₀	1
105	Patiala	Satisfactory	90	PM ₁₀	1
106	Patna	Satisfactory	52	CO, PM ₁₀	5
107	Pithampur	Satisfactory	68	PM _{2.5}	1
108	Prayagraj	Satisfactory	59	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Puducherry	Good	45	O ₃	1
110	Pune	Satisfactory	65	PM _{2.5} , CO	6
111	Raichur	Good	43	PM ₁₀	1
112	Rajamahendravaram	Satisfactory	71	PM ₁₀	1
113	Ramanagara	Good	39	PM ₁₀	1
114	Ratlam	Satisfactory	66	PM ₁₀	1
115	Rohtak	Satisfactory	89	NO ₂	1
116	Rupnagar	Moderate	106	PM ₁₀	1
117	Sagar	Good	27	PM _{2.5}	1
118	Satna	Satisfactory	65	PM ₁₀	1
119	Shivamogga	Good	42	PM ₁₀	1
120	Siliguri	Good	34	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Satisfactory	79	PM ₁₀	1
122	Sirsa	Moderate	146	PM ₁₀	1
123	Sonipat	Moderate	156	PM ₁₀	1
124	Srinagar	Satisfactory	68	PM ₁₀	1
125	Talcher	Satisfactory	95	со	1
126	Thane	Satisfactory	79	PM ₁₀	1
127	Thiruvananthapuram	Good	44	PM ₁₀ , CO	2
128	Thoothukudi	Satisfactory	56	PM ₁₀	1
129	Thrissur	Satisfactory	87	SO ₂	1
130	Tirupati	Good	40	PM ₁₀	1
131	Udaipur	Satisfactory	84	PM ₁₀	1
132	Udupi	Poor	265	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

, ,	3		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Satisfactory	74	PM ₁₀	1
134	Vapi	Good	43	PM ₁₀	1
135	Varanasi	Good	44	PM ₁₀ , NO ₂ , CO	4
136	Vatva	Moderate	107	PM ₁₀	1
137	Visakhapatnam	Satisfactory	96	PM ₁₀	1
138	Vrindavan	Satisfactory	81	PM ₁₀	1
139	Yadgir	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kalyan, Kohima, Manglore, Motihari, Shillong, Solapur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.