

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	227	PM _{2.5}	2
2	Agra	Satisfactory	93	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	129	NO ₂	1
4	Aizawl	Satisfactory	61	PM ₁₀	1
5	Ajmer	Moderate	161	PM ₁₀	1
6	Alwar	Satisfactory	82	PM _{2.5}	1
7	Amaravati	Satisfactory	59	PM _{2.5}	1
8	Ambala	Moderate	175	PM _{2.5}	1
9	Amritsar	Poor	232	PM _{2.5}	1
10	Anantapur	Good	33	O ₃	1
11	Araria	Poor	286	PM _{2.5}	1
12	Ariyalur	Good	29	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	317	PM _{2.5}	1
14	Asansol	Very Poor	322	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	342	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	149	PM _{2.5}	1
17	Baddi	Very Poor	321	PM _{2.5}	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	259	PM _{2.5}	1
20	Bahadurgarh	Moderate	193	PM _{2.5}	1
21	Ballabgarh	Poor	234	PM _{2.5}	1
22	Bareilly	Moderate	136	PM ₁₀	2
23	Baripada	Moderate	108	O ₃	1
24	Begusarai	Severe	474	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	134	PM ₁₀	1
26	Bengaluru	Good	40	CO, PM ₁₀	8
27	Bettiah	Severe	416	PM _{2.5}	1
28	Bhagalpur	Very Poor	398	PM _{2.5}	2
29	Bhiwadi	Moderate	151	PM ₁₀	1
30	Bhiwani	Moderate	154	PM _{2.5}	1
31	Bhopal	Poor	214	PM _{2.5}	2
32	Bidar	Satisfactory	68	SO ₂	1
33	Bihar Sharif	Very Poor	396	PM _{2.5}	1
34	Bilaspur	Satisfactory	69	со	1
35	Bileipada	Moderate	148	PM ₁₀	1
36	Brajrajnagar	Satisfactory	82	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	198	PM _{2.5}	1
38	Byrnihat	Very Poor	391	PM _{2.5}	1
39	Chamarajanagar	Good	41	PM ₁₀	1
40	Chandigarh	Poor	238	PM _{2.5}	2
41	Chandrapur	Satisfactory	67	PM ₁₀	2
42	Charkhi Dadri	Moderate	149	PM _{2.5}	1
43	Chennai	Good	34	PM ₁₀ , CO	8
44	Chhapra	Very Poor	372	PM ₁₀	1
45	Chikkaballapur	Good	34	PM ₁₀	1
46	Chikkamagaluru	Good	47	PM ₁₀	1
47	Coimbatore	Satisfactory	57	NO ₂	1
48	Damoh	Satisfactory	64	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Severe	414	PM _{2.5}	1
50	Dehradun	Poor	228	PM _{2.5}	1
51	Delhi	Very Poor	331	PM _{2.5}	37
52	Dewas	Moderate	159	PM ₁₀	1
53	Dharuhera	Poor	262	PM _{2.5}	1
54	Dindigul	Poor	224	NO ₂	1
55	Durgapur	Poor	202	PM ₁₀	1
56	Faridabad	Very Poor	306	PM _{2.5}	4
57	Fatehabad	Moderate	142	PM _{2.5}	1
58	Firozabad	Moderate	101	PM ₁₀	2
59	Gandhinagar	Satisfactory	99	PM ₁₀	1
60	Gangtok	Satisfactory	59	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	300	PM ₁₀ , PM _{2.5}	3
62	Ghaziabad	Poor	269	PM _{2.5}	4
63	Gorakhpur	Moderate	114	PM ₁₀	1
64	Greater Noida	Very Poor	347	PM _{2.5}	2
65	Gurugram	Poor	281	PM _{2.5}	3
66	Guwahati	Poor	218	PM _{2.5}	3
67	Gwalior	Very Poor	311	PM _{2.5}	3
68	Hajipur	Poor	289	PM ₁₀	1
69	Haveri	Satisfactory	72	PM ₁₀	1
70	Hisar	Poor	242	PM _{2.5}	1
71	Hosur	Satisfactory	82	со	1
72	Howrah	Moderate	114	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	76	СО	2
74	Hyderabad	Satisfactory	68	PM ₁₀	12
75	Imphal	Moderate	170	PM _{2.5} , SO ₂	2
76	Indore	Moderate	151	PM ₁₀	1
77	Jabalpur	Very Poor	325	PM _{2.5}	1
78	Jaipur	Moderate	112	PM _{2.5} , PM ₁₀	3
79	Jalandhar	Moderate	174	PM _{2.5}	1
80	Jhansi	Moderate	120	PM ₁₀	1
81	Jind	Poor	218	PM _{2.5}	1
82	Jodhpur	Moderate	118	PM ₁₀	1
83	Kalaburgi	Satisfactory	59	PM _{2.5}	1
84	Kalyan	Poor	222	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanchipuram	Satisfactory	58	SO ₂	1
86	Kannur	Satisfactory	74	PM _{2.5}	1
87	Kanpur	Moderate	172	PM _{2.5}	3
88	Karnal	Poor	207	PM _{2.5}	1
89	Katni	Very Poor	319	PM _{2.5}	1
90	Khanna	Moderate	140	PM _{2.5}	1
91	Khurja	Poor	224	PM _{2.5}	1
92	Kishanganj	Very Poor	345	PM _{2.5}	1
93	Kohima	Satisfactory	99	PM ₁₀	1
94	Kolkata	Satisfactory	85	PM ₁₀	6
95	Kollam	Moderate	101	PM ₁₀	1
96	Kota	Moderate	139	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kozhikode	Satisfactory	75	PM _{2.5}	1
98	Kurukshetra	Moderate	199	PM _{2.5}	1
99	Lucknow	Poor	212	PM _{2.5}	6
100	Ludhiana	Poor	280	PM _{2.5}	1
101	Madikeri	Good	26	03	1
102	Maihar	Satisfactory	86	PM ₁₀	1
103	Mandi Gobindgarh	Poor	234	PM _{2.5}	1
104	Mandideep	Moderate	112	PM ₁₀	1
105	Mandikhera	Moderate	103	PM ₁₀	1
106	Mangalore	Satisfactory	89	PM ₁₀	1
107	Manguraha	Satisfactory	75	PM _{2.5}	1
108	Meerut	Moderate	174	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Moradabad	Moderate	122	PM _{2.5}	6
110	Motihari	Poor	289	PM ₁₀	1
111	Mumbai	Moderate	198	PM _{2.5} , PM ₁₀	16
112	Munger	Very Poor	332	PM _{2.5}	1
113	Muzaffarnagar	Very Poor	304	PM _{2.5}	1
114	Muzaffarpur	Very Poor	357	PM _{2.5}	2
115	Mysuru	Good	41	PM ₁₀	1
116	Nagpur	Poor	258	PM _{2.5}	1
117	Nalbari	Poor	246	PM _{2.5}	1
118	Narnaul	Moderate	151	PM _{2.5}	1
119	Nashik	Moderate	104	PM _{2.5}	1
120	Navi Mumbai	Moderate	183	PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nayagarh	Moderate	126	PM ₁₀	1
122	Noida	Very Poor	303	PM _{2.5}	4
123	Pali	Moderate	104	PM ₁₀	1
124	Palwal	Satisfactory	74	PM ₁₀	1
125	Panchkula	Poor	215	PM _{2.5}	1
126	Panipat	Moderate	133	PM ₁₀	1
127	Patiala	Moderate	134	PM _{2.5}	1
128	Patna	Very Poor	352	PM ₁₀ , PM _{2.5}	6
129	Pithampur	Poor	271	PM _{2.5}	1
130	Prayagraj	Moderate	124	PM _{2.5}	3
131	Puducherry	Good	32	СО	1
132	Purnia	Severe	404	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Raichur	Good	43	PM _{2.5}	1
134	Rairangpur	Satisfactory	75	PM ₁₀	1
135	Rajamahendravaram	Satisfactory	66	PM ₁₀	1
136	Rajgir	Very Poor	374	PM _{2.5}	1
137	Ramanagara	Good	33	PM ₁₀	1
138	Ramanathapuram	Good	15	со	1
139	Ratlam	Satisfactory	97	PM ₁₀	1
140	Rourkela	Moderate	167	PM ₁₀	1
141	Rupnagar	Moderate	160	PM _{2.5}	1
142	Sagar	Poor	254	PM _{2.5}	1
143	Saharsa	Very Poor	378	PM _{2.5}	1
144	Samastipur	Very Poor	387	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sasaram	Very Poor	307	PM _{2.5}	1
146	Satna	Satisfactory	85	PM ₁₀	1
147	Shillong	Moderate	178	PM _{2.5}	1
148	Shivamogga	Satisfactory	56	PM ₁₀	1
149	Siliguri	Moderate	168	PM _{2.5}	1
150	Singrauli	Very Poor	333	PM _{2.5}	1
151	Sirsa	Moderate	157	PM ₁₀	1
152	Sivasagar	Good	21	PM ₁₀	1
153	Siwan	Very Poor	362	PM _{2.5}	1
154	Solapur	Moderate	105	PM _{2.5}	1
155	Sonipat	Poor	224	PM ₁₀	1
156	Suakati	Satisfactory	89	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Surat	Very Poor	306	PM _{2.5}	1
158	Talcher	Poor	226	PM _{2.5}	1
159	Thane	Poor	257	PM ₁₀	1
160	Thiruvananthapuram	Satisfactory	68	PM _{2.5}	2
161	Thoothukudi	Good	29	03	1
162	Tirupati	Good	43	со	2
163	Tirupur	Good	27	SO ₂	1
164	Udaipur	Moderate	155	PM _{2.5}	1
165	Udupi	Satisfactory	98	СО	1
166	Ujjain	Moderate	183	PM _{2.5}	1
167	Vapi	Very Poor	315	PM _{2.5}	1
168	Varanasi	Satisfactory	99	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: E

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vatva	Moderate	113	PM ₁₀	1
170	Vijayapura	Satisfactory	58	PM ₁₀	1
171	Visakhapatnam	Moderate	106	PM ₁₀	1
172	Vrindavan	Satisfactory	80	СО	1
173	Yadgir	Good	43	PM ₁₀	1
174	Yamunanagar	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Notes: Bhilai, Buxar, Chengalpattu, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haldia, Hapur, Hassan, Jorapokhar, Kaithal, Katihar, Keonjhar, Kochi, Kolar, Koppal, Korba, Manesar, Naharlagun, Nandesari, Ooty, Pune, Raipur, Rohtak, Salem, Srinagar, Tensa, Thrissur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.