

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	76	PM ₁₀	1
2	Ahmedabad	Moderate	123	PM _{2.5}	1
3	Aizawl	Good	38	PM ₁₀	1
4	Ajmer	Poor	211	PM _{2.5}	1
5	Alwar	Satisfactory	62	PM ₁₀	1
6	Amaravati	Good	44	PM ₁₀	1
7	Ambala	Poor	226	PM _{2.5}	1
8	Ankleshwar	Satisfactory	91	03	1
9	Asansol	Satisfactory	73	PM ₁₀	1
10	Bagalkot	Satisfactory	52	PM ₁₀	1
11	Baghpat	Poor	297	PM ₁₀	1
12	Bahadurgarh	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Agra, Amritsar,

Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad, Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur, Thane, Thoothukudi, Tirupati, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	133	PM _{2.5}	1
14	Bathinda	Moderate	104	PM _{2.5}	1
15	Bengaluru	Satisfactory	93	PM _{2.5} , PM ₁₀ , CO	9
16	Bhiwadi	Poor	273	PM _{2.5}	1
17	Bhiwani	Moderate	108	PM ₁₀	1
18	Bulandshahr	Poor	246	03	1
19	Chamarajanagar	Satisfactory	76	PM _{2.5}	1
20	Chandigarh	Moderate	177	PM _{2.5}	1
21	Chandrapur	Satisfactory	84	PM ₁₀	2
22	Charkhi Dadri	Moderate	119	PM ₁₀	1
23	Chennai	Satisfactory	64	PM ₁₀ , CO, SO ₂	8
24	Chikkaballapur	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag,
 Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad,
 Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur,
 Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Moderate	111	03	1
26	Damoh	Satisfactory	64	PM _{2.5}	1
27	Delhi	Poor	238	PM ₁₀	26
28	Dewas	Moderate	120	PM ₁₀	1
29	Dharuhera	Poor	247	PM ₁₀	1
30	Durgapur	Moderate	102	PM ₁₀	1
31	Eloor	Good	47	со	1
32	Ernakulam	Satisfactory	58	PM ₁₀	1
33	Faridabad	Poor	260	PM ₁₀ , PM _{2.5}	4
34	Fatehabad	Moderate	158	PM ₁₀	1
35	Gandhinagar	Good	48	PM ₁₀	1
36	Gaya	Moderate	194	PM _{2.5} , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

 * AQI is not calculated for today's bulletin for Agra, Amritsar, Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad, Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur, Thane, Thoothukudi, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	317	PM ₁₀	3
38	Greater Noida	Poor	288	PM ₁₀	2
39	Gurugram	Poor	220	PM ₁₀ , PM _{2.5}	3
40	Guwahati	Moderate	121	PM ₁₀	2
41	Gwalior	Moderate	155	PM ₁₀	1
42	Hajipur	Moderate	142	PM ₁₀	1
43	Haldia	Satisfactory	78	PM ₁₀	1
44	Hapur	Moderate	155	03	1
45	Hassan	Satisfactory	95	PM ₁₀	1
46	Hisar	Moderate	137	PM ₁₀	1
47	Howrah	Satisfactory	83	PM ₁₀	3
48	Hubballi	Satisfactory	83	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Agra, Amritsar,

Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad, Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur, Thane, Thoothukudi, Tirupati, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	98	PM ₁₀ , PM _{2.5}	6
50	Indore	Moderate	119	PM ₁₀	1
51	Jabalpur	Moderate	114	PM ₁₀	1
52	Jaipur	Moderate	168	PM _{2.5} , PM ₁₀	2
53	Jalandhar	Poor	276	PM _{2.5}	1
54	Jind	Poor	276	PM _{2.5}	1
55	Jodhpur	Poor	222	PM _{2.5}	1
56	Kaithal	Moderate	178	PM ₁₀	1
57	Kannur	Moderate	110	PM ₁₀	1
58	Kanpur	Moderate	104	PM _{2.5}	2
59	Karnal	Moderate	110	PM _{2.5}	1
60	Katni	Moderate	175	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI

* AQI is not calculated for today's bulletin for Agra, Amritsar,
Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag,
Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad,
Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur,
Thane, Thoothukudi, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	183	PM _{2.5}	1
62	Kohima	Moderate	116	PM ₁₀	1
63	Kolar	Satisfactory	61	со	1
64	Kolkata	Moderate	101	O ₃ , PM ₁₀	7
65	Kollam	Satisfactory	84	PM ₁₀	1
66	Koppal	Satisfactory	75	со	1
67	Kota	Moderate	161	PM _{2.5}	1
68	Kozhikode	Satisfactory	55	PM ₁₀	1
69	Kurukshetra	Poor	264	PM ₁₀	1
70	Lucknow	Moderate	175	PM _{2.5} , O ₃	3
71	Ludhiana	Poor	209	PM _{2.5}	1
72	Mandi Gobindgarh	Poor	297	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Agra, Amritsar,

Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad, Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur, Thane, Thoothukudi, Tirupati, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Good	50	PM ₁₀	1
74	Mandikhera	Moderate	114	PM ₁₀	1
75	Manesar	Poor	262	PM _{2.5}	1
76	Manglore	Satisfactory	51	PM _{2.5}	1
77	Medikeri	Satisfactory	58	PM ₁₀	1
78	Meerut	Very Poor	319	PM ₁₀	3
79	Mumbai	Satisfactory	68	PM ₁₀ , PM _{2.5} , CO	18
80	Muzaffarnagar	Very Poor	334	PM ₁₀	1
81	Muzaffarpur	Moderate	109	PM _{2.5} , PM ₁₀	2
82	Nagpur	Satisfactory	77	PM _{2.5}	1
83	Nandesari	Satisfactory	93	со	1
84	Narnaul	Poor	204	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: *

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag,
 Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad,
 Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur,
 Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Satisfactory	92	O ₃ , PM ₁₀	3
86	Noida	Poor	295	PM ₁₀	3
87	Pali	Moderate	109	PM ₁₀	1
88	Palwal	Poor	210	PM ₁₀	1
89	Panipat	Poor	243	PM ₁₀	1
90	Patiala	Poor	217	PM ₁₀	1
91	Patna	Moderate	126	PM ₁₀ , PM _{2.5}	5
92	Pithampur	Satisfactory	76	PM ₁₀	1
93	Puducherry	Good	33	PM ₁₀	1
94	Pune	Satisfactory	69	CO, PM ₁₀ , PM _{2.5}	6
95	Raichur	Satisfactory	93	PM ₁₀	1
96	Rajamahendravaram	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

 * AQI is not calculated for today's bulletin for Agra, Amritsar, Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad, Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur, Thane, Thoothukudi, Tirupati, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	113	PM ₁₀	1
98	Rohtak	Moderate	181	PM _{2.5}	1
99	Rupnagar	Moderate	149	PM ₁₀	1
100	Sagar	Moderate	104	PM _{2.5}	1
101	Satna	Satisfactory	70	PM ₁₀	1
102	Shivamogga	Satisfactory	67	O ₃	1
103	Siliguri	Moderate	101	PM _{2.5}	1
104	Singrauli	Poor	258	PM ₁₀	1
105	Sirsa	Moderate	102	PM ₁₀	1
106	Sonipat	Poor	231	PM ₁₀	1
107	Srinagar	Satisfactory	53	PM _{2.5}	1
108	Talcher	Satisfactory	91	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad, Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur, Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	51	PM ₁₀	2
110	Thrissur	Satisfactory	73	SO ₂	1
111	Udaipur	Satisfactory	75	PM ₁₀	1
112	Udupi	Moderate	174	O ₃	1
113	Ujjain	Moderate	146	PM ₁₀	1
114	Varanasi	Moderate	196	O ₃	1
115	Vatva	Moderate	143	PM ₁₀	1
116	Vijayapura	Satisfactory	60	O ₃	1
117	Visakhapatnam	Satisfactory	83	PM ₁₀	1
118	Yadgir	Satisfactory	87	O ₃	1
119	Yamunanagar	Poor	300	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bhopal, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag,
 Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kochi, Maihar, Moradabad,
 Mysuru, Naharlagun, Nashik, Panchkula, Ramanagara, Shillong, Solapur,
 Thane, Thoothukudi, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.