

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	116	PM <sub>2.5</sub>	1
2	Ahmedabad	Satisfactory	87	O <sub>3</sub>	1
3	Aizawl	Good	27	PM <sub>10</sub>	1
4	Ajmer	Moderate	173	PM <sub>10</sub>	1
5	Alwar	Satisfactory	67	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	71	03	1
7	Ambala	Satisfactory	65	PM <sub>10</sub>	1
8	Amritsar	Moderate	103	PM <sub>10</sub>	1
9	Ankleshwar	Moderate	188	O <sub>3</sub>	1
10	Asansol	Satisfactory	90	PM <sub>10</sub>	1
11	Bahadurgarh	Moderate	121	PM <sub>10</sub>	1
12	Bengaluru	Good	38	CO, PM <sub>10</sub> , O <sub>3</sub>	10

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Poor	205	PM <sub>2.5</sub>	1
14	Bhiwani	Satisfactory	88	PM <sub>10</sub>	1
15	Bhopal	Satisfactory	91	PM <sub>10</sub>	1
16	Bidar	Good	30	PM <sub>10</sub>	1
17	Bulandshahr	Moderate	108	03	1
18	Chamarajanagar	Good	39	03	1
19	Chandigarh	Good	50	PM <sub>10</sub>	1
20	Chandrapur	Satisfactory	71	PM <sub>10</sub>	1
21	Charkhi Dadri	Satisfactory	70	PM <sub>10</sub>	1
22	Chennai	Satisfactory	64	SO <sub>2</sub> , PM <sub>10</sub> , CO	4
23	Chikkaballapur	Good	30	NO <sub>2</sub>	1
24	Chikkamagaluru	Good	28	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	33	PM <sub>2.5</sub>	1
26	Davanagere	Good	26	со	1
27	Delhi	Moderate	115	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	29
28	Dewas	Satisfactory	69	PM <sub>10</sub>	1
29	Dharuhera	Moderate	137	PM <sub>10</sub>	1
30	Durgapur	Moderate	154	PM <sub>2.5</sub>	1
31	Eloor	Satisfactory	62	СО	1
32	Ernakulam	Good	43	со	1
33	Faridabad	Moderate	174	O <sub>3</sub> , PM <sub>10</sub>	4
34	Fatehabad	Moderate	110	PM <sub>10</sub>	1
35	Gadag	Good	10	NO <sub>2</sub>	1
36	Gaya	Satisfactory	71	PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	122	PM <sub>10</sub> , CO, O <sub>3</sub>	4
38	Greater Noida	Moderate	138	PM <sub>10</sub>	2
39	Gummidipoondi	Moderate	109	PM <sub>10</sub>	1
40	Gurugram	Moderate	112	PM <sub>10</sub> , PM <sub>2.5</sub>	3
41	Guwahati	Good	42	SO <sub>2</sub>	2
42	Gwalior	Moderate	106	PM <sub>10</sub>	1
43	Haldia	Good	40	PM <sub>2.5</sub>	1
44	Hapur	Satisfactory	78	O <sub>3</sub>	1
45	Hisar	Moderate	109	PM <sub>10</sub>	1
46	Howrah	Satisfactory	80	O <sub>3</sub> , PM <sub>10</sub>	3
47	Hubballi	Good	29	PM <sub>10</sub>	1
48	Hyderabad	Good	45	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	85	PM <sub>10</sub>	1
50	Jabalpur	Satisfactory	91	PM <sub>10</sub>	1
51	Jaipur	Moderate	193	PM <sub>10</sub>	3
52	Jalandhar	Satisfactory	68	PM <sub>10</sub>	1
53	Jodhpur	Moderate	113	PM <sub>10</sub>	1
54	Jorapokhar	Moderate	101	PM <sub>10</sub>	1
55	Kalaburgi	Good	38	O <sub>3</sub>	1
56	Kalyan	Satisfactory	71	PM <sub>10</sub>	1
57	Kannur	Satisfactory	52	PM <sub>10</sub>	1
58	Kanpur	Satisfactory	66	PM <sub>2.5</sub>	2
59	Karnal	Satisfactory	66	PM <sub>10</sub>	1
60	Katni	Satisfactory	80	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	71	PM <sub>10</sub>	1
62	Kochi	Good	43	со	1
63	Kohima	Good	45	PM <sub>10</sub>	1
64	Kolkata	Satisfactory	52	PM <sub>10</sub>	5
65	Kollam	Good	47	PM <sub>10</sub>	1
66	Koppal	Satisfactory	89	03	1
67	Kota	Moderate	159	PM <sub>10</sub>	1
68	Kozhikode	Good	34	со	1
69	Lucknow	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
70	Ludhiana	Satisfactory	71	PM <sub>10</sub>	1
71	Mandi Gobindgarh	Moderate	104	PM <sub>2.5</sub>	1
72	Mandideep	Good	43	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Medikeri	Good	35	SO <sub>2</sub>	1
74	Meerut	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	2
75	Moradabad	Moderate	109	PM <sub>10</sub>	1
76	Mumbai	Satisfactory	61	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	16
77	Muzaffarnagar	Satisfactory	92	PM <sub>10</sub>	1
78	Muzaffarpur	Satisfactory	57	PM <sub>2.5</sub> , CO	2
79	Mysuru	Good	30	O <sub>3</sub>	1
80	Nashik	Good	44	PM <sub>2.5</sub>	1
81	Navi Mumbai	Satisfactory	68	со	2
82	Noida	Moderate	127	PM <sub>10</sub>	2
83	Pali	Moderate	107	PM <sub>2.5</sub>	1
84	Panchkula	Satisfactory	61	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Moderate	114	PM <sub>10</sub>	1
86	Patna	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	5
87	Pithampur	Satisfactory	55	PM <sub>10</sub>	1
88	Puducherry	Satisfactory	52	O <sub>3</sub>	1
89	Pune	Satisfactory	54	CO, PM <sub>2.5</sub>	5
90	Raichur	Good	30	PM <sub>10</sub>	1
91	Rajamahendravaram	Satisfactory	66	PM <sub>10</sub>	1
92	Ratlam	Satisfactory	69	PM <sub>10</sub>	1
93	Rohtak	Satisfactory	82	СО	1
94	Rupnagar	Moderate	177	PM <sub>10</sub>	1
95	Sagar	Good	38	PM <sub>2.5</sub>	1
96	Satna	Satisfactory	76	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Notes: Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shivamogga	Good	37	PM <sub>10</sub>	1
98	Singrauli	Moderate	135	PM <sub>10</sub>	1
99	Srinagar	Satisfactory	77	PM <sub>10</sub>	1
100	Talcher	Moderate	109	со	1
101	Thane	Moderate	167	NO <sub>2</sub>	1
102	Thiruvananthapuram	Satisfactory	51	со	2
103	Thoothukudi	Good	35	PM <sub>10</sub>	1
104	Thrissur	Good	41	03	1
105	Tirupati	Good	36	со	1
106	Udaipur	Satisfactory	84	PM <sub>2.5</sub>	1
107	Ujjain	Satisfactory	98	PM <sub>10</sub>	1
108	Vapi	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## Notes:

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Moderate	126	PM <sub>10</sub>	1
110	Vatva	Moderate	115	PM <sub>10</sub>	1
111	Yadgir	Good	21	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Notes:

- \* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Baghpat, Ballabgarh, Bathinda, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Hassan, Jind, Kaithal, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Patiala, Ramanagara, Shillong, Siliguri, Sirsa, Solapur, Sonipat, Udupi, Vijayapura, Visakhapatnam, Yamunanagar as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.