

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	266	PM _{2.5}	1
2	Agra	Satisfactory	82	PM ₁₀	6
3	Ahmedabad	Moderate	143	PM _{2.5} , PM ₁₀	7
4	Aizawl	Moderate	107	PM ₁₀	1
5	Ajmer	Satisfactory	92	03	1
6	Alwar	Satisfactory	65	PM ₁₀	1
7	Amaravati	Satisfactory	52	СО	1
8	Ambala	Satisfactory	56	PM ₁₀	1
9	Amritsar	Moderate	179	PM _{2.5}	1
10	Anantapur	Good	44	PM _{2.5}	1
11	Ankleshwar	Satisfactory	98	PM ₁₀	1
12	Araria	Poor	267	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	58	NO ₂	1
14	Arrah	Moderate	139	PM ₁₀	1
15	Asansol	Moderate	133	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	66	PM ₁₀	1
17	Baddi	Moderate	171	O ₃	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	237	O ₃	1
20	Bahadurgarh	Moderate	152	PM _{2.5}	1
21	Ballabgarh	Satisfactory	80	PM ₁₀	1
22	Banswara	Moderate	123	PM ₁₀	1
23	Bareilly	Satisfactory	90	PM ₁₀	2
24	Baripada	Moderate	182	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	99	O ₃	1
26	Bathinda	Satisfactory	67	PM ₁₀	1
27	Begusarai	Very Poor	334	PM ₁₀	1
28	Belgaum	Good	50	PM _{2.5}	1
29	Bengaluru	Satisfactory	71	O ₃ , PM ₁₀	9
30	Bettiah	Poor	210	PM ₁₀	1
31	Bhagalpur	Poor	201	PM ₁₀	2
32	Bharatpur	Moderate	175	PM ₁₀	1
33	Bhilai	Good	49	PM ₁₀ , O ₃	3
34	Bhiwadi	Poor	223	PM ₁₀	1
35	Bhiwani	Satisfactory	93	PM ₁₀	1
36	Bhopal	Satisfactory	93	O ₃ , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	158	PM ₁₀	1
38	Bikaner	Poor	207	PM ₁₀	1
39	Bilaspur	Satisfactory	53	со	1
40	Bileipada	Moderate	196	PM ₁₀	1
41	Brajrajnagar	Moderate	102	со	1
42	Bulandshahr	Moderate	134	PM ₁₀	1
43	Byrnihat	Very Poor	320	PM _{2.5}	1
44	Chamarajanagar	Good	41	PM ₁₀	1
45	Chandigarh	Moderate	116	O ₃ , PM ₁₀	3
46	Chandrapur	Satisfactory	81	PM ₁₀	1
47	Charkhi Dadri	Poor	214	PM _{2.5}	1
48	Chennai	Satisfactory	56	NO ₂ , O ₃	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	62	PM ₁₀	1
50	Chhapra	Poor	223	PM ₁₀	1
51	Chikkaballapur	Satisfactory	73	PM ₁₀	1
52	Chittorgarh	Moderate	145	PM _{2.5}	1
53	Churu	Satisfactory	95	03	1
54	Coimbatore	Moderate	181	PM ₁₀	1
55	Cuddalore	Satisfactory	64	NO ₂	2
56	Damoh	Good	26	СО	1
57	Dausa	Moderate	143	PM ₁₀	1
58	Dehradun	Satisfactory	80	O ₃	1
59	Delhi	Poor	217	PM ₁₀ , PM _{2.5}	36
60	Dewas	Satisfactory	86	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Poor	202	PM _{2.5}	1
62	Dharuhera	Poor	270	PM ₁₀	1
63	Dindigul	Good	41	SO ₂	1
64	Durgapur	Moderate	152	PM ₁₀	1
65	Eloor	Satisfactory	65	PM ₁₀	1
66	Faridabad	Moderate	147	PM ₁₀ , PM _{2.5}	4
67	Firozabad	Moderate	113	O ₃ , PM ₁₀	2
68	Gadag	Good	37	03	1
69	Gandhinagar	Moderate	156	PM _{2.5} , PM ₁₀	3
70	Gangtok	Satisfactory	60	03	1
71	Gaya	Moderate	149	O ₃ , CO	3
72	Ghaziabad	Moderate	200	PM ₁₀	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Satisfactory	87	PM ₁₀	1
74	Greater Noida	Poor	249	O ₃	2
75	Gummidipoondi	Satisfactory	85	PM ₁₀	1
76	Gurugram	Moderate	166	PM _{2.5}	4
77	Guwahati	Poor	215	PM _{2.5}	3
78	Gwalior	Moderate	115	PM ₁₀ , O ₃	3
79	Hajipur	Moderate	171	PM ₁₀	1
80	Haldia	Satisfactory	76	PM ₁₀	1
81	Hanumangarh	Moderate	126	PM ₁₀	1
82	Hapur	Satisfactory	78	O ₃	1
83	Hassan	Satisfactory	79	PM ₁₀	1
84	Haveri	Satisfactory	82	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Moderate	113	со	1
86	Howrah	Moderate	111	PM _{2.5} , PM ₁₀	3
87	Hubballi	Moderate	140	PM ₁₀ , PM _{2.5}	2
88	Hyderabad	Satisfactory	95	PM ₁₀	14
89	Imphal	Moderate	112	PM ₁₀ , SO ₂	2
90	Indore	Satisfactory	60	PM ₁₀	2
91	Jaipur	Moderate	132	PM ₁₀ , PM _{2.5}	5
92	Jalandhar	Moderate	123	PM ₁₀	1
93	Jhalawar	Satisfactory	87	PM ₁₀	1
94	Jhansi	Satisfactory	78	PM ₁₀	1
95	Jhunjhunu	Poor	243	O ₃	1
96	Jind	Satisfactory	96	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	139	O ₃	2
98	Jorapokhar	Moderate	149	PM ₁₀	1
99	Kaithal	Satisfactory	80	PM ₁₀	1
100	Kalaburgi	Satisfactory	64	PM ₁₀	2
101	Kalyan	Moderate	146	PM ₁₀	1
102	Kanchipuram	Satisfactory	52	PM ₁₀	1
103	Kannur	Satisfactory	78	PM ₁₀	1
104	Kanpur	Satisfactory	96	PM ₁₀ , O ₃	3
105	Karauli	Good	39	O ₃	1
106	Karnal	Satisfactory	73	PM ₁₀	1
107	Katihar	Poor	246	PM ₁₀	1
108	Katni	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Satisfactory	92	PM ₁₀	1
110	Khanna	Satisfactory	87	PM ₁₀	1
111	Khurja	Satisfactory	94	PM _{2.5}	1
112	Kishanganj	Moderate	192	PM ₁₀	1
113	Kohima	Moderate	113	PM ₁₀	1
114	Kolar	Satisfactory	98	PM ₁₀	1
115	Kolkata	Moderate	131	O ₃	6
116	Koppal	Satisfactory	100	O ₃	1
117	Korba	Satisfactory	62	PM ₁₀	2
118	Kota	Moderate	119	O ₃ , PM _{2.5}	3
119	Kurukshetra	Satisfactory	88	PM ₁₀	1
120	Lucknow	Moderate	110	NO ₂	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	92	PM ₁₀	1
122	Madikeri	Satisfactory	54	PM ₁₀	1
123	Maihar	Good	45	со	1
124	Mandi Gobindgarh	Moderate	111	PM ₁₀	1
125	Mandideep	Satisfactory	93	PM ₁₀	1
126	Mandikhera	Moderate	114	PM ₁₀	1
127	Manesar	Poor	219	PM _{2.5}	1
128	Mangalore	Satisfactory	94	PM ₁₀	1
129	Manguraha	Poor	235	PM _{2.5}	1
130	Meerut	Moderate	166	PM _{2.5}	3
131	Milupara	Good	48	PM ₁₀	1
132	Moradabad	Moderate	122	PM _{2.5}	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Motihari	Moderate	176	PM _{2.5}	1
134	Mumbai	Moderate	156	PM _{2.5} , PM ₁₀	18
135	Munger	Poor	250	PM ₁₀	1
136	Muzaffarnagar	Moderate	163	O ₃	1
137	Muzaffarpur	Poor	222	PM _{2.5}	3
138	Mysuru	Satisfactory	59	PM ₁₀	1
139	Nagaon	Poor	215	PM ₁₀	1
140	Nagpur	Moderate	135	PM _{2.5}	1
141	Nalbari	Moderate	187	PM ₁₀	1
142	Nandesari	Good	50	СО	1
143	Nashik	Satisfactory	58	PM ₁₀	1
144	Navi Mumbai	Moderate	178	PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Moderate	193	PM _{2.5}	1
146	Noida	Moderate	197	PM ₁₀ , PM _{2.5}	4
147	Ooty	Satisfactory	91	PM _{2.5}	1
148	Pali	Satisfactory	87	O ₃	1
149	Palkalaiperur	Satisfactory	51	SO ₂	1
150	Palwal	Moderate	114	PM ₁₀	1
151	Panchkula	Moderate	122	со	1
152	Panipat	Moderate	104	PM ₁₀	1
153	Patiala	Satisfactory	90	PM ₁₀	1
154	Patna	Poor	225	PM ₁₀ , PM _{2.5}	5
155	Pithampur	Satisfactory	82	PM ₁₀	1
156	Pratapgarh	Satisfactory	77	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Moderate	107	O ₃ , PM ₁₀	3
158	Puducherry	Good	33	PM ₁₀	1
159	Pune	Satisfactory	94	NO ₂ , CO	3
160	Purnia	Poor	211	PM _{2.5}	1
161	Raichur	Satisfactory	74	PM ₁₀	1
162	Raipur	Satisfactory	92	PM ₁₀ , NO ₂	4
163	Rajgir	Moderate	135	PM ₁₀	1
164	Rajsamand	Satisfactory	74	PM ₁₀	1
165	Ramanagara	Good	48	PM ₁₀	1
166	Ramanathapuram	Good	37	PM ₁₀	1
167	Ratlam	Satisfactory	88	PM ₁₀	1
168	Rishikesh	Satisfactory	58	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Satisfactory	67	PM _{2.5}	1
170	Rourkela	Moderate	150	PM _{2.5}	3
171	Rupnagar	Moderate	130	PM ₁₀	1
172	Sagar	Satisfactory	96	03	1
173	Saharsa	Poor	287	PM _{2.5}	1
174	Salem	Satisfactory	99	SO ₂	1
175	Samastipur	Poor	231	PM ₁₀	1
176	Sasaram	Moderate	168	03	1
177	Satna	Moderate	115	PM ₁₀	1
178	Sawai Madhopur	Satisfactory	75	PM ₁₀	1
179	Shillong	Moderate	177	PM _{2.5}	1
180	Shivamogga	Good	45	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sikar	Moderate	179	PM ₁₀	1
182	Silchar	Good	44	PM ₁₀	1
183	Siliguri	Moderate	107	PM ₁₀	1
184	Singrauli	Poor	216	PM _{2.5}	1
185	Sirsa	Satisfactory	95	03	1
186	Sivasagar	Satisfactory	60	PM ₁₀	1
187	Siwan	Moderate	167	PM ₁₀	1
188	Solapur	Satisfactory	97	PM ₁₀	1
189	Sonipat	Moderate	125	PM ₁₀	1
190	Sri Ganganagar	Poor	267	PM ₁₀	1
191	Srinagar	Moderate	113	PM _{2.5}	1
192	Suakati	Moderate	112	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Surat	Satisfactory	90	со	1
194	Talcher	Moderate	104	PM _{2.5}	1
195	Tensa	Satisfactory	99	PM ₁₀	1
196	Thiruvananthapuram	Good	46	PM ₁₀	2
197	Thoothukudi	Satisfactory	56	03	1
198	Tirupati	Satisfactory	66	PM ₁₀	1
199	Tirupur	Satisfactory	61	PM ₁₀	1
200	Tonk	Moderate	127	PM ₁₀	1
201	Tumakuru	Moderate	122	со	1
202	Tumidih	Satisfactory	73	PM ₁₀	1
203	Udaipur	Satisfactory	99	PM ₁₀	1
204	Ujjain	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vapi	Poor	238	PM _{2.5}	1
206	Varanasi	Satisfactory	100	PM ₁₀ , PM _{2.5}	4
207	Vatva	Poor	214	PM _{2.5}	1
208	Vijayapura	Good	42	PM ₁₀	1
209	Vijayawada	Satisfactory	57	O ₃	1
210	Visakhapatnam	Moderate	101	PM ₁₀	1
211	Vrindavan	Moderate	188	PM ₁₀	1
212	Yadgir	Satisfactory	61	PM ₁₀	1
213	Yamunanagar	Moderate	149	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Notes: Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Jabalpur, Kadapa, Kashipur, Kochi, Kollam, Kozhikode, Kunjemura, Naharlagun, Narnaul, Rairangpur, Rajamahendravaram, Sirohi, Thane, Thrissur, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.