



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	44	PM <sub>10</sub>	1
2	Agra	Satisfactory	54	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	68	PM <sub>10</sub>	2
4	Aizawl	Good	21	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	88	PM <sub>10</sub>	1
6	Alwar	Satisfactory	62	PM <sub>10</sub>	1
7	Amaravati	Good	23	CO	1
8	Ambala	Moderate	181	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	71	PM <sub>2.5</sub>	1
10	Anantapur	Good	48	PM <sub>2.5</sub>	1
11	Ankleshwar	Satisfactory	84	PM <sub>10</sub>	1
12	Arrah	Satisfactory	69	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	69	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Moderate	135	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	94	PM <sub>10</sub>	1
16	Baddi	Moderate	153	PM <sub>10</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Moderate	101	PM <sub>10</sub>	1
19	Bahadurgarh	Satisfactory	91	PM <sub>10</sub>	1
20	Ballabgarh	Moderate	197	PM <sub>10</sub>	1
21	Bareilly	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	2
22	Bathinda	Satisfactory	77	PM <sub>10</sub>	1
23	Belgaum	Good	46	CO	1
24	Bengaluru	Satisfactory	51	PM <sub>10</sub> , CO	5

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Good	28	CO	1
26	Bhagalpur	Satisfactory	94	NO <sub>2</sub> , PM <sub>10</sub>	2
27	Bhiwadi	Moderate	128	NO <sub>2</sub>	1
28	Bhiwani	Satisfactory	56	PM <sub>2.5</sub>	1
29	Bhopal	Satisfactory	94	PM <sub>10</sub>	1
30	Bihar Sharif	Satisfactory	81	PM <sub>10</sub>	1
31	Bilaspur	Satisfactory	67	PM <sub>10</sub>	1
32	Brajrajnagar	Good	49	CO	1
33	Bulandshahr	Moderate	111	PM <sub>10</sub>	1
34	Buxar	Moderate	144	PM <sub>10</sub>	1
35	Chamarajanagar	Good	41	PM <sub>10</sub>	1
36	Chandigarh	Satisfactory	79	O <sub>3</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Good	50	PM <sub>10</sub>	2
38	Charkhi Dadri	Moderate	101	PM <sub>10</sub>	1
39	Chennai	Satisfactory	62	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	8
40	Chhapra	Moderate	155	PM <sub>2.5</sub>	1
41	Chikkaballapur	Good	29	CO	1
42	Chikkamagaluru	Good	36	O <sub>3</sub>	1
43	Damoh	Good	34	PM <sub>2.5</sub>	1
44	Darbhanga	Satisfactory	58	PM <sub>10</sub>	1
45	Davanagere	Good	17	PM <sub>10</sub>	1
46	Dehradun	Satisfactory	60	PM <sub>10</sub>	1
47	Delhi	Moderate	121	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	34
48	Dewas	Satisfactory	57	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Satisfactory	100	PM <sub>10</sub>	1
50	Eloor	Satisfactory	53	PM <sub>10</sub>	1
51	Ernakulam	Good	46	NO <sub>2</sub>	1
52	Faridabad	Moderate	171	O <sub>3</sub> , PM <sub>10</sub>	3
53	Fatehabad	Satisfactory	77	PM <sub>10</sub>	1
54	Firozabad	Moderate	138	O <sub>3</sub> , PM <sub>2.5</sub>	2
55	Gandhinagar	Satisfactory	59	PM <sub>10</sub>	1
56	Gangtok	Good	19	O <sub>3</sub>	1
57	Gaya	Moderate	123	PM <sub>2.5</sub> , CO	3
58	Ghaziabad	Moderate	126	PM <sub>10</sub>	3
59	Gorakhpur	Good	46	SO <sub>2</sub>	1
60	Greater Noida	Moderate	146	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	129	PM <sub>10</sub>	3
62	Guwahati	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	2
63	Gwalior	Satisfactory	72	PM <sub>10</sub>	1
64	Hajipur	Satisfactory	76	PM <sub>10</sub>	1
65	Hapur	Moderate	106	PM <sub>10</sub>	1
66	Hassan	Good	24	NO <sub>2</sub>	1
67	Haveri	Satisfactory	58	CO	1
68	Hisar	Satisfactory	72	PM <sub>10</sub>	1
69	Howrah	Good	50	PM <sub>10</sub> , CO	3
70	Hubballi	Good	50	CO	1
71	Hyderabad	Satisfactory	51	CO, PM <sub>10</sub> , NO <sub>2</sub>	11
72	Imphal	Satisfactory	85	O <sub>3</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	77	PM <sub>10</sub>	1
74	Jabalpur	Good	44	PM <sub>10</sub>	1
75	Jaipur	Satisfactory	94	PM <sub>10</sub>	3
76	Jalandhar	Satisfactory	63	PM <sub>10</sub>	1
77	Jhansi	Satisfactory	86	PM <sub>10</sub>	1
78	Jind	Satisfactory	62	PM <sub>10</sub>	1
79	Jodhpur	Satisfactory	95	PM <sub>10</sub>	1
80	Kaithal	Satisfactory	78	PM <sub>10</sub>	1
81	Kalaburgi	Good	29	SO <sub>2</sub>	1
82	Kalyan	Satisfactory	57	PM <sub>10</sub>	1
83	Kanpur	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub>	4
84	Karnal	Satisfactory	92	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katihar	Moderate	126	PM <sub>10</sub>	1
86	Katni	Satisfactory	75	PM <sub>10</sub>	1
87	Khanna	Satisfactory	62	PM <sub>10</sub>	1
88	Khurja	Satisfactory	96	PM <sub>2.5</sub>	1
89	Kishanganj	Satisfactory	63	PM <sub>2.5</sub>	1
90	Kochi	Moderate	155	PM <sub>2.5</sub>	1
91	Kohima	Satisfactory	57	PM <sub>10</sub>	1
92	Kolkata	Good	38	PM <sub>10</sub> , O <sub>3</sub>	7
93	Koppal	Moderate	108	O <sub>3</sub>	1
94	Kota	Satisfactory	85	PM <sub>10</sub>	1
95	Kurukshetra	Moderate	101	PM <sub>10</sub>	1
96	Lucknow	Satisfactory	71	CO, PM <sub>10</sub>	5

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ludhiana	Satisfactory	97	PM <sub>10</sub>	1
98	Madikeri	Good	23	O <sub>3</sub>	1
99	Maihar	Good	32	CO	1
100	Mandi Gobindgarh	Moderate	186	PM <sub>10</sub>	1
101	Mandideep	Satisfactory	63	PM <sub>10</sub>	1
102	Mandikhara	Satisfactory	61	PM <sub>10</sub>	1
103	Manguraha	Good	47	NO <sub>2</sub>	1
104	Meerut	Moderate	139	PM <sub>10</sub>	3
105	Moradabad	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	5
106	Mumbai	Satisfactory	61	CO, PM <sub>10</sub> , NO <sub>2</sub>	15
107	Munger	Satisfactory	77	PM <sub>10</sub>	1
108	Muzaffarnagar	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	77	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	3
110	Mysuru	Good	36	PM <sub>10</sub>	1
111	Nagpur	Satisfactory	68	CO	1
112	Narnaul	Good	48	PM <sub>2.5</sub>	1
113	Nashik	Good	45	O <sub>3</sub>	1
114	Navi Mumbai	Satisfactory	66	CO, NO <sub>2</sub> , PM <sub>10</sub>	3
115	Noida	Moderate	124	PM <sub>10</sub>	4
116	Ooty	Satisfactory	56	CO	1
117	Pali	Satisfactory	87	PM <sub>10</sub>	1
118	Palwal	Satisfactory	100	PM <sub>10</sub>	1
119	Panchkula	Satisfactory	60	PM <sub>2.5</sub>	1
120	Panipat	Satisfactory	57	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Manglore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Satisfactory	65	PM <sub>10</sub>	1
122	Patna	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	6
123	Pithampur	Moderate	107	PM <sub>10</sub>	1
124	Prayagraj	Satisfactory	80	SO <sub>2</sub> , PM <sub>10</sub>	2
125	Puducherry	Good	43	CO	1
126	Purnia	Moderate	126	PM <sub>2.5</sub>	1
127	Raichur	Satisfactory	73	CO	1
128	Rajamahendravaram	Good	23	PM <sub>10</sub>	1
129	Rajgir	Satisfactory	100	CO	1
130	Ramanagara	Good	44	O <sub>3</sub>	1
131	Ramanathapuram	Good	19	PM <sub>10</sub>	1
132	Ratlam	Satisfactory	82	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Moderate	108	PM <sub>2.5</sub>	1
134	Sagar	Satisfactory	56	CO	1
135	Samastipur	Moderate	123	PM <sub>10</sub>	1
136	Sasaram	Satisfactory	63	NO <sub>2</sub>	1
137	Satna	Good	27	PM <sub>10</sub>	1
138	Shillong	Good	21	PM <sub>10</sub>	1
139	Shivamogga	Good	43	PM <sub>10</sub>	1
140	Singrauli	Satisfactory	97	NO <sub>2</sub>	1
141	Sirsa	Satisfactory	74	O <sub>3</sub>	1
142	Siwan	Satisfactory	94	NO <sub>2</sub>	1
143	Srinagar	Good	46	PM <sub>10</sub>	1
144	Talcher	Good	35	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Moderate	188	O <sub>3</sub>	1
146	Thiruvananthapuram	Good	34	CO, NO <sub>2</sub>	2
147	Thoothukudi	Good	24	PM <sub>10</sub>	1
148	Thrissur	Satisfactory	56	PM <sub>10</sub>	1
149	Tirupati	Good	46	CO	1
150	Tiruppur	Good	29	O <sub>3</sub>	1
151	Udaipur	Satisfactory	84	PM <sub>10</sub>	1
152	Udupi	Satisfactory	62	CO	1
153	Varanasi	Satisfactory	74	PM <sub>10</sub>	4
154	Vijayapura	Good	40	PM <sub>10</sub>	1
155	Visakhapatnam	Satisfactory	65	PM <sub>10</sub>	1
156	Vrindavan	Satisfactory	91	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Mangalore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonapat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Sep 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Good	31	CO	1
158	Yamunanagar	Moderate	141	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Bidar, Chengalpattu, Coimbatore, Dharuhera, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kannur, Kolar, Kollam, Kozhikode, Manesar, Manglore, Motihari, Naharlagun, Nandesari, Pune, Rohtak, Saharsa, Salem, Siliguri, Solapur, Sonipat, Ujjain, Vapi, Vatva, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.