



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	59	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	55	PM <sub>10</sub>	5
3	Ahmedabad	Satisfactory	93	PM <sub>10</sub>	8
4	Aizawl	Good	20	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	76	PM <sub>10</sub>	1
6	Alwar	Satisfactory	68	NO <sub>2</sub>	1
7	Amaravati	Satisfactory	59	CO	1
8	Ambala	Good	28	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	90	PM <sub>2.5</sub>	1
10	Anantapur	Good	47	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	68	CO	1
12	Araria	Satisfactory	53	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	64	NO <sub>2</sub>	1
14	Arrah	Moderate	190	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Satisfactory	95	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	89	PM <sub>10</sub>	1
17	Baddi	Satisfactory	89	O <sub>3</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Moderate	116	PM <sub>2.5</sub>	1
20	Bahadurgarh	Satisfactory	75	PM <sub>2.5</sub>	1
21	Ballabgarh	Good	47	PM <sub>10</sub>	1
22	Banswara	Moderate	120	PM <sub>10</sub>	1
23	Bareilly	Good	35	CO	1
24	Baripada	Satisfactory	70	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	78	O <sub>3</sub>	1
26	Bathinda	Satisfactory	91	PM <sub>10</sub>	1
27	Begusarai	Moderate	166	PM <sub>2.5</sub>	1
28	Belgaum	Good	50	PM <sub>10</sub>	1
29	Bengaluru	Satisfactory	67	PM <sub>10</sub>	10
30	Bettiah	Poor	249	PM <sub>2.5</sub>	1
31	Bhagalpur	Satisfactory	92	CO, PM <sub>10</sub>	2
32	Bharatpur	Satisfactory	62	PM <sub>10</sub>	1
33	Bhilai	Satisfactory	54	PM <sub>10</sub>	3
34	Bhiwadi	Moderate	123	PM <sub>10</sub>	1
35	Bhiwani	Moderate	156	PM <sub>10</sub>	1
36	Bhopal	Satisfactory	100	CO	3

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	110	PM <sub>10</sub>	1
38	Bilaspur	Satisfactory	70	PM <sub>10</sub>	1
39	Bileipada	Moderate	146	PM <sub>10</sub>	1
40	Brajrajnagar	Satisfactory	90	CO	1
41	Bulandshahr	Satisfactory	64	PM <sub>10</sub>	1
42	Chamarajanagar	Good	42	PM <sub>10</sub>	1
43	Chandigarh	Satisfactory	58	O <sub>3</sub> , PM <sub>10</sub>	3
44	Chandrapur	Moderate	108	PM <sub>10</sub>	1
45	Charkhi Dadri	Moderate	141	PM <sub>2.5</sub>	1
46	Chennai	Satisfactory	54	CO	7
47	Chhal	Good	42	O <sub>3</sub>	1
48	Chhapra	Poor	209	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	58	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	43	PM <sub>10</sub>	1
51	Chittorgarh	Moderate	132	PM <sub>2.5</sub>	1
52	Churu	Satisfactory	85	PM <sub>10</sub>	1
53	Coimbatore	Satisfactory	94	CO	1
54	Cuddalore	Good	23	PM <sub>2.5</sub>	1
55	Damoh	Good	26	CO	1
56	Dausa	Satisfactory	90	PM <sub>10</sub>	1
57	Davanagere	Satisfactory	58	PM <sub>10</sub>	1
58	Dehradun	Good	48	O <sub>3</sub>	1
59	Delhi	Moderate	128	PM <sub>2.5</sub>	38
60	Dewas	Satisfactory	87	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Moderate	147	PM <sub>2.5</sub>	1
62	Dharwad	Satisfactory	84	PM <sub>10</sub>	1
63	Durgapur	Satisfactory	87	PM <sub>10</sub>	1
64	Eloor	Satisfactory	68	PM <sub>10</sub>	1
65	Faridabad	Satisfactory	95	PM <sub>10</sub>	4
66	Firozabad	Satisfactory	52	O <sub>3</sub> , PM <sub>10</sub>	2
67	Gandhinagar	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	3
68	Gangtok	Good	45	O <sub>3</sub>	1
69	Gaya	Satisfactory	76	O <sub>3</sub> , PM <sub>2.5</sub>	3
70	Ghaziabad	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	4
71	Gorakhpur	Satisfactory	73	PM <sub>2.5</sub>	1
72	Greater Noida	Moderate	134	NO <sub>2</sub> , O <sub>3</sub>	2

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Satisfactory	89	PM <sub>10</sub>	1
74	Gurugram	Satisfactory	86	PM <sub>10</sub> , NO <sub>2</sub>	4
75	Guwahati	Satisfactory	52	PM <sub>2.5</sub>	4
76	Gwalior	Moderate	104	O <sub>3</sub> , PM <sub>2.5</sub>	3
77	Hajipur	Moderate	101	PM <sub>10</sub>	1
78	Haldia	Good	30	PM <sub>10</sub>	1
79	Hanumangarh	Satisfactory	100	PM <sub>2.5</sub>	1
80	Hapur	Satisfactory	80	O <sub>3</sub>	1
81	Hassan	Good	42	PM <sub>2.5</sub>	1
82	Haveri	Satisfactory	58	PM <sub>10</sub>	1
83	Hisar	Satisfactory	78	PM <sub>2.5</sub>	1
84	Hosur	Moderate	124	CO	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	66	CO	3
86	Hubballi	Moderate	107	PM <sub>10</sub>	2
87	Hyderabad	Satisfactory	90	PM <sub>10</sub>	12
88	Indore	Satisfactory	76	PM <sub>10</sub>	2
89	Jabalpur	Moderate	123	PM <sub>10</sub>	1
90	Jaipur	Satisfactory	68	PM <sub>10</sub>	4
91	Jalandhar	Satisfactory	56	PM <sub>10</sub>	1
92	Jhalawar	Satisfactory	76	PM <sub>10</sub>	1
93	Jhansi	Satisfactory	60	SO <sub>2</sub>	1
94	Jhunjhunu	Moderate	108	O <sub>3</sub>	1
95	Jodhpur	Satisfactory	90	O <sub>3</sub>	2
96	Jorapokhar	Satisfactory	92	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kadapa	Moderate	129	PM <sub>2.5</sub>	1
98	Kaithal	Satisfactory	55	PM <sub>10</sub>	1
99	Kalaburgi	Satisfactory	66	PM <sub>10</sub>	2
100	Kalyan	Moderate	114	PM <sub>10</sub>	1
101	Kanchipuram	Good	36	PM <sub>10</sub>	1
102	Kannur	Satisfactory	85	PM <sub>10</sub>	1
103	Kanpur	Satisfactory	95	NO <sub>2</sub>	3
104	Karauli	Good	44	O <sub>3</sub>	1
105	Karnal	Good	21	PM <sub>2.5</sub>	1
106	Katihar	Satisfactory	76	PM <sub>10</sub>	1
107	Katni	Moderate	109	PM <sub>10</sub>	1
108	Keonjhar	Satisfactory	60	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	62	PM <sub>10</sub>	1
110	Khurja	Satisfactory	67	SO <sub>2</sub>	1
111	Kishanganj	Good	50	CO	1
112	Kochi	Satisfactory	54	PM <sub>10</sub>	1
113	Kohima	Good	48	PM <sub>10</sub>	1
114	Kolar	Good	46	PM <sub>10</sub>	1
115	Kolkata	Satisfactory	54	O <sub>3</sub>	7
116	Kollam	Satisfactory	79	PM <sub>10</sub>	1
117	Koppal	Satisfactory	99	O <sub>3</sub>	1
118	Korba	Satisfactory	68	NO <sub>2</sub> , PM <sub>10</sub>	2
119	Kota	Satisfactory	85	PM <sub>10</sub> , PM <sub>2.5</sub>	3
120	Lucknow	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	6

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	68	PM <sub>10</sub>	1
122	Madikeri	Good	46	PM <sub>10</sub>	1
123	Maihar	Good	38	CO	1
124	Mandi Gobindgarh	Good	42	PM <sub>10</sub>	1
125	Mandideep	Moderate	110	PM <sub>10</sub>	1
126	Mandikhera	Satisfactory	55	PM <sub>10</sub>	1
127	Manesar	Satisfactory	87	PM <sub>10</sub>	1
128	Mangalore	Satisfactory	88	PM <sub>10</sub>	1
129	Manguraha	Satisfactory	58	O <sub>3</sub>	1
130	Meerut	Satisfactory	88	NO <sub>2</sub>	3
131	Milupara	Good	31	NO <sub>2</sub>	1
132	Moradabad	Satisfactory	63	CO, PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Motihari	Moderate	120	PM <sub>10</sub>	1
134	Mumbai	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	19
135	Muzaffarnagar	Satisfactory	80	O <sub>3</sub>	1
136	Muzaffarpur	Moderate	154	PM <sub>2.5</sub>	3
137	Mysuru	Good	44	PM <sub>10</sub>	1
138	Nagpur	Satisfactory	79	O <sub>3</sub>	1
139	Nalbari	Satisfactory	67	PM <sub>10</sub>	1
140	Nashik	Good	48	PM <sub>10</sub>	1
141	Navi Mumbai	Moderate	115	CO, PM <sub>10</sub>	3
142	Nayagarh	Satisfactory	83	PM <sub>10</sub>	1
143	Noida	Moderate	107	NO <sub>2</sub> , PM <sub>10</sub>	4
144	Ooty	Satisfactory	93	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	61	O <sub>3</sub>	1
146	Palkalaiperur	Satisfactory	51	SO <sub>2</sub>	1
147	Palwal	Good	48	PM <sub>10</sub>	1
148	Panchkula	Moderate	126	CO	1
149	Panipat	Satisfactory	72	PM <sub>10</sub>	1
150	Patiala	Good	32	CO	1
151	Patna	Moderate	148	PM <sub>2.5</sub>	6
152	Pithampur	Satisfactory	82	PM <sub>10</sub>	1
153	Pratapgarh	Satisfactory	96	PM <sub>10</sub>	1
154	Prayagraj	Satisfactory	70	PM <sub>10</sub>	3
155	Puducherry	Good	27	PM <sub>10</sub>	1
156	Pune	Satisfactory	92	NO <sub>2</sub> , CO	3

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raipur	Satisfactory	79	PM <sub>10</sub> , NO <sub>2</sub>	4
158	Rajamahendravaram	Good	34	PM <sub>10</sub>	1
159	Rajgir	Satisfactory	77	PM <sub>10</sub>	1
160	Rajsamand	Satisfactory	53	PM <sub>10</sub>	1
161	Ramanagara	Satisfactory	54	PM <sub>10</sub>	1
162	Ramanathapuram	Good	36	PM <sub>10</sub>	1
163	Ratlam	Satisfactory	82	PM <sub>10</sub>	1
164	Rishikesh	Good	24	PM <sub>10</sub>	1
165	Rohtak	Satisfactory	86	PM <sub>2.5</sub>	1
166	Rourkela	Moderate	105	PM <sub>10</sub>	2
167	Rupnagar	Satisfactory	78	CO	1
168	Sagar	Good	44	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Satisfactory	77	PM <sub>10</sub>	1
170	Samastipur	Moderate	148	PM <sub>10</sub>	1
171	Satna	Moderate	141	PM <sub>10</sub>	1
172	Sawai Madhopur	Satisfactory	69	PM <sub>10</sub>	1
173	Shillong	Good	35	PM <sub>2.5</sub>	1
174	Shivamogga	Good	43	O <sub>3</sub>	1
175	Sikar	Satisfactory	77	O <sub>3</sub>	1
176	Silchar	Good	41	CO	1
177	Siliguri	Good	45	O <sub>3</sub>	1
178	Singrauli	Moderate	125	PM <sub>10</sub>	1
179	Sirohi	Moderate	101	O <sub>3</sub>	1
180	Sirsa	Satisfactory	58	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Poor	252	PM <sub>2.5</sub>	1
182	Solapur	Moderate	113	PM <sub>10</sub>	1
183	Sri Ganganagar	Moderate	188	PM <sub>10</sub>	1
184	Suakati	Satisfactory	55	PM <sub>10</sub>	1
185	Surat	Satisfactory	87	CO	1
186	Talcher	Moderate	102	CO	1
187	Thiruvananthapuram	Good	35	PM <sub>10</sub>	2
188	Thoothukudi	Satisfactory	66	PM <sub>10</sub>	1
189	Thrissur	Satisfactory	77	PM <sub>2.5</sub>	1
190	Tirupur	Good	47	PM <sub>10</sub>	1
191	Tonk	Satisfactory	83	PM <sub>10</sub>	1
192	Tumakuru	Moderate	151	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar

Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Apr 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	57	PM <sub>10</sub>	1
194	Ujjain	Moderate	102	PM <sub>10</sub>	1
195	Vapi	Moderate	111	PM <sub>2.5</sub>	1
196	Varanasi	Satisfactory	61	PM <sub>10</sub> , PM <sub>2.5</sub>	4
197	Vatva	Satisfactory	94	PM <sub>10</sub>	1
198	Vijayapura	Good	42	PM <sub>10</sub>	1
199	Vijayawada	Satisfactory	82	PM <sub>2.5</sub>	1
200	Visakhapatnam	Satisfactory	75	PM <sub>10</sub>	1
201	Vrindavan	Moderate	123	PM <sub>10</sub>	1
202	Yadgir	Satisfactory	65	PM <sub>10</sub>	1
203	Yamunanagar	Satisfactory	60	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chittoor, Darbhanga, Dhanbad, Dholpur, Dindigul, Ernakulam, Fatehabad, Gadag, Imphal, Jind, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Munger, Nagaon, Naharlagun, Nandesari, Narnaul, Purnia, Raichur, Rairangpur, Salem, Sasaram, Sivasagar, Sonipat, Srinagar, Tensa, Thane, Tirupati, Tumidih, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.