

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	43	PM <sub>10</sub>	1
2	Agra	Satisfactory	91	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
4	Aizawl	Good	34	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	74	PM <sub>10</sub>	1
6	Alwar	Satisfactory	84	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	62	O <sub>3</sub>	1
8	Ambala	Very Poor	348	PM <sub>2.5</sub>	1
9	Amritsar	Poor	240	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	84	PM <sub>2.5</sub>	1
11	Arrah	Moderate	155	PM <sub>10</sub>	1
12	Asansol	Moderate	101	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,
  Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar,
  Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik,
  Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	144	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	52	PM <sub>2.5</sub>	1
15	Baddi	Moderate	198	PM <sub>10</sub>	1
16	Bagalkot	Satisfactory	70	PM <sub>10</sub>	1
17	Baghpat	Moderate	164	PM <sub>10</sub>	1
18	Ballabgarh	Moderate	126	PM <sub>10</sub>	1
19	Bathinda	Moderate	192	PM <sub>10</sub>	1
20	Begusarai	Satisfactory	92	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	61	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	10
22	Bettiah	Moderate	134	PM <sub>10</sub>	1
23	Bhagalpur	Moderate	135	PM <sub>10</sub>	2
24	Bhiwadi	Moderate	172	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	202	PM <sub>2.5</sub>	1
26	Bhopal	Satisfactory	63	03	1
27	Bihar Sharif	Poor	248	PM <sub>10</sub>	1
28	Brajrajnagar	Satisfactory	69	PM <sub>10</sub>	1
29	Bulandshahr	Poor	232	PM <sub>10</sub>	1
30	Buxar	Poor	222	PM <sub>10</sub>	1
31	Chamarajanagar	Good	33	PM <sub>10</sub>	1
32	Chandigarh	Poor	209	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
33	Chandrapur	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	2
34	Charkhi Dadri	Moderate	156	PM <sub>10</sub>	1
35	Chennai	Satisfactory	54	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
36	Chhapra	Moderate	141	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	29	со	1
38	Chikkamagaluru	Good	49	NO <sub>2</sub>	1
39	Coimbatore	Good	33	PM <sub>10</sub>	1
40	Damoh	Good	24	PM <sub>10</sub>	1
41	Darbhanga	Moderate	121	PM <sub>10</sub>	1
42	Davanagere	Good	19	PM <sub>10</sub>	1
43	Delhi	Poor	222	PM <sub>10</sub> , PM <sub>2.5</sub>	35
44	Dewas	Good	48	PM <sub>10</sub>	1
45	Dharuhera	Moderate	180	PM <sub>10</sub>	1
46	Durgapur	Satisfactory	98	PM <sub>10</sub>	1
47	Eloor	Satisfactory	63	PM <sub>10</sub>	1
48	Ernakulam	Good	37	со	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	111	PM <sub>10</sub>	1
50	Fatehabad	Very Poor	324	PM <sub>2.5</sub>	1
51	Firozabad	Satisfactory	78	PM <sub>10</sub> , O <sub>3</sub>	2
52	Gandhinagar	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Gangtok	Good	26	PM <sub>10</sub>	1
54	Gaya	Moderate	102	PM <sub>10</sub> , PM <sub>2.5</sub>	3
55	Ghaziabad	Poor	257	PM <sub>10</sub>	4
56	Gorakhpur	Good	49	O <sub>3</sub>	1
57	Greater Noida	Poor	236	PM <sub>10</sub>	2
58	Gummidipoondi	Good	25	PM <sub>2.5</sub>	1
59	Gurugram	Poor	233	PM <sub>2.5</sub> , PM <sub>10</sub>	3
60	Guwahati	Good	31	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Satisfactory	95	PM <sub>10</sub>	1
62	Hajipur	Moderate	126	PM <sub>2.5</sub>	1
63	Haldia	Satisfactory	55	PM <sub>10</sub>	1
64	Hassan	Good	43	PM <sub>10</sub>	1
65	Howrah	Satisfactory	53	PM <sub>10</sub> , O <sub>3</sub>	3
66	Hubballi	Good	49	СО	1
67	Hyderabad	Satisfactory	68	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	12
68	Imphal	Satisfactory	62	PM <sub>10</sub>	1
69	Indore	Satisfactory	83	PM <sub>10</sub>	1
70	Jabalpur	Satisfactory	95	PM <sub>10</sub>	1
71	Jaipur	Satisfactory	100	PM <sub>10</sub>	2
72	Jalandhar	Poor	219	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Satisfactory	88	PM <sub>10</sub>	1
74	Jind	Poor	287	PM <sub>10</sub>	1
75	Jodhpur	Moderate	101	PM <sub>10</sub>	1
76	Kaithal	Very Poor	325	PM <sub>10</sub>	1
77	Kalaburgi	Good	41	PM <sub>10</sub>	1
78	Kalyan	Satisfactory	59	PM <sub>10</sub>	1
79	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
80	Kanpur	Moderate	114	PM <sub>10</sub>	3
81	Karnal	Poor	241	PM <sub>10</sub>	1
82	Katihar	Moderate	152	PM <sub>10</sub>	1
83	Katni	Moderate	118	PM <sub>10</sub>	1
84	Khanna	Moderate	143	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,
  Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar,
  Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik,
  Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Moderate	160	PM <sub>10</sub>	1
86	Kishanganj	Satisfactory	81	03	1
87	Kochi	Good	34	PM <sub>10</sub>	1
88	Kohima	Moderate	112	PM <sub>10</sub>	1
89	Kolkata	Satisfactory	95	O <sub>3</sub> , PM <sub>10</sub>	7
90	Kollam	Satisfactory	56	PM <sub>2.5</sub>	1
91	Kota	Satisfactory	75	PM <sub>2.5</sub>	1
92	Kozhikode	Satisfactory	76	PM <sub>10</sub>	1
93	Kurukshetra	Poor	299	PM <sub>2.5</sub>	1
94	Lucknow	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Ludhiana	Poor	229	PM <sub>10</sub>	1
96	Madikeri	Good	25	03	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh,
  Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar,
  Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik,
  Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	48	СО	1
98	Mandi Gobindgarh	Poor	289	PM <sub>2.5</sub>	1
99	Mandideep	Satisfactory	52	03	1
100	Mandikhera	Satisfactory	73	PM <sub>10</sub>	1
101	Manesar	Moderate	132	PM <sub>2.5</sub>	1
102	Manglore	Satisfactory	79	NO <sub>2</sub>	1
103	Meerut	Very Poor	320	PM <sub>10</sub>	3
104	Moradabad	Poor	207	PM <sub>10</sub>	4
105	Motihari	Moderate	172	03	1
106	Mumbai	Satisfactory	65	O <sub>3</sub> , CO, PM <sub>10</sub>	18
107	Munger	Moderate	171	PM <sub>10</sub>	1
108	Muzaffarnagar	Very Poor	379	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Moderate	112	PM <sub>2.5</sub>	3
110	Mysuru	Good	48	03	1
111	Nagpur	Satisfactory	85	03	1
112	Narnaul	Satisfactory	74	PM <sub>10</sub>	1
113	Navi Mumbai	Good	46	PM <sub>10</sub>	1
114	Noida	Poor	249	PM <sub>10</sub>	4
115	Pali	Satisfactory	85	PM <sub>10</sub>	1
116	Palwal	Moderate	120	PM <sub>10</sub>	1
117	Panchkula	Poor	240	PM <sub>2.5</sub>	1
118	Panipat	Very Poor	328	PM <sub>10</sub>	1
119	Patiala	Moderate	188	PM <sub>10</sub>	1
120	Patna	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	116	PM <sub>10</sub>	1
122	Prayagraj	Satisfactory	97	PM <sub>10</sub>	3
123	Puducherry	Good	44	PM <sub>10</sub>	1
124	Pune	Satisfactory	76	SO <sub>2</sub> , CO	6
125	Rajamahendravaram	Good	37	PM <sub>10</sub>	1
126	Rajgir	Moderate	123	PM <sub>10</sub>	1
127	Ramanagara	Good	32	PM <sub>10</sub>	1
128	Ratlam	Good	36	PM <sub>10</sub>	1
129	Rohtak	Poor	272	PM <sub>2.5</sub>	1
130	Rupnagar	Moderate	167	PM <sub>2.5</sub>	1
131	Sagar	Satisfactory	75	NO <sub>2</sub>	1
132	Saharsa	Moderate	166	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Moderate	142	PM <sub>10</sub>	1
134	Sasaram	Moderate	111	PM <sub>10</sub>	1
135	Satna	Satisfactory	54	PM <sub>10</sub>	1
136	Shillong	Good	50	PM <sub>10</sub>	1
137	Shivamogga	Satisfactory	60	NO <sub>2</sub>	1
138	Siliguri	Good	43	PM <sub>10</sub>	1
139	Singrauli	Satisfactory	96	O <sub>3</sub>	1
140	Sirsa	Very Poor	318	PM <sub>10</sub>	1
141	Sonipat	Moderate	167	PM <sub>10</sub>	1
142	Srinagar	Moderate	104	PM <sub>10</sub>	1
143	Talcher	Satisfactory	52	O <sub>3</sub>	1
144	Thane	Satisfactory	100	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	22	со	1
146	Thoothukudi	Good	30	03	1
147	Udaipur	Satisfactory	56	PM <sub>10</sub>	1
148	Ujjain	Satisfactory	55	03	1
149	Varanasi	Satisfactory	81	O <sub>3</sub> , PM <sub>10</sub>	3
150	Vijayapura	Good	46	PM <sub>10</sub>	1
151	Visakhapatnam	Satisfactory	92	PM <sub>10</sub>	1
152	Vrindavan	Moderate	114	PM <sub>10</sub>	1
153	Yadgir	Good	30	со	1
154	Yamunanagar	Very Poor	322	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Araria, Bahadurgarh, Bareilly, Bhilai, Bidar, Bilaspur, Dehradun, Gadag, Hapur, Haveri, Hisar, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Nashik, Purnia, Raichur, Siwan, Solapur, Thrissur, Tirupati, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.