



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	50	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	107	PM <sub>10</sub> , PM <sub>2.5</sub>	2
4	Aizawl	Good	31	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
6	Alwar	Satisfactory	67	PM <sub>10</sub>	1
7	Amaravati	Good	21	CO	1
8	Ambala	Moderate	152	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	75	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	84	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	117	PM <sub>10</sub>	1
12	Arrah	Satisfactory	70	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	69	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	96	PM <sub>10</sub>	1
15	Baddi	Poor	202	PM <sub>10</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Baghpat	Moderate	114	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	71	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	93	PM <sub>10</sub>	1
20	Bareilly	Moderate	108	PM <sub>10</sub>	2
21	Begusarai	Satisfactory	77	PM <sub>2.5</sub>	1
22	Belgaum	Satisfactory	59	PM <sub>2.5</sub>	1
23	Bengaluru	Satisfactory	65	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	6
24	Bettiah	Good	37	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	88	NO <sub>2</sub> , PM <sub>10</sub>	2
26	Bhiwadi	Moderate	128	NO <sub>2</sub>	1
27	Bhiwani	Satisfactory	69	PM <sub>2.5</sub>	1
28	Bhopal	Moderate	107	PM <sub>10</sub>	1
29	Bihar Sharif	Moderate	108	PM <sub>10</sub>	1
30	Bilaspur	Satisfactory	64	CO	1
31	Brajrajnagar	Satisfactory	53	PM <sub>10</sub>	1
32	Bulandshahr	Moderate	109	PM <sub>10</sub>	1
33	Chamarajanagar	Good	40	PM <sub>10</sub>	1
34	Chandigarh	Satisfactory	80	PM <sub>10</sub>	3
35	Chandrapur	Satisfactory	65	PM <sub>10</sub>	1
36	Charkhi Dadri	Satisfactory	98	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhiwai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Good	49	CO, PM <sub>10</sub>	7
38	Chikkaballapur	Satisfactory	74	PM <sub>10</sub>	1
39	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
40	Damoh	Good	37	PM <sub>2.5</sub>	1
41	Darbhanga	Satisfactory	80	PM <sub>10</sub>	1
42	Davanagere	Good	36	PM <sub>10</sub>	1
43	Dehradun	Satisfactory	91	PM <sub>10</sub>	1
44	Delhi	Moderate	124	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	33
45	Dewas	Satisfactory	86	PM <sub>10</sub>	1
46	Dharuhera	Moderate	126	PM <sub>2.5</sub>	1
47	Durgapur	Satisfactory	92	PM <sub>10</sub>	1
48	Eloor	Satisfactory	53	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	119	PM <sub>10</sub> , O <sub>3</sub>	3
50	Firozabad	Moderate	113	PM <sub>2.5</sub> , O <sub>3</sub>	2
51	Gadag	Good	47	NO <sub>2</sub>	1
52	Gandhinagar	Satisfactory	75	PM <sub>10</sub>	1
53	Gangtok	Good	17	O <sub>3</sub>	1
54	Gaya	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Ghaziabad	Moderate	133	PM <sub>10</sub>	4
56	Greater Noida	Moderate	117	PM <sub>10</sub>	2
57	Gurugram	Moderate	146	PM <sub>10</sub>	3
58	Guwahati	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub>	2
59	Gwalior	Satisfactory	62	PM <sub>10</sub>	1
60	Hajipur	Satisfactory	91	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	139	PM <sub>10</sub>	1
62	Hassan	Good	35	PM <sub>2.5</sub>	1
63	Haveri	Satisfactory	59	CO	1
64	Hisar	Satisfactory	97	PM <sub>10</sub>	1
65	Howrah	Satisfactory	63	PM <sub>10</sub> , CO	3
66	Hubballi	Satisfactory	61	PM <sub>10</sub>	1
67	Hyderabad	Satisfactory	60	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	12
68	Imphal	Satisfactory	83	O <sub>3</sub> , PM <sub>10</sub>	2
69	Indore	Moderate	114	PM <sub>10</sub>	1
70	Jabalpur	Satisfactory	70	PM <sub>10</sub>	1
71	Jaipur	Moderate	110	PM <sub>10</sub>	3
72	Jalandhar	Satisfactory	63	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Satisfactory	84	PM <sub>10</sub>	1
74	Jind	Satisfactory	84	PM <sub>10</sub>	1
75	Jodhpur	Satisfactory	98	PM <sub>10</sub>	1
76	Kaithal	Moderate	103	PM <sub>10</sub>	1
77	Kalaburgi	Good	31	PM <sub>2.5</sub>	1
78	Kalyan	Moderate	138	PM <sub>10</sub>	1
79	Kannur	Satisfactory	61	PM <sub>10</sub>	1
80	Kanpur	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	4
81	Karnal	Moderate	103	PM <sub>10</sub>	1
82	Katihar	Moderate	130	PM <sub>10</sub>	1
83	Katni	Satisfactory	92	PM <sub>10</sub>	1
84	Khanna	Satisfactory	68	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Moderate	120	PM <sub>2.5</sub>	1
86	Kishanganj	Satisfactory	73	PM <sub>2.5</sub>	1
87	Kohima	Satisfactory	68	PM <sub>10</sub>	1
88	Kolkata	Good	44	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
89	Koppal	Satisfactory	99	CO	1
90	Kota	Satisfactory	91	PM <sub>10</sub>	1
91	Kozhikode	Satisfactory	68	PM <sub>10</sub>	1
92	Kurukshetra	Satisfactory	94	PM <sub>10</sub>	1
93	Lucknow	Satisfactory	66	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	5
94	Ludhiana	Moderate	107	PM <sub>10</sub>	1
95	Madikeri	Good	29	O <sub>3</sub>	1
96	Maihar	Good	30	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	131	PM <sub>10</sub>	1
98	Mandideep	Satisfactory	59	NO <sub>2</sub>	1
99	Mandikhera	Satisfactory	60	SO <sub>2</sub>	1
100	Manesar	Moderate	118	PM <sub>2.5</sub>	1
101	Manglore	Good	50	CO	1
102	Manguraha	Good	48	PM <sub>10</sub>	1
103	Meerut	Moderate	151	PM <sub>10</sub>	3
104	Moradabad	Satisfactory	83	PM <sub>10</sub> , CO	4
105	Mumbai	Satisfactory	80	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	16
106	Muzaffarnagar	Moderate	108	PM <sub>10</sub>	1
107	Muzaffarpur	Satisfactory	78	PM <sub>10</sub> , PM <sub>2.5</sub>	3
108	Mysuru	Satisfactory	56	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	76	PM <sub>2.5</sub>	1
110	Narnaul	Satisfactory	58	PM <sub>2.5</sub>	1
111	Nashik	Good	45	O <sub>3</sub>	1
112	Navi Mumbai	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	3
113	Noida	Moderate	124	PM <sub>10</sub>	3
114	Ooty	Satisfactory	56	CO	1
115	Pali	Satisfactory	77	PM <sub>10</sub>	1
116	Palwal	Satisfactory	88	PM <sub>10</sub>	1
117	Panchkula	Satisfactory	80	PM <sub>2.5</sub>	1
118	Panipat	Satisfactory	90	PM <sub>10</sub>	1
119	Patiala	Satisfactory	74	PM <sub>10</sub>	1
120	Patna	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	113	PM <sub>10</sub>	1
122	Prayagraj	Satisfactory	80	PM <sub>2.5</sub> , SO <sub>2</sub> , PM <sub>10</sub>	3
123	Puducherry	Good	41	CO	1
124	Purnia	Moderate	188	PM <sub>2.5</sub>	1
125	Raichur	Satisfactory	76	CO	1
126	Rajamahendravaram	Good	30	PM <sub>10</sub>	1
127	Rajgir	Moderate	104	CO	1
128	Ramanagara	Good	45	O <sub>3</sub>	1
129	Ramanathapuram	Good	30	PM <sub>10</sub>	1
130	Ratlam	Satisfactory	88	PM <sub>10</sub>	1
131	Rupnagar	Moderate	115	PM <sub>10</sub>	1
132	Sagar	Good	49	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	203	PM <sub>10</sub>	1
134	Sasaram	Satisfactory	81	PM <sub>2.5</sub>	1
135	Satna	Good	36	PM <sub>10</sub>	1
136	Shillong	Good	28	PM <sub>10</sub>	1
137	Shivamogga	Good	45	PM <sub>10</sub>	1
138	Siliguri	Good	42	PM <sub>10</sub>	1
139	Singrauli	Moderate	104	PM <sub>10</sub>	1
140	Sirsa	Satisfactory	86	PM <sub>10</sub>	1
141	Sonipat	Moderate	111	PM <sub>10</sub>	1
142	Srinagar	Good	43	SO <sub>2</sub>	1
143	Talcher	Satisfactory	69	CO	1
144	Thane	Moderate	173	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	28	CO, NO <sub>2</sub>	2
146	Thoothukudi	Good	25	PM <sub>10</sub>	1
147	Thrissur	Good	50	PM <sub>10</sub>	1
148	Tirupati	Satisfactory	53	PM <sub>2.5</sub>	1
149	Tiruppur	Satisfactory	89	PM <sub>2.5</sub>	1
150	Udaipur	Moderate	110	PM <sub>10</sub>	1
151	Udupi	Poor	215	O <sub>3</sub>	1
152	Varanasi	Satisfactory	76	PM <sub>10</sub> , NO <sub>2</sub>	4
153	Vijayapura	Good	40	PM <sub>10</sub>	1
154	Visakhapatnam	Satisfactory	79	PM <sub>10</sub>	1
155	Vrindavan	Moderate	102	SO <sub>2</sub>	1
156	Yadgir	Good	33	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	149	PM <sub>2.5</sub>	1
158	vellore	Good	50	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Bathinda, Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Coimbatore, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kochi, Kolar, Kollam, Motihari, Munger, Naharlagun, Nandesari, Pune, Rohtak, Salem, Samastipur, Siwan, Solapur, Ujjain, Vapi, Vatva as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.