

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	157	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	120	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	86	PM <sub>10</sub>	1
4	Alwar	Moderate	101	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	64	PM <sub>2.5</sub>	1
6	Ambala	Moderate	130	PM <sub>10</sub>	1
7	Amritsar	Moderate	123	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	112	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	91	PM <sub>10</sub>	1
10	Bagalkot	Satisfactory	69	PM <sub>10</sub>	1
11	Bahadurgarh	Moderate	188	PM <sub>2.5</sub>	1
12	Ballabgarh	Moderate	126	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	184	PM <sub>10</sub>	1
14	Bengaluru	Moderate	129	PM <sub>10</sub> , PM <sub>2.5</sub>	8
15	Bhiwadi	Poor	223	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	191	O <sub>3</sub>	1
17	Bhopal	Moderate	130	PM <sub>10</sub>	1
18	Brajrajnagar	Satisfactory	61	PM <sub>10</sub>	1
19	Bulandshahr	Poor	243	O <sub>3</sub>	1
20	Chandigarh	Satisfactory	98	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	98	PM <sub>10</sub>	1
22	Chennai	Satisfactory	79	CO, PM <sub>2.5</sub>	3
23	Chikkaballapur	Moderate	120	PM <sub>10</sub>	1
24	Chikkamagaluru	Satisfactory	69	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	84	PM <sub>2.5</sub>	1
26	Damoh	Satisfactory	78	PM <sub>10</sub>	1
27	Delhi	Moderate	195	PM <sub>10</sub> , PM <sub>2.5</sub>	32
28	Dewas	Moderate	136	PM <sub>10</sub>	1
29	Dharuhera	Poor	211	PM <sub>2.5</sub>	1
30	Eloor	Satisfactory	78	PM <sub>10</sub>	1
31	Ernakulam	Satisfactory	93	СО	1
32	Fatehabad	Moderate	122	PM <sub>2.5</sub>	1
33	Gandhinagar	Good	47	PM <sub>2.5</sub>	1
34	Gaya	Moderate	117	PM <sub>2.5</sub>	1
35	Ghaziabad	Poor	228	PM <sub>2.5</sub>	4
36	Greater Noida	Poor	243	PM <sub>10</sub> , PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	152	PM <sub>2.5</sub>	2
38	Guwahati	Satisfactory	57	PM <sub>2.5</sub>	1
39	Gwalior	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	2
40	Hajipur	Poor	254	PM <sub>10</sub>	1
41	Hapur	Moderate	135	PM <sub>2.5</sub>	1
42	Hisar	Moderate	196	PM <sub>2.5</sub>	1
43	Howrah	Moderate	138	PM <sub>2.5</sub>	2
44	Hubballi	Satisfactory	82	PM <sub>10</sub>	1
45	Hyderabad	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	6
46	Indore	Moderate	137	PM <sub>10</sub>	1
47	Jabalpur	Moderate	123	PM <sub>10</sub>	1
48	Jaipur	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Moderate	142	PM <sub>2.5</sub>	1
50	Jind	Moderate	134	PM <sub>2.5</sub>	1
51	Jodhpur	Moderate	198	PM <sub>2.5</sub>	1
52	Jorapokhar	Moderate	116	PM <sub>2.5</sub>	1
53	Kaithal	Moderate	126	PM <sub>10</sub>	1
54	Kalyan	Moderate	174	PM <sub>10</sub>	1
55	Kannur	Satisfactory	87	PM <sub>10</sub>	1
56	Kanpur	Moderate	166	PM <sub>2.5</sub>	1
57	Karnal	Moderate	158	PM <sub>2.5</sub>	1
58	Katni	Satisfactory	96	PM <sub>10</sub>	1
59	Khanna	Satisfactory	70	PM <sub>10</sub>	1
60	Kochi	Satisfactory	87	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	7
62	Kollam	Satisfactory	83	PM <sub>10</sub>	1
63	Kota	Satisfactory	94	PM <sub>10</sub>	1
64	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
65	Kurukshetra	Moderate	124	PM <sub>10</sub>	1
66	Lucknow	Moderate	193	PM <sub>2.5</sub>	4
67	Ludhiana	Satisfactory	91	PM <sub>2.5</sub>	1
68	Maihar	Satisfactory	57	PM <sub>10</sub>	1
69	Mandi Gobindgarh	Moderate	137	PM <sub>10</sub>	1
70	Mandideep	Moderate	124	PM <sub>10</sub>	1
71	Mandikhera	Moderate	121	PM <sub>10</sub>	1
72	Manesar	Moderate	159	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Poor	208	PM <sub>2.5</sub>	3
74	Mumbai	Moderate	117	PM <sub>10</sub>	9
75	Muzaffarnagar	Moderate	195	PM <sub>2.5</sub>	1
76	Muzaffarpur	Poor	256	PM <sub>2.5</sub>	1
77	Nagpur	Satisfactory	92	O <sub>3</sub>	1
78	Nandesari	Moderate	144	PM <sub>10</sub>	1
79	Narnaul	Moderate	117	PM <sub>2.5</sub>	1
80	Nashik	Moderate	114	PM <sub>10</sub>	1
81	Navi Mumbai	Moderate	132	PM <sub>10</sub> , CO	3
82	Noida	Moderate	197	PM <sub>2.5</sub> , PM <sub>10</sub>	4
83	Pali	Moderate	132	PM <sub>10</sub>	1
84	Palwal	Poor	212	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panchkula	Satisfactory	65	со	1
86	Panipat	Poor	227	PM <sub>10</sub>	1
87	Patiala	Satisfactory	89	PM <sub>10</sub>	1
88	Patna	Poor	203	PM <sub>10</sub> , PM <sub>2.5</sub>	4
89	Pithampur	Moderate	143	PM <sub>10</sub>	1
90	Pune	Satisfactory	91	PM <sub>2.5</sub>	1
91	Rajamahendravaram	Moderate	103	O <sub>3</sub>	1
92	Ramanagara	Satisfactory	79	PM <sub>10</sub>	1
93	Ratlam	Moderate	114	PM <sub>10</sub>	1
94	Rohtak	Moderate	185	PM <sub>2.5</sub>	1
95	Rupnagar	Poor	202	PM <sub>2.5</sub>	1
96	Sagar	Satisfactory	51	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Moderate	139	PM <sub>10</sub>	1
98	Shillong	Satisfactory	54	PM <sub>2.5</sub>	1
99	Siliguri	Satisfactory	76	PM <sub>2.5</sub>	1
100	Singrauli	Moderate	149	PM <sub>10</sub>	1
101	Sirsa	Satisfactory	98	PM <sub>10</sub>	1
102	Solapur	Satisfactory	76	PM <sub>10</sub>	1
103	Sonipat	Moderate	164	PM <sub>10</sub>	1
104	Talcher	Satisfactory	80	СО	1
105	Thane	Satisfactory	71	PM <sub>10</sub>	1
106	Thiruvananthapuram	Satisfactory	99	CO, PM <sub>2.5</sub>	2
107	Tirupati	Satisfactory	84	PM <sub>10</sub>	1
108	Udaipur	Satisfactory	77	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Moderate	108	PM <sub>10</sub>	1
110	Vapi	Moderate	115	PM <sub>2.5</sub>	1
111	Varanasi	Poor	211	PM <sub>2.5</sub>	1
112	Vatva	Moderate	138	PM <sub>10</sub>	1
113	Vijayapura	Satisfactory	92	O <sub>3</sub>	1
114	Yadgir	Satisfactory	62	PM <sub>10</sub>	1
115	Yamunanagar	Moderate	193	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asanol, Faridabad, Kalaburgi, Moradabad, Mysuru, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.