

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM <sub>2.5</sub>	1
2	Agra	Good	25	O <sub>3</sub> , PM <sub>10</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	89	O <sub>3</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	53	PM <sub>10</sub>	1
6	Alwar	Satisfactory	56	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	57	O <sub>3</sub>	1
8	Ambala	Satisfactory	92	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	90	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	67	PM <sub>2.5</sub>	1
11	Araria	Moderate	102	со	1
12	Arrah	Satisfactory	82	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	37	03	1
14	Aurangabad (Bihar)	Satisfactory	56	со	1
15	Aurangabad (Maharashtra)	Satisfactory	81	PM <sub>10</sub>	1
16	Baddi	Moderate	106	PM <sub>10</sub>	1
17	Bagalkot	Good	38	СО	1
18	Bahadurgarh	Good	40	PM <sub>10</sub>	1
19	Ballabgarh	Good	43	СО	1
20	Bareilly	Good	34	СО	2
21	Bathinda	Moderate	123	PM <sub>10</sub>	1
22	Belgaum	Good	46	со	1
23	Bengaluru	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub>	5
24	Bettiah	Good	32	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	63	NO <sub>2</sub> , O <sub>3</sub>	2
26	Bhiwadi	Satisfactory	91	NO <sub>2</sub>	1
27	Bhiwani	Good	45	PM <sub>2.5</sub>	1
28	Bhopal	Satisfactory	54	PM <sub>10</sub>	2
29	Bihar Sharif	Moderate	101	со	1
30	Bilaspur	Satisfactory	56	PM <sub>10</sub>	1
31	Bulandshahr	Good	32	03	1
32	Buxar	Moderate	107	со	1
33	Chamarajanagar	Good	39	PM <sub>10</sub>	1
34	Chandigarh	Satisfactory	67	O <sub>3</sub> , PM <sub>10</sub>	3
35	Chandrapur	Good	48	PM <sub>10</sub> , CO	2
36	Charkhi Dadri	Good	42	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	88	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	6
38	Chhapra	Satisfactory	88	PM <sub>10</sub>	1
39	Chikkaballapur	Satisfactory	64	PM <sub>10</sub>	1
40	Chikkamagaluru	Good	40	PM <sub>10</sub>	1
41	Coimbatore	Good	43	со	1
42	Darbhanga	Satisfactory	52	PM <sub>10</sub>	1
43	Davanagere	Good	21	PM <sub>10</sub>	1
44	Dehradun	Moderate	155	03	1
45	Delhi	Satisfactory	55	CO, PM <sub>10</sub>	32
46	Dewas	Good	31	PM <sub>10</sub>	1
47	Dharuhera	Satisfactory	56	PM <sub>10</sub>	1
48	Durgapur	Satisfactory	76	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	58	PM <sub>10</sub>	1
50	Ernakulam	Satisfactory	69	со	1
51	Faridabad	Satisfactory	52	PM <sub>10</sub> , O <sub>3</sub>	3
52	Fatehabad	Satisfactory	76	PM <sub>10</sub>	1
53	Firozabad	Good	32	PM <sub>10</sub> , SO <sub>2</sub>	2
54	Gandhinagar	Good	45	PM <sub>2.5</sub>	1
55	Gangtok	Good	16	O <sub>3</sub>	1
56	Gaya	Satisfactory	57	CO, PM <sub>10</sub>	3
57	Ghaziabad	Good	44	NO <sub>2</sub> , PM <sub>10</sub>	4
58	Gorakhpur	Good	49	SO <sub>2</sub>	1
59	Greater Noida	Good	49	CO, PM <sub>10</sub>	2
60	Gurugram	Good	41	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Good	31	PM <sub>10</sub>	3
62	Gwalior	Good	34	SO <sub>2</sub>	1
63	Hajipur	Good	40	PM <sub>10</sub>	1
64	Haldia	Good	29	со	1
65	Hapur	Good	19	03	1
66	Hassan	Good	41	NO <sub>2</sub>	1
67	Haveri	Good	32	СО	1
68	Hisar	Satisfactory	73	PM <sub>10</sub>	1
69	Hosur	Good	47	PM <sub>10</sub>	1
70	Howrah	Good	29	PM <sub>10</sub> , CO	3
71	Hubballi	Satisfactory	60	со	1
72	Hyderabad	Good	49	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	14

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Satisfactory	93	O <sub>3</sub> , SO <sub>2</sub>	2
74	Indore	Good	38	NO <sub>2</sub>	1
75	Jabalpur	Satisfactory	79	со	1
76	Jaipur	Good	42	CO, PM <sub>10</sub>	3
77	Jalandhar	Satisfactory	80	PM <sub>10</sub>	1
78	Jhansi	Good	31	со	1
79	Jind	Satisfactory	58	со	1
80	Jodhpur	Moderate	119	PM <sub>10</sub>	1
81	Kaithal	Satisfactory	58	PM <sub>10</sub>	1
82	Kalaburgi	Good	41	SO <sub>2</sub>	1
83	Kalyan	Satisfactory	90	PM <sub>10</sub>	1
84	Kannur	Satisfactory	67	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Good	29	CO, O <sub>3</sub> , PM <sub>10</sub>	3
86	Karnal	Good	35	PM <sub>10</sub>	1
87	Katihar	Moderate	108	со	1
88	Katni	Good	42	PM <sub>10</sub>	1
89	Khanna	Satisfactory	72	PM <sub>10</sub>	1
90	Khurja	Satisfactory	51	SO <sub>2</sub>	1
91	Kishanganj	Good	42	03	1
92	Kohima	Satisfactory	53	PM <sub>10</sub>	1
93	Kolkata	Good	39	O <sub>3</sub> , CO, NO <sub>2</sub>	7
94	Kota	Satisfactory	52	PM <sub>2.5</sub>	1
95	Kozhikode	Satisfactory	73	PM <sub>10</sub>	1
96	Kurukshetra	Satisfactory	86	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Good	49	CO, O <sub>3</sub> , NO <sub>2</sub>	6
98	Ludhiana	Moderate	108	PM <sub>10</sub>	1
99	Madikeri	Good	33	O <sub>3</sub>	1
100	Maihar	Good	16	PM <sub>10</sub>	1
101	Mandi Gobindgarh	Satisfactory	74	PM <sub>10</sub>	1
102	Mandideep	Good	47	PM <sub>10</sub>	1
103	Mandikhera	Satisfactory	62	PM <sub>10</sub>	1
104	Manesar	Good	39	PM <sub>10</sub>	1
105	Manglore	Satisfactory	61	PM <sub>10</sub>	1
106	Meerut	Good	37	PM <sub>10</sub> , CO, NO <sub>2</sub>	3
107	Moradabad	Good	32	SO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	5
108	Motihari	Satisfactory	53	03	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	69	PM <sub>2.5</sub> , NO <sub>2</sub> , CO	17
110	Muzaffarnagar	Good	49	O <sub>3</sub>	1
111	Muzaffarpur	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	2
112	Mysuru	Satisfactory	53	PM <sub>10</sub>	1
113	Nagpur	Good	46	со	1
114	Narnaul	Good	23	PM <sub>10</sub>	1
115	Nashik	Satisfactory	53	PM <sub>2.5</sub>	1
116	Navi Mumbai	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	3
117	Noida	Good	50	CO, SO <sub>2</sub> , PM <sub>10</sub>	3
118	Ooty	Satisfactory	61	PM <sub>10</sub>	1
119	Pali	Satisfactory	84	PM <sub>10</sub>	1
120	Panchkula	Satisfactory	56	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Moderate	170	PM <sub>10</sub>	1
122	Patiala	Satisfactory	58	PM <sub>10</sub>	1
123	Patna	Satisfactory	58	PM <sub>10</sub> , NO <sub>2</sub>	6
124	Pithampur	Satisfactory	64	PM <sub>10</sub>	1
125	Prayagraj	Good	45	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
126	Puducherry	Satisfactory	56	PM <sub>10</sub>	1
127	Purnia	Satisfactory	72	PM <sub>10</sub>	1
128	Raichur	Satisfactory	90	СО	1
129	Rajamahendravaram	Good	18	PM <sub>10</sub>	1
130	Rajgir	Satisfactory	72	СО	1
131	Ramanagara	Good	47	O <sub>3</sub>	1
132	Ramanathapuram	Satisfactory	57	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Good	22	SO <sub>2</sub>	1
134	Rohtak	Good	43	со	1
135	Rupnagar	Satisfactory	85	PM <sub>2.5</sub>	1
136	Sagar	Satisfactory	59	со	1
137	Saharsa	Satisfactory	52	PM <sub>2.5</sub>	1
138	Samastipur	Satisfactory	100	PM <sub>10</sub>	1
139	Sasaram	Satisfactory	65	со	1
140	Satna	Good	32	PM <sub>10</sub>	1
141	Shillong	Good	21	SO <sub>2</sub>	1
142	Shivamogga	Good	48	PM <sub>10</sub>	1
143	Siliguri	Good	40	PM <sub>10</sub>	1
144	Singrauli	Satisfactory	79	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Satisfactory	62	PM <sub>10</sub>	1
146	Sivasagar	Good	12	СО	1
147	Siwan	Good	42	NO <sub>2</sub>	1
148	Solapur	Satisfactory	78	PM <sub>10</sub>	1
149	Sonipat	Satisfactory	63	PM <sub>10</sub>	1
150	Srinagar	Satisfactory	54	PM <sub>10</sub>	1
151	Talcher	Satisfactory	52	SO <sub>2</sub>	1
152	Thane	Satisfactory	83	O <sub>3</sub>	1
153	Thiruvananthapuram	Good	42	PM <sub>2.5</sub> , CO	2
154	Thoothukudi	Satisfactory	54	PM <sub>10</sub>	1
155	Tirupati	Good	48	со	1
156	Tiruppur	Poor	202	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
  Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul,
  Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha,
  Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi,
  vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Udaipur	Satisfactory	88	PM <sub>10</sub>	1
158	Ujjain	Good	48	PM <sub>10</sub>	1
159	Varanasi	Good	48	PM <sub>10</sub> , CO	4
160	Vatva	Satisfactory	59	PM <sub>10</sub>	1
161	Vijayapura	Good	39	PM <sub>10</sub>	1
162	Visakhapatnam	Good	34	SO <sub>2</sub>	1
163	Vrindavan	Good	48	SO <sub>2</sub>	1
164	Yadgir	Good	29	SO <sub>2</sub>	1
165	Yamunanagar	Satisfactory	68	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Begusarai, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dindigul, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Kollam, Koppal, Manguraha, Munger, Naharlagun, Nandesari, Palwal, Pune, Salem, Thrissur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.