

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|--|--|
| 1 | Agra | Very Poor | 383 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Poor | 228 | PM _{2.5} | 1 |
| 3 | Ajmer | Poor | 240 | PM _{2.5} | 1 |
| 4 | Alwar | Moderate | 159 | PM _{2.5} | 1 |
| 5 | Amaravati | Poor | 290 | PM _{2.5} | 1 |
| 6 | Amritsar | Good | 39 | NO ₂ | 1 |
| 7 | Asanol | Poor | 230 | PM _{2.5} | 1 |
| 8 | Aurangabad | Moderate | 162 | OZONE | 1 |
| 9 | Baghpat | Poor | 287 | PM _{2.5} | 1 |
| 10 | Bathinda | Satisfactory | 80 | PM _{2.5} | 1 |
| 11 | Bengaluru | Moderate | 115 | OZONE, PM _{2.5} , PM ₁₀ | 8 |
| 12 | Bhiwadi | Very Poor | 304 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | | |
|---|---|--|--|
| Satisfactory | Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor Respiratory illness on prolonged exposure | | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * AQI is not calculated for today's bulletin for Hubballi, Jalandhar, Muzaffarpur, Patiala, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|--------------------------------------|--|
| 13 | Brajrajnagar | Poor | 244 | PM _{2.5} | 1 |
| 14 | Bulandshahr | Very Poor | 364 | PM _{2.5} | 1 |
| 15 | Chandrapur | Moderate | 128 | PM _{2.5} , PM ₁₀ | 2 |
| 16 | Chennai | Moderate | 193 | PM _{2.5} | 3 |
| 17 | Chikkaballapur | Satisfactory | 82 | PM ₁₀ | 1 |
| 18 | Delhi | Very Poor | 336 | PM _{2.5} | 33 |
| 19 | Dewas | Moderate | 173 | PM _{2.5} | 1 |
| 20 | Durgapur | Moderate | 144 | PM ₁₀ | 1 |
| 21 | Faridabad | Very Poor | 336 | PM _{2.5} | 1 |
| 22 | Gaya | Very Poor | 320 | PM _{2.5} | 1 |
| 23 | Ghaziabad | Very Poor | 358 | PM _{2.5} | 1 |
| 24 | Greater_Noida | Very Poor | 358 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Hubballi, Jalandhar, Muzaffarpur, Patiala, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 25 | Gurugram | Poor | 284 | PM _{2.5} | 1 |
| 26 | Haldia | Moderate | 161 | PM ₁₀ | 1 |
| 27 | Hapur | Very Poor | 365 | PM _{2.5} | 1 |
| 28 | Howrah | Poor | 298 | PM _{2.5} | 2 |
| 29 | Hyderabad | Moderate | 155 | PM _{2.5} | 6 |
| 30 | Jaipur | Poor | 215 | PM _{2.5} , PM ₁₀ | 3 |
| 31 | Jodhpur | Poor | 276 | PM _{2.5} | 1 |
| 32 | Jorapokhar | Very Poor | 386 | PM ₁₀ | 1 |
| 33 | Kalaburgi | Poor | 231 | PM _{2.5} | 1 |
| 34 | Kanpur | Very Poor | 396 | PM _{2.5} | 1 |
| 35 | Khanna | Satisfactory | 65 | PM ₁₀ | 1 |
| 36 | Kolkata | Very Poor | 308 | PM _{2.5} | 2 |

Possible Health Impacts

| Good | Minimal Impact | | |
|---|---|--|--|
| Satisfactory | Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor Respiratory illness on prolonged exposure | | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * AQI is not calculated for today's bulletin for Hubballi, Jalandhar, Muzaffarpur, Patiala, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 37 | Kota | Poor | 212 | PM _{2.5} | 1 |
| 38 | Lucknow | Very Poor | 366 | PM _{2.5} | 4 |
| 39 | Ludhiana | Satisfactory | 82 | PM ₁₀ | 1 |
| 40 | Mandi Gobindgarh | Satisfactory | 87 | PM ₁₀ | 1 |
| 41 | Mandideep | Poor | 238 | PM _{2.5} | 1 |
| 42 | Manesar | Poor | 299 | PM _{2.5} | 1 |
| 43 | Moradabad | Very Poor | 385 | PM _{2.5} | 1 |
| 44 | Mumbai | Moderate | 192 | PM ₁₀ | 1 |
| 45 | Muzaffarnagar | Very Poor | 345 | PM _{2.5} | 1 |
| 46 | Nagpur | Poor | 278 | PM _{2.5} | 1 |
| 47 | Nashik | Moderate | 113 | OZONE | 1 |
| 48 | Navi Mumbai | Moderate | 140 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Hubballi, Jalandhar, Muzaffarpur, Patiala, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|-------------|-------------|---------------------|--|
| 49 | Noida | Very Poor | 332 | PM _{2.5} | 2 |
| 50 | Pali | Poor | 243 | PM _{2.5} | 1 |
| 51 | Panchkula | Moderate | 143 | PM _{2.5} | 1 |
| 52 | Patna | Severe | 407 | PM _{2.5} | 1 |
| 53 | Pithampur | Moderate | 159 | PM ₁₀ | 1 |
| 54 | Pune | Poor | 201 | PM _{2.5} | 1 |
| 55 | Rajamahendravaram | Poor | 281 | PM _{2.5} | 1 |
| 56 | Ratlam | Moderate | 147 | PM _{2.5} | 1 |
| 57 | Rohtak | Moderate | 163 | PM _{2.5} | 1 |
| 58 | Rupnagar | Moderate | 115 | PM _{2.5} | 1 |
| 59 | Siliguri | Moderate | 194 | PM ₁₀ | 1 |
| 60 | Singrauli | Very Poor | 322 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | | |
|---|---|--|--|
| Satisfactory | Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | | |
| Poor | Breathing discomfort to most people on prolonged exposure | | |
| Very Poor Respiratory illness on prolonged exposure | | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | | |

- * AQI is not calculated for today's bulletin for Hubballi, Jalandhar, Muzaffarpur, Patiala, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 61 | Solapur | Moderate | 155 | PM ₁₀ | 1 |
| 62 | Talcher | Very Poor | 319 | PM ₁₀ | 1 |
| 63 | Thane | Poor | 231 | PM ₁₀ | 1 |
| 64 | Thiruvananthapuram | Satisfactory | 97 | OZONE | 1 |
| 65 | Tirupati | Moderate | 116 | PM _{2.5} | 1 |
| 66 | Udaipur | Moderate | 155 | PM ₁₀ | 1 |
| 67 | Ujjain | Moderate | 180 | PM _{2.5} | 1 |
| 68 | Varanasi | Very Poor | 306 | PM _{2.5} | 1 |
| 69 | Vijayawada | Satisfactory | 77 | PM ₁₀ | 1 |
| 70 | Visakhapatnam | Poor | 294 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Poor Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Hubballi, Jalandhar, Muzaffarpur, Patiala, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.