

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	55	PM _{2.5}	1
2	Agra	Satisfactory	81	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	75	PM ₁₀ , PM _{2.5}	9
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Satisfactory	77	PM ₁₀	1
6	Alwar	Satisfactory	82	PM ₁₀	1
7	Amaravati	Good	38	O ₃	1
8	Ambala	Moderate	102	PM ₁₀	1
9	Amritsar	Satisfactory	93	PM ₁₀	1
10	Ankleshwar	Satisfactory	76	PM ₁₀	1
11	Asansol	Satisfactory	58	PM ₁₀	1
12	Aurangabad	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	40	PM ₁₀	1
14	Baghpat	Moderate	128	PM ₁₀	1
15	Bahadurgarh	Satisfactory	86	PM ₁₀	1
16	Ballabgarh	Moderate	128	PM ₁₀	1
17	Bathinda	Satisfactory	81	PM ₁₀	1
18	Bengaluru	Satisfactory	59	CO, PM ₁₀ , NO ₂	8
19	Bhiwadi	Moderate	132	PM ₁₀	1
20	Bhiwani	Moderate	112	PM ₁₀	1
21	Bhopal	Satisfactory	76	PM ₁₀	1
22	Bidar	Satisfactory	86	SO ₂	1
23	Bulandshahr	Moderate	109	PM ₁₀	1
24	Chamarajanagar	Good	44	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	102	O ₃ , PM ₁₀	2
26	Chandrapur	Satisfactory	62	PM ₁₀	2
27	Charkhi Dadri	Moderate	118	PM _{2.5}	1
28	Chennai	Satisfactory	62	CO, PM ₁₀ , O ₃	7
29	Chikkaballapur	Good	31	NO ₂	1
30	Chikkamagaluru	Good	33	PM ₁₀	1
31	Damoh	Good	35	PM _{2.5}	1
32	Davanagere	Good	26	PM ₁₀	1
33	Delhi	Moderate	122	PM ₁₀	36
34	Dewas	Satisfactory	72	PM ₁₀	1
35	Dharuhera	Satisfactory	71	PM _{2.5}	1
36	Durgapur	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	56	со	1
38	Ernakulam	Good	41	PM ₁₀	1
39	Faridabad	Moderate	122	PM ₁₀ , O ₃	4
40	Fatehabad	Moderate	144	PM ₁₀	1
41	Firozabad	Satisfactory	100	PM ₁₀	1
42	Gadag	Good	23	SO ₂	1
43	Gandhinagar	Satisfactory	54	PM _{2.5} , PM ₁₀	2
44	Gaya	Satisfactory	62	03	2
45	Ghaziabad	Moderate	165	PM ₁₀	4
46	Gorakhpur	Good	22	со	1
47	Greater Noida	Moderate	143	PM ₁₀	2
48	Gurugram	Moderate	110	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	61	SO ₂ , PM ₁₀	2
50	Gwalior	Satisfactory	78	PM ₁₀	2
51	Haldia	Satisfactory	56	PM ₁₀	1
52	Hapur	Moderate	131	PM ₁₀	1
53	Hassan	Satisfactory	72	PM ₁₀	1
54	Hisar	Moderate	160	PM ₁₀	1
55	Howrah	Satisfactory	58	PM ₁₀ , PM _{2.5}	3
56	Hubballi	Satisfactory	63	PM ₁₀	1
57	Hyderabad	Satisfactory	56	PM ₁₀ , NO ₂ , CO	6
58	Indore	Satisfactory	86	PM ₁₀	1
59	Jabalpur	Satisfactory	90	PM ₁₀	1
60	Jaipur	Satisfactory	83	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Good	50	PM ₁₀	1
62	Jind	Moderate	119	PM ₁₀	1
63	Jodhpur	Moderate	104	PM ₁₀	1
64	Kaithal	Moderate	169	PM ₁₀	1
65	Kalyan	Good	42	со	1
66	Kannur	Good	46	PM ₁₀	1
67	Kanpur	Satisfactory	78	PM ₁₀ , PM _{2.5}	2
68	Karnal	Satisfactory	70	SO ₂	1
69	Katni	Satisfactory	78	PM ₁₀	1
70	Khanna	Satisfactory	90	PM ₁₀	1
71	Kochi	Good	45	PM ₁₀	1
72	Kohima	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Good	34	PM ₁₀	1
74	Kolkata	Satisfactory	64	PM ₁₀ , PM _{2.5} , O ₃	7
75	Kollam	Satisfactory	90	СО	1
76	Koppal	Good	37	со	1
77	Kota	Satisfactory	72	PM _{2.5}	1
78	Kozhikode	Good	26	со	1
79	Kurukshetra	Moderate	150	PM ₁₀	1
80	Lucknow	Satisfactory	51	PM ₁₀ , PM _{2.5} , CO	5
81	Ludhiana	Satisfactory	69	PM ₁₀	1
82	Maihar	Good	37	PM _{2.5}	1
83	Mandi Gobindgarh	Moderate	171	PM _{2.5}	1
84	Mandikhera	Satisfactory	51	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Moderate	126	PM _{2.5}	1
86	Medikeri	Good	29	03	1
87	Meerut	Moderate	154	O ₃ , PM ₁₀	3
88	Moradabad	Moderate	148	PM ₁₀	1
89	Mumbai	Satisfactory	54	O ₃ , PM ₁₀ , CO	20
90	Muzaffarnagar	Moderate	144	PM ₁₀	1
91	Muzaffarpur	Satisfactory	54	CO, PM ₁₀	2
92	Mysuru	Good	39	PM ₁₀	1
93	Nagpur	Satisfactory	59	со	1
94	Naharlagun	Good	37	SO ₂	1
95	Narnaul	Satisfactory	67	PM _{2.5}	1
96	Nashik	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	56	PM ₁₀ , CO	2
98	Noida	Moderate	140	PM ₁₀	3
99	Pali	Satisfactory	83	PM ₁₀	1
100	Palwal	Satisfactory	92	PM ₁₀	1
101	Panchkula	Satisfactory	71	PM _{2.5}	1
102	Panipat	Moderate	125	PM ₁₀	1
103	Patiala	Moderate	115	PM ₁₀	1
104	Patna	Satisfactory	81	O ₃ , CO, PM ₁₀	5
105	Pithampur	Satisfactory	67	PM _{2.5}	1
106	Prayagraj	Good	30	PM ₁₀ , NH ₃	2
107	Puducherry	Good	44	O ₃	1
108	Pune	Satisfactory	69	CO, PM _{2.5}	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Good	47	PM ₁₀	1
110	Rajamahendravaram	Good	46	PM ₁₀	1
111	Ramanagara	Good	45	PM ₁₀	1
112	Ratlam	Satisfactory	62	PM ₁₀	1
113	Rohtak	Moderate	118	NO ₂	1
114	Rupnagar	Moderate	108	PM ₁₀	1
115	Sagar	Good	28	PM _{2.5}	1
116	Satna	Satisfactory	65	PM ₁₀	1
117	Shivamogga	Good	47	PM ₁₀	1
118	Siliguri	Satisfactory	51	PM _{2.5}	1
119	Singrauli	Good	35	NO ₂	1
120	Sirsa	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sonipat	Moderate	171	PM ₁₀	1
122	Srinagar	Satisfactory	66	PM ₁₀	1
123	Talcher	Satisfactory	89	со	1
124	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
125	Thoothukudi	Satisfactory	58	PM ₁₀	1
126	Thrissur	Satisfactory	84	SO ₂	1
127	Tirupati	Good	38	со	1
128	Udaipur	Satisfactory	93	PM ₁₀	1
129	Udupi	Moderate	188	03	1
130	Ujjain	Satisfactory	83	PM ₁₀	1
131	Vapi	Good	49	PM ₁₀	1
132	Varanasi	Good	38	PM ₁₀ , NO ₂ , CO	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Satisfactory	89	PM ₁₀	1
134	Vijayapura	Good	47	СО	1
135	Visakhapatnam	Moderate	106	PM ₁₀	1
136	Vrindavan	Satisfactory	95	PM ₁₀	1
137	Yadgir	Good	36	PM ₁₀	1
138	Yamunanagar	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Manglore, Motihari, Nandesari, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.