

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	120	PM _{2.5}	1
2	Ahmedabad	Poor	220	PM _{2.5}	1
3	Ajmer	Moderate	105	PM ₁₀	1
4	Alwar	Satisfactory	71	PM ₁₀	1
5	Amaravati	Good	40	OZONE	1
6	Ambala	Moderate	167	PM _{2.5}	1
7	Amritsar	Satisfactory	97	PM ₁₀	1
8	Ankleshwar	Satisfactory	88	со	1
9	Asanol	Moderate	130	PM _{2.5}	1
10	Aurangabad	Satisfactory	57	PM ₁₀	1
11	Baghpat	Poor	225	PM _{2.5}	1
12	Bahadurgarh	Moderate	160	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	271	PM _{2.5}	1
14	Bathinda	Moderate	103	со	1
15	Bengaluru	Good	50	PM _{2.5} , PM ₁₀ , CO	8
16	Bhiwadi	Poor	206	PM _{2.5}	1
17	Bhiwani	Moderate	106	PM ₁₀	1
18	Bhopal	Moderate	145	PM _{2.5}	1
19	Brajrajnagar	Satisfactory	96	PM _{2.5}	1
20	Bulandshahr	Poor	230	PM _{2.5}	1
21	Chandigarh	Satisfactory	100	PM ₁₀	1
22	Chandrapur	Good	40	PM ₁₀	2
23	Chennai	Satisfactory	68	PM _{2.5} , OZONE, CO	3
24	Damoh	Poor	254	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	238	PM _{2.5} , PM ₁₀	33
26	Dewas	Moderate	171	PM _{2.5}	1
27	Dharuhera	Poor	233	PM _{2.5}	1
28	Eloor	Good	25	со	1
29	Faridabad	Poor	243	PM _{2.5}	1
30	Fatehabad	Moderate	107	PM ₁₀	1
31	GandhiNagar	Satisfactory	98	PM ₁₀	1
32	Gaya	Satisfactory	56	со	1
33	Ghaziabad	Poor	269	PM _{2.5}	4
34	Greater_Noida	Poor	254	PM ₁₀ , PM _{2.5}	2
35	Gurugram	Moderate	185	PM _{2.5}	1
36	Guwahati	Satisfactory	96	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Satisfactory	58	PM ₁₀	1
38	Hapur	Moderate	196	PM _{2.5}	1
39	Hisar	Poor	203	PM _{2.5}	1
40	Howrah	Moderate	189	PM _{2.5}	2
41	Hubballi	Satisfactory	64	PM ₁₀	1
42	Hyderabad	Satisfactory	57	PM ₁₀ , PM _{2.5}	6
43	Indore	Moderate	106	PM _{2.5}	1
44	Jabalpur	Moderate	102	PM _{2.5}	1
45	Jaipur	Moderate	119	PM ₁₀ , PM _{2.5} , OZONE	3
46	Jalandhar	Moderate	167	PM _{2.5}	1
47	Jind	Poor	206	PM _{2.5}	1
48	Jodhpur	Moderate	176	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	104	PM ₁₀	1
50	Kaithal	Moderate	119	PM ₁₀	1
51	Kalaburagi	Good	42	NO ₂	1
52	Kalyan	Satisfactory	52	со	1
53	Karnal	Very Poor	308	PM _{2.5}	1
54	Katni	Moderate	109	PM _{2.5}	1
55	Khanna	Moderate	122	PM ₁₀	1
56	Kolkata	Moderate	122	PM _{2.5} , OZONE, PM ₁₀	5
57	Kota	Poor	231	PM _{2.5}	1
58	Kurukshetra	Poor	228	PM _{2.5}	1
59	Lucknow	Poor	272	PM _{2.5}	4
60	Ludhiana	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Good	45	PM ₁₀	1
62	Mandi Gobindgarh	Moderate	102	PM ₁₀	1
63	Mandideep	Satisfactory	93	PM ₁₀	1
64	Mandikhera	Moderate	126	OZONE	1
65	Manesar	Moderate	170	PM _{2.5}	1
66	Meerut	Poor	249	PM _{2.5} , PM ₁₀	3
67	Moradabad	Very Poor	303	PM _{2.5}	1
68	Mumbai	Good	46	CO, NO ₂ , PM ₁₀	9
69	Muzaffarnagar	Very Poor	312	PM _{2.5}	1
70	Muzaffarpur	Moderate	152	PM _{2.5}	1
71	Mysuru	Satisfactory	54	PM ₁₀	1
72	Nagpur	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Poor	204	PM _{2.5}	1
74	Navi Mumbai	Good	47	CO, PM _{2.5}	3
75	Noida	Poor	250	PM _{2.5}	4
76	Pali	Moderate	130	PM _{2.5}	1
77	Palwal	Poor	245	PM _{2.5}	1
78	Panchkula	Satisfactory	83	OZONE	1
79	Panipat	Poor	293	PM _{2.5}	1
80	Patiala	Moderate	108	PM ₁₀	1
81	Patna	Moderate	168	PM _{2.5}	1
82	Pithampur	Moderate	114	PM _{2.5}	1
83	Pune	Satisfactory	86	SO ₂	1
84	Rajamahendravaram	Good	48	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	30	PM ₁₀	1
86	Ratlam	Moderate	168	PM _{2.5}	1
87	Rohtak	Moderate	111	PM _{2.5}	1
88	Rupnagar	Moderate	101	PM ₁₀	1
89	Shillong	Satisfactory	56	PM _{2.5}	1
90	Siliguri	Moderate	110	PM _{2.5}	1
91	Singrauli	Moderate	123	NO ₂	1
92	Sirsa	Poor	238	PM _{2.5}	1
93	Solapur	Satisfactory	54	СО	1
94	Sonipat	Satisfactory	53	PM ₁₀	1
95	Thane	Satisfactory	59	SO ₂	1
96	Tirupati	Good	34	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Moderate	123	PM _{2.5}	1
98	Ujjain	Poor	225	PM _{2.5}	1
99	Vapi	Satisfactory	77	PM ₁₀	1
100	Varanasi	Moderate	187	PM _{2.5}	1
101	Vatva	Moderate	126	PM ₁₀	1
102	Vijayawada	Moderate	162	со	1
103	Visakhapatnam	Satisfactory	65	SO ₂	1
104	Yadgir	Good	47	OZONE	1
105	Yamunanagar	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Kanpur, Nashik, Satna, Talcher, Thiruvananthapuram as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.