

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM ₁₀	1
2	Agra	Satisfactory	69	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	83	PM ₁₀ , CO	3
4	Aizawl	Good	47	03	1
5	Alwar	Satisfactory	84	PM ₁₀	1
6	Amaravati	Good	23	03	1
7	Ambala	Moderate	144	PM _{2.5}	1
8	Amritsar	Moderate	181	03	1
9	Ankleshwar	Satisfactory	68	PM _{2.5}	1
10	Araria	Satisfactory	60	PM ₁₀	1
11	Arrah	Satisfactory	92	PM ₁₀	1
12	Asansol	Satisfactory	69	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	88	PM ₁₀	1
14	Bagalkot	Good	46	PM ₁₀	1
15	Baghpat	Satisfactory	72	03	1
16	Bahadurgarh	Moderate	111	PM ₁₀	1
17	Ballabgarh	Moderate	113	PM ₁₀	1
18	Bareilly	Satisfactory	92	PM ₁₀	1
19	Bathinda	Moderate	157	PM ₁₀	1
20	Begusarai	Satisfactory	56	PM ₁₀	1
21	Bengaluru	Satisfactory	65	PM ₁₀	7
22	Bettiah	Moderate	174	PM ₁₀	1
23	Bhagalpur	Good	44	PM ₁₀	1
24	Bhiwadi	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	104	PM _{2.5}	1
26	Bhopal	Satisfactory	100	O ₃	1
27	Bihar Sharif	Moderate	134	PM ₁₀	1
28	Bilaspur	Satisfactory	69	со	1
29	Bulandshahr	Moderate	125	PM ₁₀	1
30	Chamarajanagar	Good	38	PM ₁₀	1
31	Chandigarh	Moderate	115	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	76	PM _{2.5} , CO	2
33	Charkhi Dadri	Moderate	126	PM _{2.5}	1
34	Chennai	Satisfactory	66	PM ₁₀ , CO, PM _{2.5}	7
35	Chhapra	Satisfactory	96	PM ₁₀	1
36	Chikkamagaluru	Good	28	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	30	PM ₁₀	1
38	Damoh	Satisfactory	60	PM _{2.5}	1
39	Darbhanga	Satisfactory	97	PM ₁₀	1
40	Dehradun	Satisfactory	61	PM ₁₀	1
41	Delhi	Moderate	127	O ₃ , PM _{2.5} , PM ₁₀	32
42	Dewas	Satisfactory	63	PM ₁₀	1
43	Eloor	Satisfactory	53	PM ₁₀	1
44	Faridabad	Moderate	129	PM ₁₀	3
45	Fatehabad	Moderate	138	PM ₁₀	1
46	Firozabad	Satisfactory	82	O ₃ , PM ₁₀	2
47	Gandhinagar	Satisfactory	78	PM ₁₀	1
48	Gangtok	Good	18	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Satisfactory	80	PM _{2.5} , PM ₁₀	2
50	Ghaziabad	Moderate	111	PM ₁₀ , CO	3
51	Gorakhpur	Good	45	SO ₂	1
52	Greater Noida	Moderate	137	PM ₁₀	2
53	Gurugram	Moderate	140	PM _{2.5} , PM ₁₀	3
54	Guwahati	Good	32	PM ₁₀	2
55	Gwalior	Satisfactory	77	PM ₁₀	1
56	Hajipur	Satisfactory	79	PM ₁₀	1
57	Haldia	Good	30	PM ₁₀	1
58	Hisar	Moderate	152	PM ₁₀	1
59	Howrah	Good	33	PM ₁₀ , CO	3
60	Hubballi	Good	49	СО	1

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Good	48	PM _{2.5} , CO, PM ₁₀	11
62	Imphal	Satisfactory	95	SO ₂	1
63	Indore	Satisfactory	97	PM ₁₀	1
64	Jaipur	Satisfactory	100	PM ₁₀	2
65	Jalandhar	Moderate	119	03	1
66	Jind	Satisfactory	100	PM ₁₀	1
67	Jodhpur	Moderate	159	PM _{2.5}	1
68	Kaithal	Moderate	110	PM ₁₀	1
69	Kannur	Satisfactory	61	PM ₁₀	1
70	Kanpur	Satisfactory	80	PM _{2.5} , PM ₁₀	4
71	Karnal	Satisfactory	81	PM ₁₀	1
72	Katihar	Satisfactory	90	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Satisfactory	88	PM ₁₀	1
74	Khanna	Satisfactory	94	PM ₁₀	1
75	Khurja	Satisfactory	62	PM _{2.5}	1
76	Kochi	Good	38	PM ₁₀	1
77	Kohima	Satisfactory	70	PM ₁₀	1
78	Kolkata	Good	35	PM ₁₀ , NO ₂ , O ₃	7
79	Kollam	Satisfactory	99	PM ₁₀	1
80	Kota	Moderate	130	PM _{2.5}	1
81	Kozhikode	Satisfactory	62	PM ₁₀	1
82	Kurukshetra	Satisfactory	94	PM ₁₀	1
83	Lucknow	Satisfactory	87	PM ₁₀	6
84	Ludhiana	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Madikeri	Good	25	03	1
86	Mandi Gobindgarh	Good	46	PM ₁₀	1
87	Mandideep	Satisfactory	67	03	1
88	Mandikhera	Satisfactory	69	со	1
89	Manesar	Moderate	107	PM ₁₀	1
90	Meerut	Moderate	111	O ₃ , PM ₁₀	3
91	Moradabad	Satisfactory	92	PM _{2.5} , PM ₁₀ , CO	6
92	Motihari	Satisfactory	65	03	1
93	Mumbai	Satisfactory	54	CO, SO ₂	11
94	Munger	Moderate	102	PM ₁₀	1
95	Muzaffarnagar	Moderate	117	PM _{2.5}	1
96	Muzaffarpur	Satisfactory	76	PM ₁₀ , CO	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Good	41	PM ₁₀	1
98	Narnaul	Satisfactory	58	PM _{2.5}	1
99	Nashik	Good	23	03	1
100	Navi Mumbai	Good	29	со	1
101	Noida	Moderate	126	PM ₁₀	4
102	Pali	Moderate	185	PM _{2.5}	1
103	Palwal	Moderate	115	PM ₁₀	1
104	Panchkula	Satisfactory	66	PM _{2.5}	1
105	Panipat	Moderate	111	PM ₁₀	1
106	Patiala	Satisfactory	86	PM ₁₀	1
107	Patna	Moderate	108	PM ₁₀ , O ₃ , PM _{2.5}	6
108	Pithampur	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Satisfactory	61	PM ₁₀ , SO ₂	2
110	Puducherry	Satisfactory	63	PM ₁₀	1
111	Pune	Satisfactory	83	SO ₂ , CO	4
112	Purnia	Satisfactory	91	PM ₁₀	1
113	Rajamahendravaram	Good	34	PM ₁₀	1
114	Rajgir	Satisfactory	51	PM ₁₀	1
115	Ramanagara	Good	48	PM ₁₀	1
116	Ratlam	Satisfactory	58	PM ₁₀	1
117	Rohtak	Poor	221	PM _{2.5}	1
118	Rupnagar	Satisfactory	96	PM ₁₀	1
119	Sagar	Good	46	со	1
120	Saharsa	Moderate	123	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Samastipur	Moderate	127	PM ₁₀	1
122	Satna	Good	49	03	1
123	Shillong	Good	17	PM ₁₀	1
124	Shivamogga	Good	49	PM ₁₀	1
125	Siliguri	Good	36	PM ₁₀	1
126	Singrauli	Moderate	101	NO ₂	1
127	Sirsa	Moderate	122	PM ₁₀	1
128	Solapur	Satisfactory	58	со	1
129	Srinagar	Moderate	103	PM ₁₀	1
130	Talcher	Good	44	со	1
131	Thane	Satisfactory	79	PM ₁₀	1
132	Thiruvananthapuram	Satisfactory	66	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thoothukudi	Good	50	PM ₁₀	1
134	Tirupati	Satisfactory	59	PM ₁₀	1
135	Udaipur	Satisfactory	99	PM ₁₀	1
136	Ujjain	Moderate	105	PM ₁₀	1
137	Varanasi	Satisfactory	66	O ₃ , NO ₂ , PM ₁₀	4
138	Vijayapura	Good	49	PM ₁₀	1
139	Visakhapatnam	Satisfactory	90	PM ₁₀	1
140	Vrindavan	Satisfactory	78	PM ₁₀	1
141	Yadgir	Good	34	PM ₁₀	1
142	Yamunanagar	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.