

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	PM _{2.5}	1
2	Agra	Satisfactory	56	03	5
3	Ahmedabad	Moderate	110	PM ₁₀	8
4	Aizawl	Good	20	PM ₁₀	1
5	Alwar	Satisfactory	59	PM ₁₀	1
6	Amaravati	Satisfactory	61	со	1
7	Ambala	Satisfactory	66	PM _{2.5}	1
8	Amritsar	Satisfactory	66	PM _{2.5}	1
9	Anantapur	Good	44	со	1
10	Asansol	Moderate	111	PM ₁₀	1
11	Aurangabad (Bihar)	Satisfactory	88	со	1
12	Aurangabad (Maharashtra)	Satisfactory	57	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	150	O ₃	1
14	Bagalkot	Good	46	PM ₁₀	1
15	Baghpat	Moderate	182	PM _{2.5}	1
16	Bahadurgarh	Moderate	152	PM _{2.5}	1
17	Ballabgarh	Satisfactory	83	PM _{2.5}	1
18	Banswara	Moderate	166	O ₃	1
19	Bareilly	Satisfactory	64	PM ₁₀	2
20	Baripada	Satisfactory	95	O ₃	1
21	Barmer	Moderate	119	PM ₁₀	1
22	Bathinda	Good	44	PM ₁₀	1
23	Begusarai	Poor	277	PM _{2.5}	1
24	Belgaum	Good	48	со	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	52	CO, NO ₂	12
26	Bettiah	Poor	219	PM _{2.5}	1
27	Bhagalpur	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
28	Bhilai	Good	34	PM ₁₀ , NO ₂	2
29	Bhiwadi	Moderate	117	PM ₁₀	1
30	Bhiwani	Moderate	142	PM _{2.5}	1
31	Bhopal	Satisfactory	88	03	3
32	Bihar Sharif	Moderate	174	03	1
33	Bikaner	Poor	251	PM ₁₀	1
34	Bileipada	Moderate	146	PM ₁₀	1
35	Brajrajnagar	Satisfactory	77	со	1
36	Bulandshahr	Moderate	192	03	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	39	PM ₁₀	1
38	Chandigarh	Satisfactory	94	O ₃ , PM ₁₀	3
39	Chandrapur	Satisfactory	60	PM _{2.5}	1
40	Charkhi Dadri	Poor	203	PM _{2.5}	1
41	Chengalpattu	Satisfactory	92	PM ₁₀	1
42	Chennai	Satisfactory	62	со	8
43	Chhal	Good	38	PM ₁₀	1
44	Chhapra	Moderate	162	PM ₁₀	1
45	Chikkaballapur	Good	30	PM ₁₀	1
46	Chikkamagaluru	Good	41	PM ₁₀	1
47	Chittorgarh	Moderate	163	03	1
48	Churu	Moderate	153	03	1

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Cuddalore	Satisfactory	75	NO ₂	2
50	Damoh	Good	16	PM _{2.5}	1
51	Dausa	Satisfactory	93	PM ₁₀	1
52	Davanagere	Satisfactory	51	PM ₁₀	1
53	Dehradun	Satisfactory	77	со	1
54	Delhi	Moderate	183	O ₃ , PM _{2.5}	37
55	Dewas	Satisfactory	86	PM ₁₀	1
56	Dharuhera	Moderate	197	PM _{2.5}	1
57	Dharwad	Satisfactory	53	PM ₁₀	1
58	Dholpur	Moderate	161	O ₃	1
59	Durgapur	Moderate	105	PM ₁₀	1
60	Faridabad	Moderate	156	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

yalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Bu Byrnihat, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jaisalmer, Kadapa, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Kunjemura,

Maihar, Naharlagun, Nandesari, Pali, Palkalaiperur, Pimpri Chinchwad, Ramanagara, Ramanathapuram, Sasaram, Surat, Talcher, Tensa, Tumidih, Udu

Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Fatehabad	Moderate	152	PM ₁₀	1
62	Firozabad	Good	50	PM ₁₀	1
63	Gadag	Good	48	SO ₂	1
64	Gandhinagar	Satisfactory	88	PM _{2.5} , PM ₁₀	3
65	Gangtok	Good	48	03	1
66	Gaya	Satisfactory	84	PM ₁₀ , PM _{2.5}	3
67	Ghaziabad	Moderate	157	O ₃ , PM ₁₀	4
68	Gorakhpur	Satisfactory	97	PM ₁₀	1
69	Greater Noida	Moderate	186	PM ₁₀	2
70	Gurugram	Moderate	146	PM _{2.5}	4
71	Guwahati	Satisfactory	76	PM ₁₀ , PM _{2.5}	4
72	Gwalior	Moderate	146	O ₃ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,
Byrnihat, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dindigul, Eloor,
Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jaisalmer, Kadapa,
Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Kunjemura,
Maihar, Naharlagun, Nandesari, Pali, Palkalaiperur, Pimpri Chinchwad,
Ramanagara, Ramanathapuram, Sasaram, Surat, Talcher, Tensa, Tumidih, Udu
Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Moderate	123	PM ₁₀	1
74	Haldia	Good	24	SO ₂	1
75	Hanumangarh	Moderate	147	PM ₁₀	1
76	Hapur	Moderate	134	03	1
77	Haveri	Good	40	со	1
78	Howrah	Satisfactory	65	со	3
79	Hubballi	Satisfactory	86	PM ₁₀	1
80	Hyderabad	Satisfactory	67	PM ₁₀ , CO	9
81	Indore	Satisfactory	59	PM ₁₀	2
82	Jabalpur	Satisfactory	76	O ₃	1
83	Jaipur	Moderate	107	O ₃ , PM ₁₀	6
84	Jalandhar	Satisfactory	60	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhalawar	Satisfactory	91	O ₃	1
86	Jhansi	Satisfactory	97	PM ₁₀	1
87	Jhunjhunu	Very Poor	303	03	1
88	Jind	Moderate	106	PM _{2.5}	1
89	Jodhpur	Moderate	156	03	3
90	Jorapokhar	Moderate	104	PM ₁₀	1
91	Kaithal	Satisfactory	96	PM ₁₀	1
92	Kalaburgi	Good	44	SO ₂	1
93	Kalyan	Satisfactory	78	PM ₁₀	1
94	Kanchipuram	Good	31	PM ₁₀	1
95	Kanpur	Satisfactory	52	PM ₁₀ , CO	4
96	Karauli	Moderate	124	03	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria, Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

Possible Health Impacts Notes:

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Satisfactory	62	PM _{2.5}	1
98	Katni	Satisfactory	77	O ₃	1
99	Keonjhar	Satisfactory	53	PM _{2.5}	1
100	Khanna	Satisfactory	67	PM ₁₀	1
101	Kishanganj	Satisfactory	59	PM ₁₀	1
102	Kochi	Satisfactory	79	PM ₁₀	1
103	Kohima	Good	46	PM ₁₀	1
104	Kolhapur	Satisfactory	99	O ₃	2
105	Kolkata	Satisfactory	54	O ₃ , PM ₁₀	6
106	Kollam	Satisfactory	66	PM _{2.5}	1
107	Korba	Satisfactory	54	NO ₂ , PM ₁₀	2
108	Kota	Moderate	156	O ₃ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria, Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Byrnihat, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jaisalmer, Kadapa, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Palkalaiperur, Pimpri Chinchwad, Ramanagara, Ramanathapuram, Sasaram, Surat, Talcher, Tensa, Tumidih, Udul Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Satisfactory	79	O ₃	1
110	Lucknow	Satisfactory	70	PM ₁₀	6
111	Ludhiana	Satisfactory	87	03	1
112	Madikeri	Good	23	03	1
113	Mandi Gobindgarh	Moderate	175	PM _{2.5}	1
114	Mandideep	Satisfactory	85	PM ₁₀	1
115	Mandikhera	Satisfactory	95	PM ₁₀	1
116	Manesar	Moderate	104	PM _{2.5}	1
117	Mangalore	Good	50	со	1
118	Manguraha	Satisfactory	83	03	1
119	Meerut	Moderate	170	03	3
120	Milupara	Good	38	NO ₂	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,
Byrnihat, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dindigul, Eloor,
Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jaisalmer, Kadapa,
Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Kunjemura,
Maihar, Naharlagun, Nandesari, Pali, Palkalaiperur, Pimpri Chinchwad,
Ramanagara, Ramanathapuram, Sasaram, Surat, Talcher, Tensa, Tumidih, Udu
Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Satisfactory	97	PM _{2.5}	6
122	Motihari	Moderate	108	NO ₂	1
123	Mumbai	Satisfactory	75	PM ₁₀	16
124	Munger	Moderate	145	PM ₁₀	1
125	Muzaffarnagar	Moderate	172	PM _{2.5}	1
126	Muzaffarpur	Moderate	193	O ₃	3
127	Mysuru	Satisfactory	63	O ₃	1
128	Nagaon	Moderate	108	PM ₁₀	1
129	Nagpur	Satisfactory	69	PM _{2.5}	1
130	Nalbari	Poor	272	PM _{2.5}	1
131	Narnaul	Moderate	101	PM ₁₀	1
132	Nashik	Satisfactory	57	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria, Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Navi Mumbai	Satisfactory	82	NO ₂ , PM ₁₀	2
134	Nayagarh	Satisfactory	85	PM ₁₀	1
135	Noida	Moderate	158	PM ₁₀	4
136	Ooty	Satisfactory	60	PM ₁₀	1
137	Palwal	Satisfactory	62	PM ₁₀	1
138	Panchkula	Satisfactory	65	PM _{2.5}	1
139	Panipat	Satisfactory	99	PM ₁₀	1
140	Patiala	Satisfactory	77	PM ₁₀	1
141	Patna	Moderate	135	PM _{2.5}	6
142	Pithampur	Satisfactory	69	PM ₁₀	1
143	Pratapgarh	Satisfactory	85	03	1
144	Prayagraj	Good	48	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	56	O ₃	1
146	Pune	Moderate	120	NO ₂ , PM ₁₀	3
147	Purnia	Satisfactory	88	PM _{2.5}	1
148	Raichur	Good	38	со	1
149	Raipur	Satisfactory	71	PM ₁₀ , NO ₂	4
150	Rairangpur	Satisfactory	64	03	1
151	Rajamahendravaram	Good	22	со	1
152	Rajgir	Satisfactory	96	со	1
153	Rajsamand	Satisfactory	97	PM ₁₀	1
154	Ratlam	Satisfactory	82	NO ₂	1
155	Rishikesh	Good	41	O ₃	1
156	Rohtak	Moderate	162	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rourkela	Satisfactory	76	PM ₁₀	2
158	Rupnagar	Moderate	125	PM ₁₀	1
159	Sagar	Moderate	106	03	1
160	Saharsa	Moderate	138	PM _{2.5}	1
161	Salem	Satisfactory	91	SO ₂	1
162	Samastipur	Moderate	144	PM ₁₀	1
163	Satna	Satisfactory	72	со	1
164	Sawai Madhopur	Satisfactory	93	03	1
165	Shillong	Good	39	SO ₂	1
166	Shivamogga	Satisfactory	58	PM ₁₀	1
167	Sikar	Moderate	124	03	1
168	Silchar	Good	22	со	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate Breathing discomfort to the people with lungs, asthma and heart disease			
Poor Breathing discomfort to most people on prolonged exposure			
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Ariyalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siliguri	Satisfactory	57	PM ₁₀	1
170	Singrauli	Satisfactory	96	PM ₁₀	1
171	Sirohi	Moderate	179	PM ₁₀	1
172	Sirsa	Satisfactory	74	PM ₁₀	1
173	Sivasagar	Good	25	PM _{2.5}	1
174	Siwan	Moderate	172	PM _{2.5}	1
175	Solapur	Moderate	101	PM ₁₀	1
176	Sonipat	Moderate	118	PM ₁₀	1
177	Sri Ganganagar	Moderate	182	PM ₁₀	1
178	Srinagar	Satisfactory	71	PM _{2.5}	1
179	Suakati	Good	46	PM ₁₀	1
180	Thane	Moderate	111	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

yalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Bu

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thiruvananthapuram	Good	38	PM ₁₀	2
182	Thoothukudi	Good	43	03	1
183	Thrissur	Satisfactory	80	PM ₁₀	1
184	Tirupati	Satisfactory	72	PM _{2.5} , CO	2
185	Tirupur	Good	29	PM ₁₀	1
186	Tonk	Satisfactory	98	03	1
187	Tumakuru	Satisfactory	77	PM ₁₀	1
188	Udaipur	Moderate	110	PM ₁₀	1
189	Vapi	Moderate	140	PM _{2.5}	1
190	Varanasi	Satisfactory	52	03	4
191	Vatva	Moderate	114	PM _{2.5}	1
192	Vijayapura	Good	46	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,

yalur, Arrah, Bharatpur, Bhilwara, Bidar, Bilaspur, Bundi, Bu

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Byrnihat, Chittoor, Coimbatore, Darbhanga, Dhanbad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jaisalmer, Kadapa, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Palkalaiperur, Pimpri Chinchwad, Ramanagara, Ramanathapuram, Sasaram, Surat, Talcher, Tensa, Tumidih, Udul Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Visakhapatnam	Satisfactory	75	PM ₁₀	1
194	Vrindavan	Moderate	147	PM ₁₀	1
195	Yadgir	Good	49	PM ₁₀	1
196	Yamunanagar	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Araria,