

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM ₁₀	1
2	Agra	Satisfactory	81	PM ₁₀	4
3	Ahmedabad	Satisfactory	59	O ₃ , PM ₁₀ , CO	8
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	84	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Good	36	O ₃	1
8	Ambala	Satisfactory	99	PM ₁₀	1
9	Amritsar	Poor	219	PM _{2.5}	1
10	Asansol	Satisfactory	72	PM ₁₀	1
11	Aurangabad	Satisfactory	79	PM ₁₀	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	129	PM ₁₀	1
14	Bahadurgarh	Satisfactory	78	PM ₁₀	1
15	Ballabgarh	Moderate	134	PM ₁₀	1
16	Bengaluru	Satisfactory	56	CO, PM ₁₀ , PM _{2.5}	10
17	Bhiwadi	Moderate	102	PM ₁₀	1
18	Bhiwani	Moderate	112	PM ₁₀	1
19	Bhopal	Satisfactory	60	PM ₁₀	1
20	Bulandshahr	Moderate	112	PM ₁₀	1
21	Chamarajanagar	Good	38	PM ₁₀	1
22	Chandigarh	Moderate	185	PM ₁₀	2
23	Chandrapur	Good	38	PM ₁₀	2
24	Charkhi Dadri	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	63	CO, PM ₁₀	6
26	Chikkaballapur	Good	35	NO ₂	1
27	Chikkamagaluru	Good	30	PM ₁₀	1
28	Damoh	Good	28	PM _{2.5}	1
29	Davanagere	Good	19	03	1
30	Delhi	Moderate	114	PM ₁₀ , CO	36
31	Dewas	Good	44	PM ₁₀	1
32	Dharuhera	Satisfactory	78	со	1
33	Durgapur	Moderate	186	PM _{2.5}	1
34	Eloor	Satisfactory	70	со	1
35	Ernakulam	Good	38	со	1
36	Faridabad	Moderate	110	PM ₁₀ , O ₃	3

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Satisfactory	70	PM ₁₀	1
38	Gadag	Good	27	SO ₂	1
39	Gandhinagar	Satisfactory	57	CO, PM ₁₀	2
40	Gaya	Satisfactory	87	O ₃ , CO	2
41	Ghaziabad	Moderate	141	PM ₁₀	4
42	Gorakhpur	Good	20	PM ₁₀	1
43	Greater Noida	Moderate	132	PM ₁₀	2
44	Gummidipoondi	Satisfactory	79	PM ₁₀	1
45	Gurugram	Moderate	107	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Satisfactory	58	SO ₂ , PM _{2.5}	2
47	Gwalior	Satisfactory	73	PM ₁₀	1
48	Hajipur	Satisfactory	55	со	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	72	PM ₁₀	1
50	Hapur	Moderate	133	PM ₁₀	1
51	Hassan	Satisfactory	76	PM ₁₀	1
52	Hisar	Moderate	111	PM ₁₀	1
53	Howrah	Satisfactory	76	PM ₁₀	3
54	Hubballi	Good	36	PM ₁₀	1
55	Hyderabad	Good	43	NO ₂ , PM ₁₀	5
56	Indore	Satisfactory	56	PM ₁₀	1
57	Jabalpur	Satisfactory	74	PM ₁₀	1
58	Jaipur	Satisfactory	74	PM _{2.5} , PM ₁₀	2
59	Jalandhar	Moderate	146	PM ₁₀	1
60	Jind	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	106	PM ₁₀	1
62	Kaithal	Moderate	183	PM ₁₀	1
63	Kalaburgi	Good	40	PM ₁₀	1
64	Kalyan	Good	38	со	1
65	Kannur	Good	42	PM ₁₀	1
66	Kanpur	Satisfactory	63	PM ₁₀ , O ₃	3
67	Karnal	Moderate	113	PM ₁₀	1
68	Katni	Satisfactory	72	PM ₁₀	1
69	Khanna	Moderate	141	PM ₁₀	1
70	Kochi	Good	33	PM ₁₀	1
71	Kohima	Satisfactory	63	PM ₁₀	1
72	Kolar	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Satisfactory	70	PM ₁₀ , PM _{2.5} , O ₃	6
74	Kollam	Satisfactory	99	со	1
75	Koppal	Good	46	со	1
76	Kota	Good	43	PM ₁₀	1
77	Kozhikode	Satisfactory	61	со	1
78	Kurukshetra	Moderate	175	PM ₁₀	1
79	Lucknow	Satisfactory	74	PM ₁₀ , PM _{2.5}	5
80	Ludhiana	Moderate	119	PM ₁₀	1
81	Maihar	Good	21	NO ₂	1
82	Mandi Gobindgarh	Moderate	160	PM _{2.5}	1
83	Mandideep	Good	31	PM ₁₀	1
84	Mandikhera	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Satisfactory	82	PM ₁₀	1
86	Medikeri	Good	29	O ₃	1
87	Meerut	Moderate	139	PM ₁₀	3
88	Moradabad	Moderate	140	PM ₁₀	1
89	Mumbai	Good	47	PM ₁₀ , CO	18
90	Muzaffarnagar	Moderate	160	PM ₁₀	1
91	Muzaffarpur	Satisfactory	69	СО	1
92	Mysuru	Good	28	PM ₁₀	1
93	Nandesari	Good	50	со	1
94	Nashik	Good	25	PM ₁₀	1
95	Navi Mumbai	Satisfactory	65	PM ₁₀ , CO	3
96	Noida	Moderate	127	PM ₁₀	4

Possible Health Impacts

Minimal Impact

Good	Willima impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Satisfactory	74	PM ₁₀	1
98	Palwal	Satisfactory	86	PM ₁₀	1
99	Panchkula	Moderate	168	PM _{2.5}	1
100	Panipat	Moderate	186	PM ₁₀	1
101	Patiala	Moderate	147	PM ₁₀	1
102	Patna	Satisfactory	98	O ₃ , CO, PM ₁₀	5
103	Pithampur	Satisfactory	64	PM ₁₀	1
104	Prayagraj	Good	44	PM ₁₀	3
105	Puducherry	Satisfactory	77	O ₃	1
106	Pune	Satisfactory	74	NO ₂ , CO	5
107	Raichur	Good	48	PM ₁₀	1
108	Rajamahendravaram	Good	38	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	45	03	1
110	Ratlam	Good	47	PM ₁₀	1
111	Rohtak	Satisfactory	86	NO ₂	1
112	Sagar	Good	24	PM _{2.5}	1
113	Satna	Good	45	PM ₁₀	1
114	Shillong	Good	16	SO ₂	1
115	Shivamogga	Good	46	PM ₁₀	1
116	Siliguri	Good	32	СО	1
117	Singrauli	Good	43	PM ₁₀	1
118	Sirsa	Poor	286	PM ₁₀	1
119	Sonipat	Moderate	168	PM ₁₀	1
120	Srinagar	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Satisfactory	73	PM ₁₀	1
122	Thane	Moderate	102	PM ₁₀	1
123	Thiruvananthapuram	Satisfactory	92	PM _{2.5} , O ₃	2
124	Thoothukudi	Satisfactory	99	со	1
125	Tirupati	Good	43	со	1
126	Udaipur	Satisfactory	81	PM ₁₀	1
127	Udupi	Satisfactory	98	со	1
128	Ujjain	Satisfactory	73	PM ₁₀	1
129	Varanasi	Good	49	PM ₁₀	4
130	Vatva	Satisfactory	97	PM ₁₀	1
131	Visakhapatnam	Satisfactory	82	PM _{2.5}	1
132	Vrindavan	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Troduit impuoto

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	22	PM ₁₀	1
134	Yamunanagar	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Fatehabad, Jorapokhar, Manglore, Motihari, Nagpur, Naharlagun, Narnaul, Rupnagar, Solapur, Thrissur, Vapi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.