



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	240	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	56	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	170	PM <sub>2.5</sub> , NO <sub>2</sub>	6
4	Aizawl	Moderate	111	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	69	O <sub>3</sub>	1
6	Alwar	Satisfactory	63	NO <sub>2</sub>	1
7	Amaravati	Satisfactory	96	PM <sub>10</sub>	1
8	Amritsar	Moderate	101	PM <sub>2.5</sub>	1
9	Anantapur	Satisfactory	66	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	180	PM <sub>2.5</sub>	1
11	Araria	Poor	292	PM <sub>2.5</sub>	1
12	Ariyalur	Satisfactory	69	NO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	157	PM <sub>10</sub>	1
14	Asansol	Moderate	113	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Moderate	129	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Moderate	110	PM <sub>10</sub>	1
17	Baddi	Moderate	118	PM <sub>10</sub>	1
18	Bagalkot	Satisfactory	62	O <sub>3</sub>	1
19	Baghpat	Moderate	135	PM <sub>2.5</sub>	1
20	Bahadurgarh	Satisfactory	99	PM <sub>2.5</sub>	1
21	Ballabgarh	Moderate	108	PM <sub>10</sub>	1
22	Bareilly	Satisfactory	67	PM <sub>10</sub>	2
23	Baripada	Moderate	175	PM <sub>2.5</sub>	1
24	Bathinda	Satisfactory	85	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	148	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	10
27	Bhagalpur	Moderate	156	PM <sub>10</sub>	2
28	Bharatpur	Moderate	146	PM <sub>10</sub>	1
29	Bhilai	Satisfactory	75	PM <sub>10</sub> , O <sub>3</sub>	2
30	Bhiwadi	Moderate	145	PM <sub>10</sub>	1
31	Bhiwani	Moderate	115	PM <sub>2.5</sub>	1
32	Bhopal	Moderate	113	PM <sub>10</sub>	3
33	Bidar	Satisfactory	90	PM <sub>10</sub>	1
34	Bihar Sharif	Satisfactory	84	PM <sub>10</sub>	1
35	Bilaspur	Good	33	CO	1
36	Bileipada	Poor	209	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Moderate	114	PM <sub>10</sub>	1
38	Bulandshahr	Moderate	102	PM <sub>10</sub>	1
39	Byrnihat	Very Poor	366	PM <sub>2.5</sub>	1
40	Chamarajanagar	Good	50	CO	1
41	Chandigarh	Moderate	122	PM <sub>2.5</sub>	3
42	Chandrapur	Moderate	182	PM <sub>2.5</sub>	1
43	Charkhi Dadri	Moderate	159	PM <sub>2.5</sub>	1
44	Chennai	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	8
45	Chhapra	Moderate	168	PM <sub>10</sub>	1
46	Chikkaballapur	Satisfactory	72	PM <sub>10</sub>	1
47	Chikkamagaluru	Satisfactory	62	PM <sub>10</sub>	1
48	Chittoor	Satisfactory	67	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	46	PM <sub>2.5</sub>	1
50	Dehradun	Satisfactory	72	PM <sub>10</sub>	1
51	Delhi	Moderate	142	PM <sub>2.5</sub>	35
52	Dewas	Moderate	113	PM <sub>10</sub>	1
53	Dhanbad	Satisfactory	94	PM <sub>10</sub>	1
54	Dharuhera	Moderate	154	PM <sub>2.5</sub>	1
55	Durgapur	Moderate	156	PM <sub>10</sub>	1
56	Eloor	Satisfactory	92	PM <sub>10</sub>	1
57	Faridabad	Moderate	150	PM <sub>2.5</sub>	2
58	Fatehabad	Moderate	153	PM <sub>10</sub>	1
59	Firozabad	Satisfactory	74	PM <sub>10</sub>	2
60	Gadag	Satisfactory	74	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	3
62	Gaya	Moderate	104	PM <sub>10</sub> , CO	3
63	Ghaziabad	Moderate	119	PM <sub>2.5</sub>	4
64	Gorakhpur	Satisfactory	96	PM <sub>10</sub>	1
65	Greater Noida	Moderate	112	PM <sub>10</sub>	2
66	Gummidipoondi	Moderate	104	PM <sub>2.5</sub>	1
67	Gurugram	Moderate	118	PM <sub>2.5</sub>	4
68	Guwahati	Poor	258	PM <sub>2.5</sub>	4
69	Gwalior	Moderate	154	PM <sub>10</sub>	2
70	Hajipur	Poor	210	PM <sub>10</sub>	1
71	Haldia	Moderate	133	PM <sub>10</sub>	1
72	Hapur	Satisfactory	68	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	72	PM <sub>10</sub>	1
74	Haveri	Moderate	114	PM <sub>10</sub>	1
75	Hisar	Moderate	156	PM <sub>10</sub>	1
76	Hosur	Moderate	110	PM <sub>10</sub>	1
77	Howrah	Moderate	147	PM <sub>2.5</sub>	3
78	Hubballi	Moderate	120	PM <sub>10</sub>	2
79	Hyderabad	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	13
80	Imphal	Moderate	161	PM <sub>2.5</sub>	1
81	Indore	Satisfactory	80	NO <sub>2</sub>	1
82	Jabalpur	Moderate	149	PM <sub>10</sub>	1
83	Jaipur	Satisfactory	83	PM <sub>10</sub>	3
84	Jalandhar	Moderate	125	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Satisfactory	81	PM <sub>10</sub>	1
86	Jind	Satisfactory	76	CO	1
87	Jodhpur	Satisfactory	91	PM <sub>10</sub>	2
88	Jorapokhar	Moderate	118	PM <sub>10</sub>	1
89	Kadapa	Moderate	106	PM <sub>2.5</sub>	1
90	Kaithal	Satisfactory	87	PM <sub>10</sub>	1
91	Kalaburgi	Moderate	137	PM <sub>2.5</sub>	1
92	Kalyan	Poor	233	PM <sub>2.5</sub>	1
93	Kanchipuram	Satisfactory	74	PM <sub>10</sub>	1
94	Kanpur	Satisfactory	87	PM <sub>2.5</sub>	3
95	Karnal	Satisfactory	62	PM <sub>10</sub>	1
96	Kashipur	Satisfactory	98	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katihar	Moderate	191	PM <sub>10</sub>	1
98	Katni	Poor	207	PM <sub>10</sub>	1
99	Keonjhar	Moderate	123	PM <sub>2.5</sub>	1
100	Khanna	Satisfactory	82	PM <sub>10</sub>	1
101	Kishanganj	Moderate	169	PM <sub>10</sub>	1
102	Kochi	Moderate	148	PM <sub>2.5</sub>	1
103	Kohima	Moderate	143	PM <sub>2.5</sub>	1
104	Kolar	Moderate	127	PM <sub>10</sub>	1
105	Kolkata	Moderate	128	PM <sub>2.5</sub>	7
106	Kollam	Satisfactory	98	PM <sub>10</sub>	1
107	Koppal	Satisfactory	61	O <sub>3</sub>	1
108	Korba	Satisfactory	66	PM <sub>2.5</sub>	2

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kota	Moderate	113	PM <sub>2.5</sub>	3
110	Kozhikode	Satisfactory	100	NH <sub>3</sub>	1
111	Kurukshetra	Satisfactory	78	PM <sub>2.5</sub>	1
112	Lucknow	Satisfactory	98	PM <sub>2.5</sub>	6
113	Ludhiana	Moderate	150	PM <sub>2.5</sub>	1
114	Madikeri	Good	40	O <sub>3</sub>	1
115	Maihar	Good	32	CO	1
116	Mandi Gobindgarh	Poor	265	PM <sub>2.5</sub>	1
117	Mandikhera	Satisfactory	56	PM <sub>10</sub>	1
118	Manesar	Satisfactory	90	PM <sub>10</sub>	1
119	Mangalore	Moderate	151	PM <sub>2.5</sub>	1
120	Meerut	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	6
122	Motihari	Moderate	128	PM <sub>10</sub>	1
123	Mumbai	Poor	246	NO <sub>2</sub> , PM <sub>2.5</sub>	17
124	Munger	Moderate	196	PM <sub>10</sub>	1
125	Muzaffarnagar	Moderate	140	PM <sub>2.5</sub>	1
126	Muzaffarpur	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	3
127	Mysuru	Satisfactory	57	PM <sub>10</sub>	1
128	Nagaon	Poor	300	PM <sub>2.5</sub>	1
129	Nagpur	Moderate	114	PM <sub>2.5</sub>	1
130	Naharlagun	Good	49	PM <sub>2.5</sub>	1
131	Nalbari	Poor	267	PM <sub>2.5</sub>	1
132	Narnaul	Satisfactory	86	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Navi Mumbai	Poor	270	PM <sub>2.5</sub>	3
134	Nayagarh	Poor	269	PM <sub>10</sub>	1
135	Noida	Moderate	122	PM <sub>10</sub>	4
136	Ooty	Satisfactory	51	CO	1
137	Pali	Satisfactory	73	PM <sub>10</sub>	1
138	Palwal	Good	50	PM <sub>10</sub>	1
139	Panchkula	Moderate	135	CO	1
140	Panipat	Moderate	126	PM <sub>10</sub>	1
141	Patiala	Satisfactory	81	PM <sub>10</sub>	1
142	Patna	Moderate	186	PM <sub>2.5</sub>	6
143	Pithampur	Moderate	107	PM <sub>10</sub>	1
144	Prayagraj	Satisfactory	70	PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	62	PM <sub>10</sub>	1
146	Pune	Moderate	179	PM <sub>2.5</sub> , PM <sub>10</sub>	4
147	Purnia	Moderate	109	PM <sub>10</sub>	1
148	Raichur	Moderate	119	PM <sub>10</sub>	1
149	Raipur	Moderate	112	NO <sub>2</sub> , PM <sub>10</sub>	4
150	Rairangpur	Poor	210	PM <sub>2.5</sub>	1
151	Rajgir	Satisfactory	92	PM <sub>10</sub>	1
152	Ramanagara	Satisfactory	85	PM <sub>10</sub>	1
153	Ramanathapuram	Good	47	PM <sub>2.5</sub>	1
154	Ratlam	Moderate	124	PM <sub>10</sub>	1
155	Rishikesh	Satisfactory	55	PM <sub>10</sub>	1
156	Rohtak	Satisfactory	75	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rourkela	Moderate	168	PM <sub>10</sub>	2
158	Rupnagar	Satisfactory	92	PM <sub>10</sub>	1
159	Sagar	Satisfactory	68	O <sub>3</sub> , PM <sub>2.5</sub>	2
160	Saharsa	Moderate	159	PM <sub>10</sub>	1
161	Samastipur	Moderate	153	PM <sub>10</sub>	1
162	Sasaram	Satisfactory	81	PM <sub>10</sub>	1
163	Satna	Satisfactory	77	PM <sub>10</sub>	1
164	Shillong	Moderate	198	PM <sub>2.5</sub>	1
165	Shivamogga	Satisfactory	58	O <sub>3</sub>	1
166	Sirsa	Satisfactory	91	PM <sub>10</sub>	1
167	Sivasagar	Satisfactory	68	PM <sub>2.5</sub>	1
168	Siwan	Moderate	151	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Srinagar	Good	49	PM <sub>10</sub>	1
170	Suakati	Moderate	142	PM <sub>2.5</sub>	1
171	Talcher	Poor	237	PM <sub>2.5</sub>	1
172	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	2
173	Thoothukudi	Good	47	PM <sub>10</sub>	1
174	Thrissur	Moderate	110	PM <sub>10</sub>	1
175	Tirupati	Satisfactory	83	PM <sub>2.5</sub> , NO <sub>2</sub>	2
176	Tirupur	Satisfactory	63	PM <sub>10</sub>	1
177	Udaipur	Satisfactory	91	PM <sub>10</sub>	1
178	Ujjain	Moderate	149	PM <sub>2.5</sub>	1
179	Varanasi	Satisfactory	52	SO <sub>2</sub> , O <sub>3</sub>	4
180	Vatva	Moderate	145	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Mar 06, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Good	46	PM <sub>10</sub>	1
182	Vijayawada	Poor	226	PM <sub>2.5</sub>	1
183	Visakhapatnam	Poor	214	PM <sub>10</sub>	1
184	Vrindavan	Moderate	139	PM <sub>10</sub>	1
185	Yamunanagar	Moderate	108	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Bettiah, Bikaner, Buxar, Chengalpattu, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Hanumangarh, Kannur, Khurja, Kunjemura, Mandideep, Manguraha, Milupara, Nandesari, Nashik, Rajamahendravaram, Salem, Sawai Madhopur, Silchar, Siliguri, Singrauli, Sirohi, Solapur, Sonapat, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases