

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	37	PM _{2.5}	1
2	Ahmedabad	Satisfactory	83	OZONE	1
3	Ajmer	Good	49	СО	1
4	Alwar	Moderate	102	PM ₁₀	1
5	Ambala	Satisfactory	53	PM ₁₀	1
6	Amritsar	Satisfactory	54	PM ₁₀	1
7	Ankleshwar	Satisfactory	70	СО	1
8	Asanol	Good	21	PM _{2.5}	1
9	Aurangabad	Satisfactory	64	PM ₁₀	1
10	Baghpat	Satisfactory	71	PM ₁₀	1
11	Bahadurgarh	Satisfactory	70	OZONE	1
12	Bathinda	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	50	PM ₁₀ , CO	8
14	Bhiwadi	Satisfactory	87	PM ₁₀	1
15	Bhiwani	Satisfactory	76	PM ₁₀	1
16	Brajrajnagar	Good	27	со	1
17	Bulandshahr	Good	45	со	1
18	Chandrapur	Good	37	PM ₁₀	1
19	Chennai	Satisfactory	61	со	2
20	Chikkaballapur	Good	37	со	1
21	Coimbatore	Satisfactory	74	со	1
22	Delhi	Satisfactory	77	OZONE, PM ₁₀ , NO ₂	36
23	Dewas	Good	39	PM ₁₀	1
24	Dharuhera	Poor	211	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Good	27	со	1
26	Faridabad	Good	42	OZONE	1
27	GandhiNagar	Good	32	PM ₁₀	1
28	Gaya	Satisfactory	80	PM _{2.5}	1
29	Ghaziabad	Satisfactory	61	PM ₁₀ , PM _{2.5}	3
30	Greater_Noida	Satisfactory	70	PM ₁₀	2
31	Gurugram	Satisfactory	66	PM ₁₀ , OZONE	2
32	Guwahati	Satisfactory	52	PM ₁₀	1
33	Haldia	Good	18	PM ₁₀	1
34	Hisar	Satisfactory	84	PM ₁₀	1
35	Howrah	Good	45	PM ₁₀	2
36	Hyderabad	Good	25	CO, PM ₁₀ , OZONE	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Satisfactory	64	PM ₁₀ , CO	3
38	Jalandhar	Satisfactory	56	PM ₁₀	1
39	Jind	Satisfactory	67	PM _{2.5}	1
40	Jodhpur	Moderate	139	PM _{2.5}	1
41	Jorapokhar	Satisfactory	78	СО	1
42	Kaithal	Satisfactory	81	PM ₁₀	1
43	Kalaburagi	Good	16	со	1
44	Kalyan	Moderate	102	SO ₂	1
45	Kanpur	Good	39	PM _{2.5}	1
46	Karnal	Satisfactory	70	PM ₁₀	1
47	Kolkata	Good	27	PM ₁₀ , OZONE, CO	5
48	Kota	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurukshetra	Satisfactory	68	PM _{2.5}	1
50	Loni_Dehat	Satisfactory	78	PM ₁₀	1
51	Lucknow	Good	48	CO, PM _{2.5}	4
52	Ludhiana	Satisfactory	79	PM ₁₀	1
53	Maihar	Good	38	со	1
54	Mandi Gobindgarh	Satisfactory	52	PM ₁₀	1
55	Mandideep	Good	36	PM ₁₀	1
56	Mandikhera	Satisfactory	55	PM ₁₀	1
57	Manesar	Good	50	PM _{2.5}	1
58	Moradabad	Moderate	124	PM _{2.5}	1
59	Mumbai	Good	39	CO, PM ₁₀ , NO ₂	8
60	Muzaffarnagar	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarpur	Satisfactory	51	OZONE	1
62	Nagpur	Good	28	PM ₁₀	1
63	Narnaul	Good	42	PM ₁₀	1
64	Navi Mumbai	Good	44	CO, SO ₂ , OZONE	3
65	Noida	Satisfactory	83	OZONE, PM ₁₀	3
66	Pali	Good	45	PM ₁₀	1
67	Palwal	Satisfactory	64	PM ₁₀	1
68	Panchkula	Moderate	116	PM _{2.5}	1
69	Panipat	Satisfactory	54	PM ₁₀	1
70	Patiala	Satisfactory	56	PM ₁₀	1
71	Patna	Satisfactory	78	OZONE	1
72	Pithampur	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pune	Satisfactory	74	SO ₂	1
74	Rajamahendravaram	Good	41	OZONE	1
75	Rupnagar	Satisfactory	62	PM ₁₀	1
76	Satna	Good	46	со	1
77	Siliguri	Good	24	PM ₁₀	1
78	Singrauli	Satisfactory	74	NO ₂	1
79	Sirsa	Moderate	184	PM _{2.5}	1
80	Solapur	Satisfactory	58	PM ₁₀	1
81	Sonipat	Satisfactory	89	PM ₁₀	1
82	Thane	Good	44	со	1
83	Thiruvananthapuram	Good	40	СО	1
84	Tirupati	Good	26	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available.
- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring locati
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Satisfactory	61	PM ₁₀	1
86	Ujjain	Good	41	со	1
87	Vapi	Good	22	PM ₁₀	1
88	Varanasi	Satisfactory	61	PM ₁₀	1
89	Vatva	Good	47	PM ₁₀	1
90	Vijayawada	Good	24	PM ₁₀	1
91	Visakhapatnam	Satisfactory	57	PM ₁₀	1
92	Yamunanagar	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ballabgarh, Damoh, Fatehabad, Hubballi, Khanna, Mysuru, Nashik, Ratlam, Rohtak, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is
- used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.