

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Satisfactory	57	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Moderate	108	PM _{2.5} , PM ₁₀	8
4	Ajmer	Satisfactory	82	PM ₁₀	1
5	Alwar	Satisfactory	86	PM ₁₀	1
6	Amaravati	Good	26	03	1
7	Ambala	Good	34	PM ₁₀	1
8	Amritsar	Good	42	PM ₁₀	1
9	Bagalkot	Good	27	PM ₁₀	1
10	Baghpat	Satisfactory	53	со	1
11	Bahadurgarh	Good	42	PM _{2.5}	1
12	Ballabgarh	Satisfactory	55	03	1

Possible Health Impacts

Minimal Impact

Good	Minimai impaci
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	24	PM ₁₀	1
14	Bengaluru	Satisfactory	54	CO, PM ₁₀	8
15	Bettiah	Satisfactory	65	PM ₁₀	1
16	Bhiwadi	Satisfactory	98	PM ₁₀	1
17	Bhiwani	Satisfactory	70	03	1
18	Bhopal	Satisfactory	63	PM ₁₀	1
19	Bihar Sharif	Satisfactory	85	NO ₂	1
20	Bulandshahr	Good	42	O ₃	1
21	Chamarajanagar	Good	38	PM ₁₀	1
22	Chandigarh	Good	36	со	1
23	Chandrapur	Good	30	PM ₁₀	2
24	Charkhi Dadri	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	59	CO, PM ₁₀	7
26	Chikkaballapur	Satisfactory	53	PM ₁₀	1
27	Chikkamagaluru	Good	29	со	1
28	Damoh	Good	19	PM _{2.5}	1
29	Darbhanga	Good	29	PM _{2.5}	1
30	Delhi	Satisfactory	68	PM _{2.5} , PM ₁₀ , NO ₂	35
31	Dewas	Satisfactory	87	PM ₁₀	1
32	Dharuhera	Satisfactory	72	PM _{2.5}	1
33	Durgapur	Good	24	PM ₁₀	1
34	Faridabad	Satisfactory	66	PM ₁₀ , O ₃	3
35	Fatehabad	Satisfactory	66	O ₃	1
36	Firozabad	Good	24	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	108	PM _{2.5} , PM ₁₀	3
38	Gaya	Satisfactory	86	PM _{2.5}	1
39	Ghaziabad	Satisfactory	65	CO, PM ₁₀	4
40	Gorakhpur	Good	21	PM _{2.5}	1
41	Greater Noida	Satisfactory	52	PM ₁₀	2
42	Gurugram	Satisfactory	68	PM _{2.5} , PM ₁₀	3
43	Guwahati	Good	47	SO ₂	2
44	Gwalior	Satisfactory	56	PM ₁₀	2
45	Hajipur	Satisfactory	75	O ₃	1
46	Haldia	Good	36	со	1
47	Hapur	Satisfactory	69	со	1
48	Hassan	Good	35	NO ₂	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Good	33	PM ₁₀ , CO	3
50	Hubballi	Good	33	O ₃	1
51	Hyderabad	Good	33	NO ₂ , PM _{2.5} , CO	5
52	Indore	Satisfactory	100	PM ₁₀	1
53	Jabalpur	Good	47	со	1
54	Jaipur	Satisfactory	69	PM ₁₀	3
55	Jalandhar	Good	29	PM _{2.5}	1
56	Jind	Good	42	PM _{2.5}	1
57	Jodhpur	Moderate	148	PM _{2.5}	1
58	Kaithal	Satisfactory	75	со	1
59	Kalaburgi	Good	26	03	1
60	Kalyan	Satisfactory	55	СО	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to most people on prolonged exposure

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Good	37	NO ₂	1
62	Kanpur	Good	40	PM ₁₀ , PM _{2.5}	3
63	Karnal	Satisfactory	52	PM ₁₀	1
64	Katni	Good	44	со	1
65	Khanna	Good	47	PM ₁₀	1
66	Kochi	Satisfactory	81	PM _{2.5}	1
67	Kohima	Good	33	SO ₂	1
68	Kolkata	Good	32	O ₃ , PM ₁₀ , CO	7
69	Kollam	Satisfactory	62	PM ₁₀	1
70	Koppal	Good	48	O ₃	1
71	Kota	Satisfactory	93	PM _{2.5}	1
72	Kozhikode	Satisfactory	85	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Good	31	PM _{2.5}	1
74	Lucknow	Satisfactory	53	CO, PM _{2.5} , O ₃	6
75	Ludhiana	Satisfactory	58	PM ₁₀	1
76	Maihar	Good	47	PM _{2.5}	1
77	Mandi Gobindgarh	Good	30	со	1
78	Mandideep	Satisfactory	60	PM ₁₀	1
79	Mandikhera	Satisfactory	55	03	1
80	Manesar	Satisfactory	61	PM _{2.5}	1
81	Manglore	Satisfactory	69	PM ₁₀	1
82	Medikeri	Good	21	со	1
83	Meerut	Satisfactory	57	CO, O ₃ , PM ₁₀	3
84	Moradabad	Good	48	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Motihari	Good	45	O ₃	1
86	Mumbai	Satisfactory	78	O ₃ , PM _{2.5} , PM ₁₀	16
87	Muzaffarnagar	Satisfactory	71	со	1
88	Mysuru	Good	36	PM ₁₀	1
89	Nagpur	Satisfactory	83	03	1
90	Naharlagun	Good	35	SO ₂	1
91	Narnaul	Moderate	103	PM ₁₀	1
92	Nashik	Good	41	PM ₁₀	1
93	Navi Mumbai	Good	48	PM ₁₀	3
94	Noida	Satisfactory	64	O ₃ , PM ₁₀	4
95	Pali	Moderate	127	PM _{2.5}	1
96	Palwal	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	36	03	1
98	Panipat	Satisfactory	58	PM ₁₀	1
99	Patiala	Good	32	PM ₁₀	1
100	Patna	Satisfactory	62	O ₃ , PM ₁₀	5
101	Pithampur	Satisfactory	65	PM _{2.5}	1
102	Puducherry	Good	49	PM ₁₀	1
103	Pune	Moderate	104	CO, PM ₁₀	2
104	Raichur	Good	29	PM ₁₀	1
105	Rajamahendravaram	Good	35	со	1
106	Ramanagara	Good	32	PM ₁₀	1
107	Ratlam	Satisfactory	89	PM ₁₀	1
108	Rohtak	Satisfactory	99	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	77	PM ₁₀	1
110	Sagar	Good	24	NO ₂	1
111	Satna	Satisfactory	61	PM ₁₀	1
112	Shillong	Good	13	SO ₂	1
113	Shivamogga	Good	32	PM ₁₀	1
114	Siliguri	Good	41	PM ₁₀	1
115	Singrauli	Satisfactory	68	PM ₁₀	1
116	Sirsa	Satisfactory	79	O ₃	1
117	Solapur	Good	32	O ₃	1
118	Sonipat	Moderate	110	PM ₁₀	1
119	Srinagar	Satisfactory	64	PM ₁₀	1
120	Talcher	Moderate	103	СО	1

Possible Health Impacts

od Minimal Impact

Good	Willima impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Satisfactory	59	PM ₁₀	1
122	Thiruvananthapuram	Satisfactory	74	со	2
123	Thoothukudi	Good	50	PM ₁₀	1
124	Thrissur	Satisfactory	55	03	1
125	Tirupati	Good	39	03	1
126	Udaipur	Moderate	119	PM ₁₀	1
127	Udupi	Satisfactory	79	СО	1
128	Ujjain	Moderate	138	PM ₁₀	1
129	Vapi	Moderate	130	O ₃	1
130	Varanasi	Good	47	PM ₁₀	3
131	Vatva	Moderate	138	PM _{2.5}	1
132	Visakhapatnam	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	30	O ₃	1
134	Yamunanagar	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Jorapokhar, Kolar, Muzaffarpur, Nandesari, Prayagraj, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.