

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	154	PM _{2.5}	1
2	Ahmedabad	Moderate	130	NO ₂	1
3	Ajmer	Moderate	108	PM _{2.5}	1
4	Amaravati	Moderate	144	PM _{2.5}	1
5	Ambala	Good	41	PM ₁₀	1
6	Amritsar	Satisfactory	59	PM ₁₀	1
7	Asanol	Very Poor	329	PM _{2.5}	1
8	Aurangabad	Satisfactory	84	PM ₁₀	1
9	Baghpat	Moderate	120	PM ₁₀	1
10	Bahadurgarh	Satisfactory	84	PM ₁₀	1
11	Ballabgarh	Moderate	133	PM ₁₀	1
12	Bathinda	Satisfactory	75	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	67	CO, PM ₁₀	9
14	Bhiwadi	Poor	232	PM _{2.5}	1
15	Bhiwani	Satisfactory	78	PM _{2.5}	1
16	Bhopal	Poor	290	PM _{2.5}	1
17	Bulandshahr	Poor	204	O ₃	1
18	Chandigarh	Satisfactory	53	PM ₁₀	1
19	Chandrapur	Moderate	131	PM _{2.5}	1
20	Chennai	Satisfactory	75	PM _{2.5}	3
21	Chikkaballapur	Satisfactory	95	PM _{2.5}	1
22	Coimbatore	Satisfactory	64	PM _{2.5}	1
23	Damoh	Moderate	142	PM _{2.5}	1
24	Delhi	Moderate	134	PM ₁₀ , PM _{2.5} , NO ₂	31

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	127	PM _{2.5}	1
26	Dharuhera	Moderate	123	PM ₁₀	1
27	Eloor	Good	37	со	1
28	Faridabad	Moderate	108	PM _{2.5}	1
29	Fatehabad	Satisfactory	55	PM ₁₀	1
30	GandhiNagar	Satisfactory	77	PM ₁₀	1
31	Gaya	Poor	260	PM _{2.5}	1
32	Ghaziabad	Moderate	143	PM _{2.5} , PM ₁₀	4
33	Greater_Noida	Moderate	144	PM ₁₀	2
34	Gurugram	Moderate	104	NO ₂	1
35	Guwahati	Moderate	163	PM _{2.5}	1
36	Haldia	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Moderate	117	PM ₁₀	1
38	Hisar	Satisfactory	94	PM _{2.5}	1
39	Howrah	Very Poor	352	PM _{2.5}	2
40	Hubballi	Satisfactory	91	PM ₁₀	1
41	Hyderabad	Moderate	150	PM _{2.5}	6
42	Indore	Moderate	169	PM _{2.5}	1
43	Jabalpur	Moderate	162	PM _{2.5}	1
44	Jaipur	Moderate	107	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Satisfactory	77	PM ₁₀	1
46	Jind	Satisfactory	59	PM _{2.5}	1
47	Jodhpur	Poor	206	PM _{2.5}	1
48	Jorapokhar	Poor	299	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Good	40	O ₃	1
50	Kalaburagi	Moderate	126	PM _{2.5}	1
51	Kalyan	Moderate	192	PM ₁₀	1
52	Kanpur	Very Poor	386	PM _{2.5}	1
53	Karnal	Satisfactory	93	PM ₁₀	1
54	Katni	Poor	224	PM _{2.5}	1
55	Khanna	Good	41	PM ₁₀	1
56	Kolkata	Poor	253	PM _{2.5}	7
57	Kota	Moderate	152	PM _{2.5}	1
58	Kurukshetra	Satisfactory	59	PM _{2.5}	1
59	Lucknow	Very Poor	366	PM _{2.5}	4
60	Ludhiana	Satisfactory	73	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	59	PM ₁₀	1
62	Mandi Gobindgarh	Satisfactory	87	PM _{2.5}	1
63	Mandideep	Very Poor	302	PM ₁₀	1
64	Mandikhera	Moderate	104	PM _{2.5}	1
65	Manesar	Moderate	102	PM ₁₀	1
66	Meerut	Moderate	127	PM _{2.5} , PM ₁₀	3
67	Moradabad	Poor	236	PM _{2.5}	1
68	Mumbai	Moderate	171	PM _{2.5}	9
69	Muzaffarpur	Severe	404	PM _{2.5}	1
70	Mysuru	Good	46	PM ₁₀	1
71	Nagpur	Moderate	136	PM _{2.5}	1
72	Narnaul	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	98	PM _{2.5}	1
74	Navi Mumbai	Poor	220	PM _{2.5}	2
75	Noida	Moderate	115	PM ₁₀ , PM _{2.5}	4
76	Pali	Moderate	147	PM _{2.5}	1
77	Palwal	Moderate	158	PM _{2.5}	1
78	Panchkula	Good	26	PM _{2.5}	1
79	Panipat	Moderate	127	PM ₁₀	1
80	Patiala	Good	47	NO ₂	1
81	Patna	Severe	426	PM _{2.5}	1
82	Pithampur	Moderate	156	PM _{2.5}	1
83	Pune	Moderate	173	PM _{2.5}	1
84	Rajamahendravaram	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	50	PM ₁₀	1
86	Ratlam	Moderate	174	PM ₁₀	1
87	Rohtak	Satisfactory	68	PM _{2.5}	1
88	Rupnagar	Moderate	114	PM ₁₀	1
89	Satna	Moderate	125	PM ₁₀	1
90	Shillong	Good	24	PM _{2.5}	1
91	Siliguri	Moderate	129	PM ₁₀	1
92	Singrauli	Poor	270	PM ₁₀	1
93	Sirsa	Satisfactory	67	PM ₁₀	1
94	Solapur	Moderate	118	PM ₁₀	1
95	Sonipat	Satisfactory	59	PM ₁₀	1
96	Thane	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Satisfactory	67	PM _{2.5}	1
98	Tirupati	Satisfactory	64	PM ₁₀	1
99	Udaipur	Moderate	130	PM ₁₀	1
100	Ujjain	Moderate	134	O ₃	1
101	Vapi	Poor	239	PM _{2.5}	1
102	Vatva	Poor	227	PM _{2.5}	1
103	Visakhapatnam	Moderate	157	PM _{2.5}	1
104	Yadgir	Moderate	110	PM _{2.5}	1
105	Yamunanagar	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	or Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Brajrajnagar, Muzaffarnagar, Talcher, Varanasi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.