

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	52	PM <sub>10</sub>	2
2	Agra	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	84	PM <sub>10</sub>	2
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Moderate	128	PM <sub>10</sub>	1
6	Alwar	Satisfactory	82	PM <sub>10</sub>	1
7	Amaravati	Good	48	O <sub>3</sub>	1
8	Ambala	Moderate	151	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	151	O <sub>3</sub>	1
10	Anantapur	Satisfactory	56	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	81	PM <sub>10</sub>	1
12	Arrah	Satisfactory	68	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	77	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Moderate	104	PM <sub>10</sub>	1
15	Baddi	Satisfactory	82	PM <sub>10</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Baghpat	Moderate	124	PM <sub>10</sub>	1
18	Bahadurgarh	Moderate	107	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	85	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	92	PM <sub>10</sub>	1
21	Bathinda	Satisfactory	97	PM <sub>10</sub>	1
22	Belgaum	Satisfactory	61	PM <sub>2.5</sub>	1
23	Bengaluru	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	3
24	Bhagalpur	Satisfactory	96	NO <sub>2</sub> , O <sub>3</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad Notes: (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	138	NO <sub>2</sub>	1
26	Bhiwani	Satisfactory	77	PM <sub>2.5</sub>	1
27	Bhopal	Moderate	129	PM <sub>10</sub>	1
28	Bihar Sharif	Satisfactory	92	PM <sub>10</sub>	1
29	Bilaspur	Satisfactory	55	со	1
30	Bulandshahr	Moderate	128	PM <sub>10</sub>	1
31	Chamarajanagar	Good	33	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	53	O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	63	PM <sub>10</sub>	1
34	Charkhi Dadri	Moderate	130	PM <sub>10</sub>	1
35	Chennai	Satisfactory	60	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	9
36	Chhapra	Moderate	102	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	48	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
39	Damoh	Good	24	со	1
40	Darbhanga	Good	38	PM <sub>10</sub>	1
41	Davanagere	Good	25	PM <sub>10</sub>	1
42	Dehradun	Good	34	03	1
43	Delhi	Moderate	144	PM <sub>10</sub> , O <sub>3</sub>	34
44	Dewas	Satisfactory	70	PM <sub>10</sub>	1
45	Durgapur	Satisfactory	82	PM <sub>10</sub>	1
46	Eloor	Satisfactory	53	PM <sub>10</sub>	1
47	Ernakulam	Good	40	со	1
48	Faridabad	Moderate	156	PM <sub>10</sub> , O <sub>3</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Satisfactory	99	PM <sub>10</sub>	1
50	Firozabad	Satisfactory	92	PM <sub>10</sub>	2
51	Gadag	Good	41	PM <sub>2.5</sub>	1
52	Gandhinagar	Satisfactory	68	PM <sub>10</sub>	1
53	Gangtok	Good	17	03	1
54	Gaya	Moderate	111	PM <sub>2.5</sub> , CO	3
55	Ghaziabad	Moderate	146	PM <sub>10</sub>	4
56	Gorakhpur	Good	45	SO <sub>2</sub>	1
57	Greater Noida	Moderate	134	PM <sub>10</sub>	2
58	Gurugram	Moderate	145	PM <sub>10</sub>	3
59	Guwahati	Satisfactory	59	PM <sub>10</sub>	2
60	Gwalior	Satisfactory	96	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	51	NO <sub>2</sub>	1
62	Hapur	Moderate	129	PM <sub>10</sub>	1
63	Hassan	Good	21	SO <sub>2</sub>	1
64	Haveri	Satisfactory	57	со	1
65	Hisar	Moderate	109	PM <sub>10</sub>	1
66	Howrah	Good	40	PM <sub>10</sub> , CO	3
67	Hubballi	Satisfactory	53	со	1
68	Hyderabad	Satisfactory	84	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	9
69	Imphal	Satisfactory	82	03	1
70	Indore	Moderate	102	PM <sub>10</sub>	1
71	Jabalpur	Satisfactory	61	со	1
72	Jaipur	Moderate	124	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	88	PM <sub>10</sub>	1
74	Jhansi	Satisfactory	57	PM <sub>10</sub>	1
75	Jind	Satisfactory	98	PM <sub>10</sub>	1
76	Jodhpur	Moderate	153	PM <sub>10</sub>	1
77	Kaithal	Satisfactory	93	PM <sub>10</sub>	1
78	Kalaburgi	Good	40	PM <sub>2.5</sub>	1
79	Kannur	Satisfactory	66	PM <sub>10</sub>	1
80	Kanpur	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub>	4
81	Karnal	Moderate	119	PM <sub>10</sub>	1
82	Katihar	Moderate	124	PM <sub>10</sub>	1
83	Katni	Good	38	PM <sub>10</sub>	1
84	Khanna	Satisfactory	64	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	57	O <sub>3</sub>	1
86	Kohima	Satisfactory	61	PM <sub>10</sub>	1
87	Kolkata	Good	44	PM <sub>10</sub> , O <sub>3</sub>	7
88	Kollam	Satisfactory	68	PM <sub>10</sub>	1
89	Kota	Satisfactory	92	PM <sub>10</sub>	1
90	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
91	Lucknow	Satisfactory	57	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
92	Ludhiana	Moderate	101	PM <sub>10</sub>	1
93	Madikeri	Good	20	SO <sub>2</sub>	1
94	Maihar	Good	30	со	1
95	Mandi Gobindgarh	Satisfactory	62	PM <sub>10</sub>	1
96	Mandideep	Satisfactory	76	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	51	PM <sub>10</sub>	1
98	Manesar	Moderate	123	PM <sub>10</sub>	1
99	Manglore	Good	49	со	1
100	Meerut	Moderate	168	PM <sub>10</sub>	3
101	Moradabad	Moderate	101	PM <sub>10</sub>	6
102	Motihari	Satisfactory	71	O <sub>3</sub>	1
103	Mumbai	Satisfactory	67	CO, PM <sub>10</sub>	17
104	Munger	Satisfactory	79	PM <sub>10</sub>	1
105	Muzaffarnagar	Moderate	141	PM <sub>10</sub>	1
106	Muzaffarpur	Satisfactory	62	O <sub>3</sub> , CO, PM <sub>10</sub>	3
107	Mysuru	Good	49	PM <sub>10</sub>	1
108	Nagpur	Satisfactory	60	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Satisfactory	66	PM <sub>2.5</sub>	1
110	Nashik	Satisfactory	55	PM <sub>10</sub>	1
111	Navi Mumbai	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	3
112	Noida	Moderate	144	PM <sub>10</sub>	4
113	Ooty	Satisfactory	56	со	1
114	Pali	Satisfactory	92	PM <sub>10</sub>	1
115	Palwal	Moderate	116	PM <sub>10</sub>	1
116	Panipat	Satisfactory	78	PM <sub>10</sub>	1
117	Patiala	Satisfactory	87	PM <sub>10</sub>	1
118	Patna	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	6
119	Pithampur	Moderate	108	PM <sub>10</sub>	1
120	Prayagraj	Satisfactory	89	PM <sub>2.5</sub> , SO <sub>2</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	39	03	1
122	Purnia	Satisfactory	68	со	1
123	Raichur	Satisfactory	58	со	1
124	Rajamahendravaram	Good	42	PM <sub>10</sub>	1
125	Rajgir	Satisfactory	84	со	1
126	Ramanagara	Good	42	03	1
127	Ramanathapuram	Good	45	PM <sub>10</sub>	1
128	Ratlam	Satisfactory	88	PM <sub>10</sub>	1
129	Rupnagar	Satisfactory	62	PM <sub>10</sub>	1
130	Sagar	Satisfactory	60	со	1
131	Saharsa	Moderate	130	PM <sub>10</sub>	1
132	Samastipur	Moderate	110	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	20	03	1
134	Shillong	Good	24	PM <sub>10</sub>	1
135	Shivamogga	Good	38	PM <sub>10</sub>	1
136	Singrauli	Satisfactory	94	NO <sub>2</sub>	1
137	Sirsa	Moderate	106	PM <sub>10</sub>	1
138	Solapur	Satisfactory	66	PM <sub>10</sub>	1
139	Sonipat	Moderate	140	PM <sub>10</sub>	1
140	Srinagar	Good	37	PM <sub>2.5</sub>	1
141	Talcher	Satisfactory	60	со	1
142	Thane	Satisfactory	96	PM <sub>10</sub>	1
143	Thiruvananthapuram	Good	34	CO, PM <sub>10</sub>	2
144	Tirupati	Satisfactory	58	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tiruppur	Satisfactory	63	PM <sub>10</sub>	1
146	Udaipur	Moderate	123	PM <sub>10</sub>	1
147	Udupi	Moderate	114	O <sub>3</sub>	1
148	Ujjain	Moderate	121	PM <sub>10</sub>	1
149	Varanasi	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	4
150	Vatva	Satisfactory	65	PM <sub>10</sub>	1
151	Vijayapura	Good	40	PM <sub>10</sub>	1
152	Visakhapatnam	Satisfactory	67	PM <sub>10</sub>	1
153	Vrindavan	Satisfactory	69	PM <sub>10</sub>	1
154	Yadgir	Good	40	PM <sub>10</sub>	1
155	Yamunanagar	Poor	261	PM <sub>2.5</sub>	1
156	vellore	Good	33	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kalyan, Khurja, Kochi, Kolar, Koppal, Kurukshetra, Manguraha, Naharlagun, Nandesari, Panchkula, Pune, Rohtak, Sasaram, Siliguri, Siwan, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.