

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	64	PM ₁₀	1
2	Agra	Satisfactory	64	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	71	PM ₁₀ , CO	7
4	Aizawl	Good	25	SO ₂	1
5	Ajmer	Satisfactory	92	PM ₁₀	1
6	Alwar	Satisfactory	59	PM ₁₀	1
7	Ambala	Satisfactory	77	PM ₁₀	1
8	Amritsar	Satisfactory	66	PM ₁₀	1
9	Ankleshwar	Satisfactory	84	PM ₁₀	1
10	Asansol	Satisfactory	72	PM ₁₀	1
11	Aurangabad	Satisfactory	57	со	1
12	Bagalkot	Good	41	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Good	35	PM ₁₀	1
14	Bahadurgarh	Satisfactory	54	PM ₁₀	1
15	Ballabgarh	Satisfactory	82	PM ₁₀	1
16	Bathinda	Good	48	со	1
17	Bengaluru	Satisfactory	64	PM ₁₀ , PM _{2.5} , NO ₂	7
18	Bhiwadi	Moderate	122	PM _{2.5}	1
19	Bhiwani	Satisfactory	70	O ₃	1
20	Bhopal	Good	49	PM ₁₀	1
21	Bilaspur	Satisfactory	53	PM ₁₀	1
22	Brajrajnagar	Good	43	со	1
23	Bulandshahr	Good	41	03	1
24	Chamarajanagar	Good	39	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	68	O ₃ , PM ₁₀	2
26	Chandrapur	Good	46	PM ₁₀	2
27	Charkhi Dadri	Satisfactory	70	PM ₁₀	1
28	Chennai	Satisfactory	56	PM ₁₀ , CO	7
29	Chikkaballapur	Satisfactory	51	PM ₁₀	1
30	Chikkamagaluru	Good	32	03	1
31	Delhi	Satisfactory	80	O ₃ , PM ₁₀	36
32	Dewas	Good	47	PM _{2.5}	1
33	Dharuhera	Satisfactory	86	СО	1
34	Durgapur	Moderate	114	PM ₁₀	1
35	Eloor	Good	50	со	1
36	Ernakulam	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	104	O ₃ , PM ₁₀	3
38	Fatehabad	Good	47	O ₃	1
39	Firozabad	Good	31	PM ₁₀	1
40	Gandhinagar	Satisfactory	55	PM _{2.5} , PM ₁₀ , CO	3
41	Gaya	Satisfactory	55	CO, PM ₁₀	2
42	Ghaziabad	Satisfactory	65	PM ₁₀ , CO	4
43	Gorakhpur	Good	30	PM ₁₀	1
44	Greater Noida	Satisfactory	76	PM ₁₀	2
45	Gummidipoondi	Satisfactory	90	PM ₁₀	1
46	Gurugram	Satisfactory	72	PM _{2.5} , O ₃ , PM ₁₀	4
47	Guwahati	Satisfactory	97	SO ₂	1
48	Gwalior	Satisfactory	60	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	74	O ₃	1
50	Haldia	Satisfactory	53	PM ₁₀	1
51	Hapur	Satisfactory	59	со	1
52	Hassan	Satisfactory	65	PM ₁₀	1
53	Hisar	Satisfactory	57	PM _{2.5}	1
54	Howrah	Moderate	112	PM _{2.5}	3
55	Hubballi	Good	23	со	1
56	Hyderabad	Good	43	NO ₂ , PM ₁₀	4
57	Indore	Satisfactory	55	PM ₁₀	1
58	Jabalpur	Satisfactory	55	PM ₁₀	1
59	Jaipur	Satisfactory	56	PM ₁₀ , O ₃	2
60	Jalandhar	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Good	44	со	1
62	Jodhpur	Satisfactory	90	PM ₁₀	1
63	Kaithal	Satisfactory	87	PM ₁₀	1
64	Kalyan	Good	49	PM _{2.5}	1
65	Kannur	Satisfactory	53	PM _{2.5}	1
66	Kanpur	Good	43	NO ₂ , O ₃ , PM ₁₀	4
67	Karnal	Satisfactory	61	PM ₁₀	1
68	Katni	Good	41	O ₃	1
69	Khanna	Good	40	PM ₁₀	1
70	Kochi	Good	38	со	1
71	Kohima	Good	44	PM ₁₀	1
72	Kolar	Good	43	СО	1

Possible Health Impacts

•

Minimal Impact
Minor breathing discomfort to sensitive people
Breathing discomfort to the people with lungs, asthma and heart diseases
Breathing discomfort to most people on prolonged exposure
Respiratory illness on prolonged exposure
Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Moderate	121	PM _{2.5} , PM ₁₀	5
74	Kollam	Satisfactory	89	СО	1
75	Koppal	Good	36	O ₃	1
76	Kota	Satisfactory	58	PM _{2.5}	1
77	Kozhikode	Satisfactory	53	СО	1
78	Kurukshetra	Satisfactory	60	O ₃	1
79	Lucknow	Satisfactory	60	PM ₁₀ , CO, PM _{2.5}	4
80	Ludhiana	Good	41	PM ₁₀	1
81	Maihar	Good	32	PM _{2.5}	1
82	Mandi Gobindgarh	Satisfactory	62	PM ₁₀	1
83	Mandideep	Good	39	со	1
84	Mandikhera	Good	36	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Satisfactory	85	PM ₁₀	1
86	Medikeri	Good	26	O ₃	1
87	Meerut	Satisfactory	75	O ₃ , CO	3
88	Moradabad	Satisfactory	97	PM _{2.5}	1
89	Mumbai	Satisfactory	72	O ₃ , CO, PM ₁₀	17
90	Muzaffarnagar	Satisfactory	84	со	1
91	Muzaffarpur	Satisfactory	94	PM _{2.5} , PM ₁₀	2
92	Mysuru	Good	38	O ₃	1
93	Nandesari	Satisfactory	56	со	1
94	Narnaul	Satisfactory	85	PM _{2.5}	1
95	Nashik	Good	36	PM ₁₀	1
96	Navi Mumbai	Satisfactory	69	PM _{2.5} , PM ₁₀ , CO	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Satisfactory	73	CO, PM ₁₀ , O ₃	4
98	Pali	Satisfactory	76	PM ₁₀	1
99	Palwal	Satisfactory	75	PM ₁₀	1
100	Panchkula	Satisfactory	56	O ₃	1
101	Panipat	Satisfactory	61	PM ₁₀	1
102	Patiala	Good	41	PM ₁₀	1
103	Patna	Moderate	103	O ₃ , PM ₁₀	5
104	Pithampur	Satisfactory	57	PM _{2.5}	1
105	Prayagraj	Good	38	PM ₁₀	3
106	Puducherry	Satisfactory	81	O ₃	1
107	Pune	Satisfactory	66	PM _{2.5} , CO	7
108	Raichur	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Good	31	PM ₁₀	1
110	Ramanagara	Good	38	PM ₁₀	1
111	Ratlam	Good	45	PM _{2.5}	1
112	Rohtak	Satisfactory	86	NO ₂	1
113	Rupnagar	Satisfactory	81	PM ₁₀	1
114	Sagar	Good	22	NO ₂	1
115	Satna	Satisfactory	51	PM ₁₀	1
116	Shillong	Good	15	SO ₂	1
117	Shivamogga	Good	40	PM ₁₀	1
118	Siliguri	Satisfactory	54	PM ₁₀	1
119	Singrauli	Moderate	101	PM ₁₀	1
120	Sirsa	Good	49	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Solapur	Good	44	СО	1
122	Sonipat	Satisfactory	69	PM ₁₀	1
123	Srinagar	Satisfactory	83	PM ₁₀	1
124	Talcher	Good	50	PM _{2.5}	1
125	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
126	Thoothukudi	Good	36	PM ₁₀	1
127	Thrissur	Satisfactory	61	SO ₂	1
128	Tirupati	Good	48	со	1
129	Udaipur	Satisfactory	71	PM ₁₀	1
130	Udupi	Poor	223	O ₃	1
131	Ujjain	Satisfactory	65	PM ₁₀	1
132	Vapi	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Satisfactory	55	PM ₁₀	4
134	Vatva	Satisfactory	80	PM ₁₀	1
135	Vijayapura	Satisfactory	93	СО	1
136	Visakhapatnam	Satisfactory	70	PM ₁₀	1
137	Yamunanagar	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Gadag, Jorapokhar, Kalaburgi, Manglore, Motihari, Nagpur, Naharlagun, Thane, Vrindavan, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.