

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	31	PM _{2.5}	1
2	Ahmedabad	Moderate	127	СО	1
3	Ajmer	Good	47	PM ₁₀	1
4	Alwar	Good	49	NO ₂	1
5	Ambala	Moderate	102	PM ₁₀	1
6	Amritsar	Moderate	166	PM _{2.5}	1
7	Ankleshwar	Satisfactory	87	со	1
8	Asanol	Good	30	PM _{2.5}	1
9	Baghpat	Satisfactory	53	PM ₁₀	1
10	Bahadurgarh	Good	45	PM ₁₀	1
11	Ballabgarh	Good	45	PM ₁₀	1
12	Bathinda	Satisfactory	73	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	43	CO, PM ₁₀ , OZONE	6
14	Bhiwadi	Moderate	114	PM ₁₀	1
15	Bhiwani	Satisfactory	65	OZONE	1
16	Bhopal	Good	36	OZONE	1
17	Brajrajnagar	Satisfactory	94	со	1
18	Bulandshahr	Good	44	со	1
19	Chandigarh	Satisfactory	85	PM ₁₀	1
20	Chandrapur	Good	20	NO ₂	1
21	Chennai	Satisfactory	61	CO, OZONE, PM _{2.5}	3
22	Chikkaballapur	Good	28	со	1
23	Coimbatore	Satisfactory	74	со	1
24	Damoh	Good	21	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Satisfactory	74	PM ₁₀ , OZONE	33
26	Dewas	Good	47	OZONE	1
27	Dharuhera	Satisfactory	79	PM ₁₀	1
28	Eloor	Good	20	со	1
29	Faridabad	Satisfactory	51	OZONE	1
30	Fatehabad	Satisfactory	63	PM ₁₀	1
31	GandhiNagar	Good	26	со	1
32	Gaya	Satisfactory	53	NO ₂	1
33	Ghaziabad	Satisfactory	63	PM ₁₀ , CO	3
34	Greater_Noida	Satisfactory	58	PM ₁₀	2
35	Gurugram	Good	45	PM _{2.5}	1
36	Guwahati	Good	45	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Good	18	PM ₁₀	1
38	Hisar	Satisfactory	71	PM ₁₀	1
39	Howrah	Satisfactory	59	PM _{2.5}	2
40	Hubballi	Good	46	PM ₁₀	1
41	Hyderabad	Good	40	PM _{2.5} , CO, PM ₁₀	6
42	Indore	Good	49	NO ₂	1
43	Jaipur	Good	48	PM ₁₀ , CO	3
44	Jalandhar	Satisfactory	83	PM ₁₀	1
45	Jind	Satisfactory	63	PM ₁₀	1
46	Jodhpur	Satisfactory	97	PM ₁₀	1
47	Jorapokhar	Satisfactory	62	PM _{2.5}	1
48	Kaithal	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Good	30	PM ₁₀	1
50	Kalyan	Satisfactory	95	PM ₁₀	1
51	Kanpur	Good	28	NO ₂	1
52	Karnal	Satisfactory	94	PM ₁₀	1
53	Katni	Good	24	PM ₁₀	1
54	Khanna	Satisfactory	66	PM ₁₀	1
55	Kolkata	Good	41	CO, PM ₁₀ , PM _{2.5}	6
56	Kota	Good	46	OZONE	1
57	Kurukshetra	Satisfactory	73	PM ₁₀	1
58	Loni_Dehat	Satisfactory	81	PM ₁₀	1
59	Lucknow	Satisfactory	59	PM _{2.5} , CO, OZONE	4
60	Ludhiana	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Satisfactory	72	PM ₁₀	1
62	Mandideep	Satisfactory	69	PM ₁₀	1
63	Manesar	Good	45	PM ₁₀	1
64	Moradabad	Satisfactory	77	PM ₁₀	1
65	Mumbai	Satisfactory	54	CO, PM ₁₀ , PM _{2.5}	9
66	Muzaffarnagar	Satisfactory	54	PM ₁₀	1
67	Muzaffarpur	Satisfactory	78	со	1
68	Nagpur	Good	45	NO ₂	1
69	Nashik	Good	40	со	1
70	Navi Mumbai	Satisfactory	76	PM ₁₀ , CO	3
71	Noida	Satisfactory	52	PM ₁₀	3
72	Pali	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Moderate	109	PM _{2.5}	1
74	Panipat	Satisfactory	74	PM ₁₀	1
75	Patiala	Satisfactory	73	PM ₁₀	1
76	Pithampur	Satisfactory	68	PM ₁₀	1
77	Pune	Satisfactory	87	SO ₂	1
78	Rajamahendravaram	Good	41	со	1
79	Ramanagara	Good	22	OZONE	1
80	Ratlam	Good	35	PM ₁₀	1
81	Rohtak	Good	45	PM _{2.5}	1
82	Rupnagar	Satisfactory	54	PM ₁₀	1
83	Shillong	Good	27	со	1
84	Siliguri	Good	33	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Satisfactory	83	PM _{2.5}	1
86	Solapur	Satisfactory	70	СО	1
87	Sonipat	Moderate	103	PM ₁₀	1
88	Thane	Satisfactory	54	со	1
89	Thiruvananthapuram	Satisfactory	55	со	1
90	Tirupati	Good	25	NO ₂	1
91	Udaipur	Satisfactory	80	СО	1
92	Ujjain	Satisfactory	56	со	1
93	Vapi	Satisfactory	53	PM ₁₀	1
94	Varanasi	Good	25	NO ₂	1
95	Vatva	Moderate	153	NO ₂	1
96	Vijayawada	Satisfactory	55	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	63	СО	1
98	Yadgir	Good	46	OZONE	1
99	Yamunanagar	Moderate	109	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Jabalpur, Maihar, Mandikhera, Mysuru, Narnaul, Palwal,
 Patna, Satna, Singrauli, Talcher as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.