

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM <sub>10</sub>	2
2	Agra	Moderate	138	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	118	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	7
4	Aizawl	Satisfactory	54	PM <sub>10</sub>	1
5	Ajmer	Poor	253	PM <sub>10</sub>	1
6	Alwar	Moderate	131	PM <sub>10</sub>	1
7	Amaravati	Good	27	O <sub>3</sub>	1
8	Ambala	Moderate	159	PM <sub>10</sub>	1
9	Amritsar	Moderate	102	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	124	PM <sub>2.5</sub>	1
11	Araria	Moderate	120	PM <sub>2.5</sub>	1
12	Arrah	Moderate	199	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Gangtok, Hisar, Jabalpur, Jorapokhar, Kishanganj, Kolar, Madikeri, Maihar, Manesar, Manglore, Manguraha, Munger, Naharlagun, Panipat, Rajgir, Samastipur, Shillong, Sonipat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	175	O <sub>3</sub>	1
14	Aurangabad	Very Poor	311	PM <sub>10</sub>	1
15	Aurangabad	Moderate	125	PM <sub>10</sub>	1
16	Baddi	Moderate	194	PM <sub>10</sub>	1
17	Bagalkot	Good	50	PM <sub>2.5</sub>	1
18	Baghpat	Poor	244	PM <sub>10</sub>	1
19	Bahadurgarh	Poor	254	PM <sub>10</sub>	1
20	Ballabgarh	Very Poor	316	PM <sub>10</sub>	1
21	Bathinda	Moderate	102	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	64	CO, PM <sub>10</sub> , NO <sub>2</sub>	8
23	Bhagalpur	Poor	216	PM <sub>10</sub>	2
24	Bhiwadi	Very Poor	336	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Gangtok, Hisar, Jabalpur, Jorapokhar, Kishanganj, Kolar, Madikeri, Maihar, Manesar, Manglore, Manguraha, Munger, Naharlagun, Panipat, Rajgir, Samastipur, Shillong, Sonipat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	218	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	164	PM <sub>10</sub>	1
27	Bidar	Satisfactory	78	PM <sub>10</sub>	1
28	Bihar Sharif	Poor	293	PM <sub>10</sub>	1
29	Bilaspur	Satisfactory	63	со	1
30	Bulandshahr	Very Poor	345	PM <sub>10</sub>	1
31	Buxar	Very Poor	365	PM <sub>10</sub>	1
32	Chamarajanagar	Good	48	PM <sub>10</sub>	1
33	Chandigarh	Poor	208	O <sub>3</sub> , PM <sub>10</sub>	3
34	Chandrapur	Satisfactory	95	PM <sub>10</sub>	1
35	Charkhi Dadri	Poor	265	PM <sub>10</sub>	1
36	Chennai	Good	39	CO, PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Severe	407	PM <sub>10</sub>	1
38	Chikkaballapur	Good	48	PM <sub>10</sub>	1
39	Coimbatore	Good	38	PM <sub>2.5</sub>	1
40	Damoh	Satisfactory	61	PM <sub>10</sub>	1
41	Darbhanga	Moderate	182	PM <sub>10</sub>	1
42	Davanagere	Satisfactory	80	PM <sub>10</sub>	1
43	Delhi	Poor	280	PM <sub>10</sub>	39
44	Dewas	Moderate	165	PM <sub>2.5</sub>	1
45	Dharuhera	Very Poor	321	PM <sub>10</sub>	1
46	Durgapur	Poor	202	PM <sub>10</sub>	1
47	Eloor	Satisfactory	64	PM <sub>10</sub>	1
48	Ernakulam	Good	31	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	249	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	4
50	Fatehabad	Poor	244	PM <sub>2.5</sub>	1
51	Firozabad	Moderate	183	O <sub>3</sub>	1
52	Gadag	Satisfactory	72	PM <sub>2.5</sub>	1
53	Gandhinagar	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Gaya	Moderate	131	PM <sub>2.5</sub>	1
55	Ghaziabad	Poor	284	PM <sub>10</sub>	3
56	Gorakhpur	Satisfactory	63	PM <sub>10</sub>	1
57	Greater Noida	Very Poor	316	PM <sub>10</sub>	2
58	Gummidipoondi	Good	30	PM <sub>10</sub>	1
59	Gurugram	Poor	238	PM <sub>10</sub>	3
60	Guwahati	Good	37	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Gangtok, Hisar, Jabalpur, Jorapokhar, Kishanganj, Kolar, Madikeri, Maihar, Manesar, Manglore, Manguraha, Munger, Naharlagun, Panipat, Rajgir, Samastipur, Shillong, Sonipat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	106	PM <sub>10</sub>	1
62	Hajipur	Moderate	183	PM <sub>2.5</sub>	1
63	Haldia	Good	37	PM <sub>10</sub>	1
64	Hapur	Very Poor	330	PM <sub>10</sub>	1
65	Hassan	Good	48	NO <sub>2</sub>	1
66	Haveri	Satisfactory	87	СО	1
67	Howrah	Moderate	110	O <sub>3</sub> , PM <sub>10</sub> , CO	3
68	Hubballi	Satisfactory	87	PM <sub>10</sub>	1
69	Hyderabad	Satisfactory	75	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	6
70	Indore	Moderate	176	PM <sub>10</sub>	1
71	Jaipur	Poor	252	PM <sub>10</sub>	2
72	Jalandhar	Satisfactory	93	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	184	PM <sub>10</sub>	1
74	Jind	Poor	205	PM <sub>10</sub>	1
75	Jodhpur	Poor	294	PM <sub>2.5</sub>	1
76	Kaithal	Poor	225	PM <sub>2.5</sub>	1
77	Kalaburgi	Satisfactory	87	PM <sub>10</sub>	1
78	Kalyan	Moderate	154	PM <sub>10</sub>	1
79	Kannur	Good	46	СО	1
80	Kanpur	Moderate	122	PM <sub>10</sub>	3
81	Karnal	Moderate	125	PM <sub>10</sub>	1
82	Katihar	Poor	251	PM <sub>2.5</sub>	1
83	Katni	Poor	250	PM <sub>10</sub>	1
84	Khanna	Moderate	153	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Gangtok, Hisar, Jabalpur, Jorapokhar, Kishanganj, Kolar, Madikeri, Maihar, Manesar, Manglore, Manguraha, Munger, Naharlagun, Panipat, Rajgir, Samastipur, Shillong, Sonipat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
  - website(http://cpcb.nic.in) website may be referred. \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Good	44	PM <sub>2.5</sub>	1
86	Kohima	Satisfactory	95	PM <sub>10</sub>	1
87	Kolkata	Satisfactory	54	O <sub>3</sub> , PM <sub>10</sub>	7
88	Kollam	Satisfactory	61	PM <sub>2.5</sub>	1
89	Koppal	Satisfactory	63	PM <sub>10</sub>	1
90	Kota	Poor	209	PM <sub>10</sub>	1
91	Kozhikode	Good	44	PM <sub>10</sub>	1
92	Kurukshetra	Moderate	176	PM <sub>10</sub>	1
93	Lucknow	Moderate	186	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Ludhiana	Moderate	130	PM <sub>10</sub>	1
95	Mandi Gobindgarh	Poor	212	PM <sub>2.5</sub>	1
96	Mandideep	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	101	PM <sub>10</sub>	1
98	Meerut	Poor	267	PM <sub>10</sub>	3
99	Moradabad	Moderate	173	PM <sub>10</sub>	4
100	Motihari	Moderate	195	PM <sub>2.5</sub>	1
101	Mumbai	Satisfactory	88	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	16
102	Muzaffarnagar	Poor	220	PM <sub>10</sub>	1
103	Muzaffarpur	Moderate	180	PM <sub>2.5</sub>	2
104	Mysuru	Good	36	PM <sub>10</sub>	1
105	Nagpur	Moderate	132	PM <sub>2.5</sub>	1
106	Nandesari	Satisfactory	60	PM <sub>2.5</sub>	1
107	Narnaul	Poor	255	PM <sub>10</sub>	1
108	Nashik	Satisfactory	72	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	116	PM <sub>10</sub> , CO, O <sub>3</sub>	3
110	Noida	Poor	297	PM <sub>10</sub>	3
111	Pali	Poor	267	PM <sub>10</sub>	1
112	Palwal	Moderate	189	PM <sub>10</sub>	1
113	Panchkula	Poor	271	03	1
114	Patiala	Moderate	142	PM <sub>10</sub>	1
115	Patna	Poor	229	PM <sub>2.5</sub> , PM <sub>10</sub>	6
116	Pithampur	Moderate	181	PM <sub>10</sub>	1
117	Prayagraj	Moderate	131	PM <sub>10</sub>	3
118	Puducherry	Good	29	03	1
119	Pune	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	6
120	Purnia	Satisfactory	92	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	90	PM <sub>10</sub>	1
122	Rajamahendravaram	Good	23	03	1
123	Ramanagara	Good	32	SO <sub>2</sub>	1
124	Ratlam	Moderate	138	PM <sub>10</sub>	1
125	Rohtak	Poor	275	PM <sub>2.5</sub>	1
126	Rupnagar	Satisfactory	93	PM <sub>10</sub>	1
127	Sagar	Satisfactory	66	PM <sub>2.5</sub>	1
128	Saharsa	Poor	211	PM <sub>10</sub>	1
129	Sasaram	Poor	220	PM <sub>10</sub>	1
130	Satna	Satisfactory	55	PM <sub>10</sub>	1
131	Shivamogga	Satisfactory	57	PM <sub>10</sub>	1
132	Siliguri	Satisfactory	87	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Gangtok, Hisar, Jabalpur, Jorapokhar, Kishanganj, Kolar, Madikeri, Maihar, Manesar, Manglore, Manguraha, Munger, Naharlagun, Panipat, Rajgir, Samastipur, Shillong, Sonipat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Very Poor	325	PM <sub>10</sub>	1
134	Sirsa	Moderate	198	PM <sub>10</sub>	1
135	Siwan	Very Poor	314	PM <sub>10</sub>	1
136	Solapur	Satisfactory	92	PM <sub>10</sub>	1
137	Srinagar	Good	30	NH <sub>3</sub>	1
138	Talcher	Satisfactory	57	03	1
139	Thiruvananthapuram	Good	39	CO, PM <sub>10</sub>	2
140	Thoothukudi	Good	25	PM <sub>10</sub>	1
141	Tirupati	Good	46	PM <sub>10</sub>	1
142	Udaipur	Moderate	146	PM <sub>10</sub>	1
143	Ujjain	Moderate	173	PM <sub>10</sub>	1
144	Varanasi	Moderate	146	PM <sub>10</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Brajrajnagar, Chikkamagaluru, Gangtok, Hisar, Jabalpur, Jorapokhar, Kishanganj, Kolar, Madikeri, Maihar, Manesar, Manglore, Manguraha, Munger, Naharlagun, Panipat, Rajgir, Samastipur, Shillong, Sonipat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	135	PM <sub>2.5</sub>	1
146	Vijayapura	Good	46	PM <sub>10</sub>	1
147	Visakhapatnam	Satisfactory	69	PM <sub>10</sub>	1
148	Vrindavan	Moderate	180	PM <sub>10</sub>	1
149	Yamunanagar	Poor	214	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.