

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	234	PM _{2.5}	1
2	Agra	Moderate	102	PM ₁₀ , O ₃	6
3	Ahmedabad	Poor	205	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	80	PM ₁₀	1
5	Ajmer	Moderate	105	PM ₁₀	1
6	Alwar	Satisfactory	65	PM ₁₀	1
7	Amaravati	Satisfactory	73	PM ₁₀	1
8	Amritsar	Moderate	114	СО	1
9	Ankleshwar	Moderate	149	PM _{2.5}	1
10	Araria	Poor	227	PM _{2.5}	1
11	Arrah	Moderate	168	PM ₁₀	1
12	Asansol	Moderate	191	03	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	98	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Moderate	108	PM ₁₀	1
16	Ballabgarh	Moderate	105	PM ₁₀	1
17	Bathinda	Satisfactory	82	PM ₁₀	1
18	Bengaluru	Satisfactory	78	PM ₁₀	8
19	Bettiah	Poor	238	PM _{2.5}	1
20	Bhagalpur	Moderate	197	PM ₁₀ , PM _{2.5}	2
21	Bhiwadi	Poor	228	PM _{2.5}	1
22	Bhiwani	Moderate	125	PM _{2.5}	1
23	Bhopal	Moderate	125	PM ₁₀	1
24	Bihar Sharif	Poor	213	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	61	СО	1
26	Brajrajnagar	Satisfactory	78	PM ₁₀	1
27	Bulandshahr	Moderate	149	PM ₁₀	1
28	Buxar	Poor	201	PM _{2.5}	1
29	Chamarajanagar	Good	40	PM ₁₀	1
30	Chandigarh	Moderate	106	PM _{2.5} , PM ₁₀	3
31	Chandrapur	Moderate	151	PM _{2.5} , PM ₁₀	2
32	Chennai	Satisfactory	64	PM ₁₀ , O ₃	8
33	Chhapra	Poor	201	PM _{2.5}	1
34	Chikkaballapur	Satisfactory	72	PM ₁₀	1
35	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
36	Coimbatore	Satisfactory	56	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	83	PM ₁₀	1
38	Darbhanga	Moderate	146	PM ₁₀	1
39	Davanagere	Satisfactory	94	PM ₁₀	1
40	Delhi	Moderate	162	PM _{2.5}	34
41	Dewas	Moderate	103	PM ₁₀	1
42	Dharuhera	Moderate	165	PM ₁₀	1
43	Durgapur	Poor	229	PM _{2.5}	1
44	Eloor	Satisfactory	80	PM ₁₀	1
45	Ernakulam	Moderate	121	NO ₂	1
46	Faridabad	Moderate	130	PM ₁₀ , PM _{2.5}	4
47	Firozabad	Moderate	102	PM _{2.5}	2
48	Gandhinagar	Moderate	124	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	141	NO ₂ , PM _{2.5}	3
50	Ghaziabad	Moderate	153	O ₃ , PM ₁₀	3
51	Gorakhpur	Satisfactory	64	PM ₁₀	1
52	Greater Noida	Poor	212	03	2
53	Gummidipoondi	Satisfactory	67	PM ₁₀	1
54	Gurugram	Moderate	124	PM _{2.5} , PM ₁₀	4
55	Guwahati	Moderate	194	PM _{2.5}	2
56	Gwalior	Moderate	108	PM ₁₀	1
57	Hajipur	Moderate	130	PM _{2.5}	1
58	Haldia	Moderate	131	PM ₁₀	1
59	Hapur	Poor	205	03	1
60	Hassan	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	144	PM _{2.5}	1
62	Howrah	Poor	201	PM _{2.5} , PM ₁₀	3
63	Hubballi	Satisfactory	99	PM ₁₀	1
64	Hyderabad	Satisfactory	96	PM ₁₀ , PM _{2.5}	5
65	Indore	Moderate	114	O ₃	1
66	Jabalpur	Moderate	119	PM ₁₀	1
67	Jaipur	Satisfactory	90	PM ₁₀	2
68	Jalandhar	Moderate	115	PM ₁₀	1
69	Jind	Satisfactory	93	PM ₁₀	1
70	Jodhpur	Moderate	181	PM _{2.5}	1
71	Kaithal	Satisfactory	82	PM _{2.5}	1
72	Kalaburgi	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	233	PM _{2.5}	1
74	Kannur	Satisfactory	66	PM ₁₀	1
75	Kanpur	Moderate	114	PM _{2.5} , PM ₁₀	3
76	Karnal	Satisfactory	71	PM ₁₀	1
77	Katihar	Poor	285	PM _{2.5}	1
78	Katni	Moderate	166	PM ₁₀	1
79	Khanna	Satisfactory	90	PM ₁₀	1
80	Kishanganj	Poor	252	PM _{2.5}	1
81	Kochi	Moderate	182	PM _{2.5}	1
82	Kolkata	Moderate	171	PM _{2.5} , O ₃ , PM ₁₀	7
83	Kollam	Satisfactory	98	PM ₁₀	1
84	Koppal	Moderate	155	O ₃	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	150	PM _{2.5}	1
86	Kozhikode	Satisfactory	72	PM ₁₀	1
87	Kurukshetra	Satisfactory	94	PM ₁₀	1
88	Lucknow	Moderate	107	PM ₁₀	6
89	Ludhiana	Moderate	111	PM ₁₀	1
90	Madikeri	Satisfactory	60	PM ₁₀	1
91	Mandi Gobindgarh	Moderate	169	PM ₁₀	1
92	Mandideep	Moderate	182	PM ₁₀	1
93	Mandikhera	Satisfactory	99	PM ₁₀	1
94	Manesar	Moderate	130	PM _{2.5}	1
95	Manglore	Good	50	со	1
96	Meerut	Moderate	134	PM _{2.5} , PM ₁₀ , NO ₂	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	104	PM _{2.5} , PM ₁₀	4
98	Motihari	Moderate	155	PM _{2.5}	1
99	Mumbai	Moderate	185	PM _{2.5} , PM ₁₀	19
100	Munger	Moderate	158	PM ₁₀	1
101	Muzaffarnagar	Moderate	176	03	1
102	Muzaffarpur	Poor	206	PM _{2.5}	3
103	Mysuru	Satisfactory	53	PM ₁₀	1
104	Nagpur	Satisfactory	71	со	1
105	Naharlagun	Moderate	154	PM ₁₀	1
106	Nandesari	Good	50	со	1
107	Narnaul	Moderate	110	PM _{2.5}	1
108	Nashik	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	172	PM ₁₀ , CO	3
110	Noida	Moderate	200	O ₃ , PM ₁₀	2
111	Pali	Satisfactory	86	PM _{2.5}	1
112	Palwal	Satisfactory	83	PM ₁₀	1
113	Panchkula	Moderate	122	PM _{2.5}	1
114	Panipat	Satisfactory	100	PM ₁₀	1
115	Patiala	Satisfactory	83	PM ₁₀	1
116	Patna	Moderate	196	PM _{2.5} , PM ₁₀	6
117	Pithampur	Satisfactory	84	PM ₁₀	1
118	Prayagraj	Satisfactory	85	PM ₁₀	2
119	Puducherry	Satisfactory	57	PM ₁₀	1
120	Pune	Moderate	124	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	225	PM _{2.5}	1
122	Rajamahendravaram	Satisfactory	88	PM ₁₀	1
123	Rajgir	Moderate	142	PM _{2.5}	1
124	Ramanagara	Satisfactory	70	PM ₁₀	1
125	Ratlam	Satisfactory	83	PM ₁₀	1
126	Rohtak	Satisfactory	86	PM _{2.5}	1
127	Rupnagar	Moderate	125	PM _{2.5}	1
128	Sagar	Satisfactory	98	PM _{2.5}	1
129	Saharsa	Poor	257	PM ₁₀	1
130	Sasaram	Moderate	136	PM _{2.5}	1
131	Satna	Satisfactory	56	PM ₁₀	1
132	Shivamogga	Satisfactory	65	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	164	PM _{2.5}	1
134	Singrauli	Poor	208	PM ₁₀	1
135	Sirsa	Satisfactory	98	PM ₁₀	1
136	Siwan	Moderate	179	PM _{2.5}	1
137	Solapur	Satisfactory	68	со	1
138	Srinagar	Satisfactory	67	PM ₁₀	1
139	Talcher	Moderate	142	PM _{2.5}	1
140	Thane	Poor	277	PM ₁₀	1
141	Thiruvananthapuram	Satisfactory	60	PM _{2.5}	2
142	Thoothukudi	Good	47	PM ₁₀	1
143	Thrissur	Moderate	116	PM _{2.5}	1
144	Tirupati	Good	50	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	129	PM ₁₀	1
146	Ujjain	Moderate	156	PM ₁₀	1
147	Vapi	Moderate	168	PM ₁₀	1
148	Varanasi	Satisfactory	98	O ₃ , PM ₁₀	4
149	Vatva	Moderate	196	PM ₁₀	1
150	Vijayapura	Satisfactory	51	PM ₁₀	1
151	Visakhapatnam	Moderate	169	PM ₁₀	1
152	Vrindavan	Satisfactory	72	PM ₁₀	1
153	Yadgir	Satisfactory	63	PM ₁₀	1
154	Yamunanagar	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Baghpat, Bhilai, Bidar, Charkhi Dadri, Fatehabad, Gadag, Jhansi, Jorapokhar, Kohima, Kolar, Maihar, Manguraha, Raichur, Shillong, Sonipat, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.