

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM _{2.5}	1
2	Agra	Moderate	146	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	85	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	17	PM ₁₀	1
5	Ajmer	Satisfactory	69	PM ₁₀	1
6	Alwar	Satisfactory	65	PM ₁₀	1
7	Amaravati	Good	49	03	1
8	Ambala	Moderate	186	PM ₁₀	1
9	Amritsar	Moderate	184	PM _{2.5}	1
10	Asansol	Satisfactory	82	PM ₁₀	1
11	Bagalkot	Good	30	PM ₁₀	1
12	Baghpat	Moderate	183	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	111	PM ₁₀	1
14	Ballabgarh	Poor	242	PM ₁₀	1
15	Bathinda	Good	35	PM ₁₀	1
16	Bengaluru	Good	46	CO, PM ₁₀ , NO ₂	9
17	Bhiwadi	Moderate	164	PM ₁₀	1
18	Bhiwani	Moderate	115	PM ₁₀	1
19	Bhopal	Satisfactory	86	PM ₁₀	1
20	Bidar	Satisfactory	54	PM ₁₀	1
21	Brajrajnagar	Satisfactory	94	NO ₂	1
22	Bulandshahr	Moderate	162	03	1
23	Chamarajanagar	Satisfactory	54	PM ₁₀	1
24	Chandigarh	Poor	212	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	54	PM ₁₀	2
26	Charkhi Dadri	Moderate	153	PM _{2.5}	1
27	Chennai	Good	47	PM ₁₀ , SO ₂	8
28	Chikkaballapur	Good	33	PM ₁₀	1
29	Chikkamagaluru	Good	31	03	1
30	Damoh	Good	30	PM _{2.5}	1
31	Davanagere	Good	24	PM ₁₀	1
32	Delhi	Moderate	144	PM ₁₀ , PM _{2.5}	35
33	Dewas	Satisfactory	63	PM ₁₀	1
34	Dharuhera	Moderate	135	PM ₁₀	1
35	Durgapur	Moderate	160	PM _{2.5}	1
36	Ernakulam	Satisfactory	54	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	118	PM _{2.5} , PM ₁₀ , CO	3
38	Fatehabad	Moderate	170	O ₃	1
39	Gadag	Good	15	со	1
40	Gandhinagar	Moderate	119	PM _{2.5} , PM ₁₀	3
41	Gaya	Moderate	104	PM _{2.5} , PM ₁₀	2
42	Ghaziabad	Moderate	174	PM ₁₀	4
43	Gorakhpur	Good	50	03	1
44	Greater Noida	Moderate	183	03	2
45	Gurugram	Moderate	113	PM ₁₀ , PM _{2.5}	4
46	Guwahati	Satisfactory	58	PM ₁₀ , SO ₂	2
47	Gwalior	Moderate	112	PM ₁₀	1
48	Hajipur	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	85	PM ₁₀	1
50	Hapur	Moderate	116	PM ₁₀	1
51	Hassan	Good	48	PM ₁₀	1
52	Hisar	Moderate	119	PM ₁₀	1
53	Howrah	Satisfactory	88	PM ₁₀ , PM _{2.5}	3
54	Hubballi	Good	44	PM ₁₀	1
55	Hyderabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	6
56	Indore	Satisfactory	72	PM ₁₀	1
57	Jabalpur	Satisfactory	86	PM ₁₀	1
58	Jaipur	Satisfactory	90	PM ₁₀	2
59	Jalandhar	Moderate	165	PM ₁₀	1
60	Jind	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	114	PM ₁₀	1
62	Jorapokhar	Good	45	со	1
63	Kaithal	Moderate	131	PM ₁₀	1
64	Kannur	Satisfactory	57	PM ₁₀	1
65	Kanpur	Satisfactory	72	PM _{2.5}	2
66	Karnal	Moderate	130	PM ₁₀	1
67	Katni	Satisfactory	92	PM ₁₀	1
68	Khanna	Moderate	156	PM ₁₀	1
69	Kohima	Good	48	PM ₁₀	1
70	Kolar	Satisfactory	83	со	1
71	Kolkata	Satisfactory	97	PM _{2.5} , PM ₁₀	6
72	Kollam	Satisfactory	75	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	72	СО	1
74	Kota	Satisfactory	61	PM ₁₀	1
75	Kozhikode	Good	33	со	1
76	Kurukshetra	Moderate	158	PM ₁₀	1
77	Lucknow	Moderate	108	PM ₁₀ , PM _{2.5}	5
78	Ludhiana	Moderate	146	PM ₁₀	1
79	Maihar	Good	49	со	1
80	Mandi Gobindgarh	Poor	213	PM _{2.5}	1
81	Mandikhera	Satisfactory	82	PM ₁₀	1
82	Manesar	Moderate	123	PM ₁₀	1
83	Medikeri	Good	33	со	1
84	Meerut	Moderate	196	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	211	PM _{2.5}	1
86	Mumbai	Satisfactory	76	O ₃ , CO, PM _{2.5}	20
87	Muzaffarnagar	Poor	221	PM ₁₀	1
88	Muzaffarpur	Satisfactory	72	PM _{2.5}	2
89	Mysuru	Good	31	NO ₂	1
90	Nagpur	Satisfactory	83	O ₃	1
91	Naharlagun	Good	33	SO ₂	1
92	Nandesari	Moderate	121	PM _{2.5}	1
93	Nashik	Good	48	PM _{2.5}	1
94	Navi Mumbai	Moderate	157	PM ₁₀	2
95	Noida	Moderate	146	PM ₁₀ , CO	3
96	Pali	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	119	PM ₁₀	1
98	Panchkula	Moderate	166	PM _{2.5}	1
99	Panipat	Moderate	168	PM ₁₀	1
100	Patiala	Moderate	152	PM ₁₀	1
101	Patna	Moderate	109	NO ₂ , PM ₁₀ , PM _{2.5}	5
102	Pithampur	Satisfactory	67	PM ₁₀	1
103	Prayagraj	Satisfactory	80	PM ₁₀	2
104	Puducherry	Satisfactory	88	NO ₂	1
105	Pune	Satisfactory	83	PM ₁₀ , CO, PM _{2.5}	6
106	Raichur	Satisfactory	52	PM ₁₀	1
107	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
108	Ramanagara	Good	32	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Satisfactory	70	PM ₁₀	1
110	Rohtak	Moderate	114	O ₃	1
111	Rupnagar	Satisfactory	91	PM ₁₀	1
112	Sagar	Satisfactory	51	PM _{2.5}	1
113	Satna	Satisfactory	73	PM ₁₀	1
114	Shivamogga	Good	41	PM ₁₀	1
115	Siliguri	Satisfactory	53	PM ₁₀	1
116	Singrauli	Satisfactory	62	PM ₁₀	1
117	Sirsa	Satisfactory	93	PM ₁₀	1
118	Sonipat	Moderate	186	PM ₁₀	1
119	Srinagar	Moderate	120	PM ₁₀	1
120	Talcher	Satisfactory	97	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	127	PM ₁₀	1
122	Thiruvananthapuram	Good	41	СО	2
123	Thoothukudi	Good	38	PM ₁₀	1
124	Tirupati	Satisfactory	60	со	1
125	Udaipur	Moderate	113	PM ₁₀	1
126	Ujjain	Satisfactory	85	PM ₁₀	1
127	Vapi	Satisfactory	74	PM ₁₀	1
128	Varanasi	Good	48	PM ₁₀	2
129	Vijayapura	Good	46	PM ₁₀	1
130	Visakhapatnam	Moderate	103	PM ₁₀	1
131	Yadgir	Good	40	PM ₁₀	1
132	Yamunanagar	Moderate	167	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Kalaburgi, Kalyan, Kochi, Mandideep, Manglore, Narnaul, Shillong, Solapur, Thrissur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.