

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	195	PM _{2.5}	1
2	Agra	Very Poor	319	PM _{2.5}	1
3	Ahmedabad	Moderate	135	PM ₁₀	1
4	Aizawl	Good	43	PM ₁₀	1
5	Ajmer	Moderate	109	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Satisfactory	66	PM ₁₀	1
8	Ambala	Moderate	131	PM _{2.5}	1
9	Amritsar	Moderate	122	PM ₁₀	1
10	Ankleshwar	Moderate	198	PM _{2.5}	1
11	Asansol	Poor	213	PM _{2.5}	1
12	Aurangabad	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	25	PM ₁₀	1
14	Baghpat	Poor	291	PM _{2.5}	1
15	Bahadurgarh	Poor	245	PM _{2.5}	1
16	Ballabgarh	Poor	294	PM _{2.5}	1
17	Bathinda	Moderate	118	PM ₁₀	1
18	Bengaluru	Satisfactory	76	PM ₁₀ , PM _{2.5} , O ₃	10
19	Bhiwadi	Poor	284	PM _{2.5}	1
20	Bhiwani	Moderate	165	PM ₁₀	1
21	Bhopal	Poor	247	PM _{2.5}	1
22	Bidar	Satisfactory	93	PM ₁₀	1
23	Brajrajnagar	Moderate	162	PM _{2.5}	1
24	Bulandshahr	Very Poor	327	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	109	PM ₁₀	1
26	Chandrapur	Moderate	168	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Poor	236	PM ₁₀	1
28	Chennai	Satisfactory	70	PM ₁₀ , PM _{2.5}	8
29	Chikkaballapur	Satisfactory	66	PM ₁₀	1
30	Chikkamagaluru	Moderate	102	03	1
31	Damoh	Poor	231	PM _{2.5}	1
32	Delhi	Very Poor	330	PM _{2.5} , PM ₁₀	35
33	Dewas	Moderate	143	PM _{2.5}	1
34	Eloor	Good	48	PM ₁₀	1
35	Ernakulam	Satisfactory	93	PM _{2.5}	1
36	Faridabad	Very Poor	372	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	288	PM _{2.5}	1
38	Gadag	Satisfactory	57	PM _{2.5}	1
39	Gandhinagar	Moderate	101	PM ₁₀	1
40	Gaya	Moderate	118	PM _{2.5}	2
41	Ghaziabad	Very Poor	395	PM _{2.5}	3
42	Greater Noida	Very Poor	366	PM _{2.5}	2
43	Gummidipoondi	Satisfactory	94	PM ₁₀	1
44	Gurugram	Very Poor	314	PM _{2.5}	4
45	Guwahati	Poor	280	PM _{2.5}	2
46	Gwalior	Poor	289	PM _{2.5}	1
47	Hajipur	Moderate	160	PM ₁₀	1
48	Haldia	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Very Poor	318	PM _{2.5}	1
50	Howrah	Poor	276	PM _{2.5}	3
51	Hubballi	Moderate	160	PM _{2.5}	1
52	Hyderabad	Satisfactory	99	PM ₁₀ , PM _{2.5}	5
53	Indore	Moderate	156	PM _{2.5}	1
54	Jaipur	Moderate	165	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Poor	222	PM _{2.5}	1
56	Jind	Poor	299	PM _{2.5}	1
57	Jodhpur	Poor	243	PM _{2.5}	1
58	Jorapokhar	Moderate	134	PM ₁₀	1
59	Kaithal	Poor	203	PM _{2.5}	1
60	Kalaburgi	Moderate	156	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	206	PM ₁₀	1
62	Kannur	Moderate	121	PM _{2.5}	1
63	Kanpur	Poor	299	PM _{2.5}	2
64	Karnal	Moderate	127	PM _{2.5}	1
65	Katni	Poor	278	PM _{2.5}	1
66	Khanna	Moderate	122	PM _{2.5}	1
67	Kohima	Moderate	124	PM ₁₀	1
68	Kolar	Good	49	03	1
69	Kolkata	Poor	286	PM _{2.5}	7
70	Kollam	Satisfactory	91	PM ₁₀	1
71	Kota	Moderate	172	PM _{2.5}	1
72	Kozhikode	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	260	PM _{2.5}	1
74	Lucknow	Very Poor	303	PM _{2.5} , PM ₁₀	4
75	Ludhiana	Moderate	126	PM ₁₀	1
76	Maihar	Moderate	120	PM _{2.5}	1
77	Mandi Gobindgarh	Moderate	149	PM _{2.5}	1
78	Mandideep	Moderate	190	PM _{2.5}	1
79	Mandikhera	Poor	256	PM _{2.5}	1
80	Manesar	Poor	233	PM _{2.5}	1
81	Manglore	Moderate	113	PM _{2.5}	1
82	Medikeri	Satisfactory	52	со	1
83	Meerut	Very Poor	329	PM _{2.5}	2
84	Moradabad	Poor	270	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Poor	223	PM _{2.5} , O ₃	20
86	Muzaffarpur	Poor	284	PM _{2.5} , PM ₁₀	2
87	Mysuru	Satisfactory	78	PM ₁₀	1
88	Nagpur	Satisfactory	81	PM _{2.5}	1
89	Nandesari	Moderate	111	со	1
90	Narnaul	Poor	290	PM ₁₀	1
91	Nashik	Moderate	109	PM _{2.5}	1
92	Navi Mumbai	Moderate	195	PM _{2.5} , CO	3
93	Noida	Very Poor	370	PM _{2.5}	3
94	Pali	Moderate	116	PM ₁₀	1
95	Palwal	Moderate	104	со	1
96	Panchkula	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	149	PM _{2.5}	1
98	Patna	Poor	232	PM _{2.5} , PM ₁₀	6
99	Pithampur	Moderate	197	PM _{2.5}	1
100	Puducherry	Satisfactory	58	PM ₁₀	1
101	Pune	Moderate	130	PM _{2.5} , NO ₂ , PM ₁₀	5
102	Raichur	Moderate	142	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	98	PM ₁₀	1
104	Ramanagara	Satisfactory	84	03	1
105	Ratlam	Moderate	132	PM ₁₀	1
106	Rohtak	Poor	269	PM _{2.5}	1
107	Sagar	Satisfactory	79	PM _{2.5}	1
108	Satna	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	64	PM ₁₀	1
110	Siliguri	Poor	213	PM _{2.5}	1
111	Sirsa	Poor	205	PM _{2.5}	1
112	Solapur	Moderate	168	PM ₁₀	1
113	Sonipat	Moderate	170	PM _{2.5}	1
114	Talcher	Satisfactory	62	PM _{2.5}	1
115	Thane	Poor	243	PM ₁₀	1
116	Thiruvananthapuram	Satisfactory	87	PM ₁₀ , PM _{2.5}	2
117	Thoothukudi	Satisfactory	74	03	1
118	Thrissur	Satisfactory	83	PM _{2.5}	1
119	Tirupati	Satisfactory	68	PM _{2.5}	1
120	Udaipur	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	145	PM _{2.5}	1
122	Vapi	Moderate	194	PM ₁₀	1
123	Varanasi	Poor	212	PM _{2.5}	1
124	Vatva	Poor	227	PM ₁₀	1
125	Visakhapatnam	Moderate	135	PM _{2.5}	1
126	Yadgir	Satisfactory	80	PM ₁₀	1
127	Yamunanagar	Poor	231	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Davanagere, Dharuhera, Durgapur, Hapur, Jabalpur, Kochi, Koppal, Muzaffarnagar, Panipat, Rupnagar, Shillong, Singrauli, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.