



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	264	PM _{2.5}	1
2	Ahmedabad	Moderate	110	PM _{2.5}	1
3	Ajmer	Satisfactory	99	PM ₁₀	1
4	Alwar	Satisfactory	98	PM _{2.5}	1
5	Amaravati	Satisfactory	63	PM _{2.5}	1
6	Ambala	Moderate	192	PM _{2.5}	1
7	Amritsar	Moderate	107	PM ₁₀	1
8	Ankleshwar	Moderate	130	PM ₁₀	1
9	Asanol	Moderate	134	PM _{2.5}	1
10	Bahadurgarh	Moderate	119	PM ₁₀	1
11	Ballabgarh	Poor	259	PM ₁₀	1
12	Bathinda	Moderate	133	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	87	PM _{2.5} , PM ₁₀ , O ₃	10
14	Bhiwadi	Poor	282	PM _{2.5}	1
15	Bhiwani	Poor	234	PM _{2.5}	1
16	Bhopal	Satisfactory	97	PM ₁₀	1
17	Brajrajnagar	Moderate	125	PM ₁₀	1
18	Bulandshahr	Very Poor	319	PM _{2.5}	1
19	Chandigarh	Moderate	118	PM _{2.5}	1
20	Chandrapur	Satisfactory	80	PM _{2.5}	1
21	Chennai	Satisfactory	58	PM _{2.5} , O ₃ , PM ₁₀	4
22	Chikkamagaluru	Satisfactory	54	O ₃	1
23	Coimbatore	Satisfactory	54	O ₃	1
24	Damoh	Moderate	108	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpur, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	309	PM _{2.5} , PM ₁₀	33
26	Dewas	Satisfactory	84	PM ₁₀	1
27	Dharuhera	Moderate	179	PM ₁₀	1
28	Eloor	Satisfactory	78	PM ₁₀	1
29	Ernakulam	Satisfactory	96	CO	1
30	Faridabad	Poor	292	PM _{2.5}	1
31	Fatehabad	Moderate	130	PM ₁₀	1
32	GandhiNagar	Satisfactory	69	PM ₁₀	1
33	Ghaziabad	Very Poor	327	PM _{2.5}	4
34	Greater_Noida	Very Poor	312	PM _{2.5}	2
35	Gurugram	Poor	259	PM _{2.5}	2
36	Guwahati	Moderate	193	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Poor	295	PM _{2.5}	2
38	Hapur	Moderate	152	PM ₁₀	1
39	Hisar	Poor	224	PM _{2.5}	1
40	Howrah	Poor	201	PM _{2.5} , PM ₁₀	3
41	Hyderabad	Satisfactory	66	PM _{2.5} , PM ₁₀	6
42	Indore	Satisfactory	83	PM ₁₀	1
43	Jabalpur	Moderate	163	PM _{2.5}	1
44	Jaipur	Moderate	150	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Moderate	118	PM _{2.5}	1
46	Jind	Poor	247	PM _{2.5}	1
47	Jodhpur	Moderate	157	PM _{2.5}	1
48	Kaithal	Moderate	109	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	166	PM ₁₀	1
50	Kanpur	Very Poor	304	PM _{2.5}	1
51	Karnal	Poor	214	PM _{2.5}	1
52	Katni	Moderate	190	PM _{2.5}	1
53	Khanna	Satisfactory	78	PM ₁₀	1
54	Kochi	Moderate	105	PM ₁₀	1
55	Kolkata	Moderate	182	PM _{2.5} , O ₃ , PM ₁₀	5
56	Kota	Moderate	102	PM _{2.5}	1
57	Kozhikode	Satisfactory	79	CO	1
58	Kurukshetra	Moderate	196	PM _{2.5}	1
59	Lucknow	Poor	266	PM _{2.5}	4
60	Ludhiana	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	57	PM ₁₀	1
62	Mandi Gobindgarh	Moderate	188	PM _{2.5}	1
63	Mandideep	Satisfactory	91	PM ₁₀	1
64	Mandikhera	Moderate	195	PM _{2.5}	1
65	Manesar	Poor	224	PM _{2.5}	1
66	Meerut	Poor	276	PM _{2.5}	3
67	Mumbai	Moderate	134	O ₃ , PM ₁₀ , PM _{2.5}	8
68	Muzaffarpur	Poor	250	PM _{2.5}	1
69	Mysuru	Satisfactory	55	O ₃	1
70	Narnaul	Poor	217	PM _{2.5}	1
71	Nashik	Moderate	106	PM _{2.5}	1
72	Navi Mumbai	Moderate	137	O ₃ , PM _{2.5} , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpur, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Very Poor	323	PM _{2.5}	4
74	Pali	Moderate	107	O ₃	1
75	Palwal	Poor	268	PM _{2.5}	1
76	Panchkula	Satisfactory	81	PM _{2.5}	1
77	Panipat	Poor	241	PM ₁₀	1
78	Patiala	Moderate	111	PM ₁₀	1
79	Patna	Poor	217	PM _{2.5} , PM ₁₀	4
80	Pithampur	Satisfactory	85	PM ₁₀	1
81	Pune	Satisfactory	76	PM _{2.5}	1
82	Rajamahendravaram	Satisfactory	72	O ₃	1
83	Ramanagara	Good	43	PM ₁₀	1
84	Ratlam	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	240	PM _{2.5}	1
86	Rupnagar	Moderate	118	PM ₁₀	1
87	Sagar	Satisfactory	77	PM ₁₀	1
88	Satna	Moderate	137	PM ₁₀	1
89	Shillong	Satisfactory	71	PM _{2.5}	1
90	Siliguri	Poor	213	PM _{2.5}	1
91	Singrauli	Poor	286	PM _{2.5}	1
92	Sirsa	Moderate	121	PM ₁₀	1
93	Solapur	Satisfactory	97	PM ₁₀	1
94	Sonipat	Moderate	148	PM ₁₀	1
95	Thiruvananthapuram	Moderate	166	PM _{2.5}	1
96	Tirupati	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 10, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	95	PM ₁₀	1
98	Ujjain	Moderate	105	O ₃	1
99	Vapi	Poor	204	PM _{2.5}	1
100	Varanasi	Poor	250	PM _{2.5}	1
101	Vatva	Moderate	112	PM ₁₀	1
102	Vijayapura	Satisfactory	78	PM _{2.5}	1
103	Visakhapatnam	Satisfactory	51	PM ₁₀	1
104	Yamunanagar	Poor	213	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpur, Chikkaballapur, Gaya, Haldia, Hubballi, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Nagpur, Talcher, Thane, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.