



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	39	SO ₂	1
2	Ahmedabad	Satisfactory	69	O ₃	1
3	Ajmer	Satisfactory	54	PM ₁₀	1
4	Alwar	Satisfactory	58	PM _{2.5}	1
5	Amaravati	Good	39	O ₃	1
6	Ambala	Good	44	O ₃	1
7	Asansol	Good	27	O ₃	1
8	Bagalkot	Satisfactory	64	CO	1
9	Baghpat	Satisfactory	57	PM ₁₀	1
10	Bahadurgarh	Satisfactory	66	PM _{2.5}	1
11	Bathinda	Good	28	CO	1
12	Bengaluru	Satisfactory	65	PM ₁₀ , PM _{2.5}	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrjnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Satisfactory	79	PM ₁₀	1
14	Bhopal	Good	32	O ₃	1
15	Bulandshahr	Satisfactory	61	PM ₁₀	1
16	Chandigarh	Good	40	PM ₁₀	1
17	Chandrapur	Good	29	O ₃ , PM ₁₀	2
18	Chennai	Satisfactory	64	PM _{2.5} , O ₃	4
19	Chikkaballapur	Satisfactory	66	PM ₁₀	1
20	Chikkamagaluru	Good	45	PM ₁₀	1
21	Damoh	Good	19	NO ₂	1
22	Delhi	Satisfactory	77	PM ₁₀ , PM _{2.5}	35
23	Dewas	Good	33	PM ₁₀	1
24	Eloor	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ernakulam	Satisfactory	98	CO	1
26	Faridabad	Satisfactory	77	PM ₁₀ , CO	2
27	Fatehabad	Good	39	O ₃	1
28	Gandhinagar	Good	37	PM ₁₀	1
29	Gaya	Good	42	NO ₂ , PM ₁₀	2
30	Ghaziabad	Satisfactory	66	PM ₁₀ , NO ₂	4
31	Greater Noida	Satisfactory	78	PM ₁₀	2
32	Gurugram	Satisfactory	62	PM ₁₀ , PM _{2.5}	4
33	Guwahati	Good	40	PM ₁₀	1
34	Gwalior	Good	36	PM ₁₀	1
35	Hajipur	Good	33	PM ₁₀	1
36	Hapur	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes
 * AQI is calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	59	PM ₁₀	1
38	Howrah	Satisfactory	52	PM ₁₀ , PM _{2.5}	3
39	Hubballi	Good	42	PM ₁₀	1
40	Hyderabad	Good	38	CO, PM ₁₀ , NO ₂	6
41	Indore	Good	36	O ₃	1
42	Jabalpur	Good	30	CO	1
43	Jaipur	Good	44	PM ₁₀	2
44	Jalandhar	Satisfactory	52	PM ₁₀	1
45	Jind	Good	46	NO ₂	1
46	Jodhpur	Satisfactory	76	PM ₁₀	1
47	Jorapokhar	Moderate	170	O ₃	1
48	Kaithal	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes
 * Index calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburgi	Good	16	PM ₁₀	1
50	Kalyan	Good	19	PM _{2.5}	1
51	Kannur	Good	31	PM ₁₀	1
52	Kanpur	Satisfactory	54	O ₃	1
53	Karnal	Good	31	PM _{2.5}	1
54	Katni	Good	25	PM ₁₀	1
55	Khanna	Satisfactory	76	PM ₁₀	1
56	Kochi	Satisfactory	93	CO	1
57	Kolkata	Satisfactory	56	PM ₁₀ , O ₃	5
58	Kota	Good	41	O ₃	1
59	Kozhikode	Good	31	CO	1
60	Kurukshetra	Good	35	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes
 * AQI not calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrjnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Satisfactory	86	PM _{2.5} , O ₃	4
62	Ludhiana	Satisfactory	61	PM ₁₀	1
63	Maihar	Good	21	CO	1
64	Mandi Gobindgarh	Good	27	PM _{2.5}	1
65	Mandideep	Good	45	O ₃	1
66	Mandikhera	Good	44	PM ₁₀	1
67	Manesar	Satisfactory	64	PM _{2.5}	1
68	Moradabad	Satisfactory	79	PM _{2.5}	1
69	Mumbai	Good	31	CO, PM ₁₀ , NO ₂	8
70	Muzaffarnagar	Satisfactory	54	PM ₁₀	1
71	Muzaffarpur	Satisfactory	69	O ₃ , PM ₁₀	2
72	Mysuru	Good	30	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes
 * AQI not calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Good	48	PM ₁₀	1
74	Navi Mumbai	Satisfactory	51	CO	1
75	Noida	Satisfactory	78	CO, PM ₁₀	3
76	Pali	Satisfactory	51	PM ₁₀	1
77	Palwal	Satisfactory	53	PM ₁₀	1
78	Panchkula	Satisfactory	67	CO	1
79	Panipat	Satisfactory	76	PM ₁₀	1
80	Patiala	Good	40	CO	1
81	Patna	Satisfactory	55	PM _{2.5} , O ₃ , PM ₁₀	5
82	Pithampur	Satisfactory	54	PM ₁₀	1
83	Pune	Satisfactory	55	CO	1
84	Rajamahendravaram	Satisfactory	51	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	39	O ₃	1
86	Ratlam	Good	40	PM ₁₀	1
87	Rohtak	Satisfactory	55	PM _{2.5}	1
88	Sagar	Good	24	CO	1
89	Satna	Satisfactory	55	PM ₁₀	1
90	Singrauli	Good	33	O ₃	1
91	Sirsa	Good	50	O ₃	1
92	Sonipat	Satisfactory	79	PM ₁₀	1
93	Talcher	Moderate	116	CO	1
94	Thane	Good	31	PM ₁₀	1
95	Thiruvananthapuram	Good	50	PM ₁₀	2
96	Tirupati	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes
 * AQI is calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Good	49	PM ₁₀	1
98	Ujjain	Good	47	PM ₁₀	1
99	Varanasi	Good	45	NO ₂	1
100	Vatva	Satisfactory	86	PM ₁₀	1
101	Vijayapura	Satisfactory	60	O ₃	1
102	Visakhapatnam	Satisfactory	85	PM ₁₀	1
103	Yamunanagar	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Amritsar, Ankleshwar, Aurangabad, Ballabgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Coimbatore, Dharuhera, Kollam, Meerut, Nagpur, Nandesari, Nashik, Rupnagar, Shillong, Siliguri, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.