

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	141	PM <sub>10</sub>	1
2	Ahmedabad	Moderate	110	PM <sub>10</sub>	1
3	Aizawl	Moderate	162	PM <sub>2.5</sub>	1
4	Ajmer	Moderate	136	NO <sub>2</sub>	1
5	Alwar	Satisfactory	80	PM <sub>10</sub>	1
6	Amaravati	Moderate	112	PM <sub>10</sub>	1
7	Ambala	Satisfactory	74	PM <sub>10</sub>	1
8	Amritsar	Good	46	PM <sub>10</sub>	1
9	Ankleshwar	Poor	204	O <sub>3</sub>	1
10	Asansol	Moderate	152	PM <sub>10</sub>	1
11	Aurangabad	Satisfactory	78	PM <sub>10</sub>	1
12	Baghpat	Moderate	157	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	106	PM <sub>10</sub>	1
14	Ballabgarh	Moderate	111	PM <sub>10</sub>	1
15	Bathinda	Satisfactory	54	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	79	CO, PM <sub>10</sub>	10
17	Bhiwadi	Poor	231	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	109	03	1
19	Bhopal	Moderate	143	PM <sub>10</sub>	1
20	Brajrajnagar	Satisfactory	68	03	1
21	Bulandshahr	Moderate	176	PM <sub>10</sub>	1
22	Chandrapur	Moderate	126	PM <sub>10</sub>	1
23	Charkhi Dadri	Moderate	103	PM <sub>10</sub>	1
24	Chennai	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	6

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	94	PM <sub>10</sub>	1
26	Chikkamagaluru	Satisfactory	67	PM <sub>2.5</sub>	1
27	Damoh	Satisfactory	61	PM <sub>10</sub>	1
28	Davanagere	Satisfactory	100	PM <sub>10</sub>	1
29	Delhi	Moderate	148	PM <sub>10</sub>	32
30	Dewas	Moderate	141	PM <sub>10</sub>	1
31	Dharuhera	Moderate	162	PM <sub>10</sub>	1
32	Durgapur	Poor	222	PM <sub>2.5</sub>	1
33	Eloor	Satisfactory	59	03	1
34	Faridabad	Moderate	162	PM <sub>10</sub> , O <sub>3</sub>	4
35	Fatehabad	Satisfactory	100	PM <sub>10</sub>	1
36	Gandhinagar	Satisfactory	87	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	91	PM <sub>2.5</sub>	1
38	Ghaziabad	Moderate	172	PM <sub>10</sub>	4
39	Greater Noida	Moderate	158	PM <sub>10</sub>	2
40	Gurugram	Moderate	182	PM <sub>2.5</sub>	3
41	Guwahati	Poor	275	PM <sub>10</sub>	2
42	Gwalior	Moderate	126	PM <sub>10</sub>	1
43	Hajipur	Poor	224	PM <sub>2.5</sub>	1
44	Haldia	Moderate	132	PM <sub>10</sub>	1
45	Hapur	Moderate	149	PM <sub>10</sub>	1
46	Hisar	Satisfactory	96	PM <sub>10</sub>	1
47	Howrah	Poor	219	PM <sub>2.5</sub>	3
48	Hubballi	Satisfactory	82	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	6
50	Indore	Moderate	188	PM <sub>10</sub>	1
51	Jabalpur	Moderate	164	PM <sub>10</sub>	1
52	Jaipur	Moderate	115	PM <sub>10</sub>	3
53	Jalandhar	Satisfactory	64	PM <sub>2.5</sub>	1
54	Jind	Satisfactory	92	PM <sub>10</sub>	1
55	Jodhpur	Moderate	162	PM <sub>2.5</sub>	1
56	Kaithal	Satisfactory	99	PM <sub>10</sub>	1
57	Kalaburgi	Moderate	131	PM <sub>2.5</sub>	1
58	Kalyan	Poor	202	PM <sub>2.5</sub>	1
59	Kannur	Moderate	105	PM <sub>10</sub>	1
60	Kanpur	Satisfactory	84	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	72	PM <sub>10</sub>	1
62	Katni	Moderate	156	PM <sub>10</sub>	1
63	Kochi	Satisfactory	83	PM <sub>2.5</sub>	1
64	Kohima	Moderate	171	PM <sub>10</sub>	1
65	Kolar	Satisfactory	61	со	1
66	Kolkata	Poor	212	PM <sub>2.5</sub> , PM <sub>10</sub>	6
67	Kota	Moderate	132	PM <sub>2.5</sub>	1
68	Kozhikode	Satisfactory	76	PM <sub>10</sub>	1
69	Kurukshetra	Satisfactory	93	PM <sub>10</sub>	1
70	Lucknow	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	4
71	Ludhiana	Satisfactory	61	NO <sub>2</sub>	1
72	Mandi Gobindgarh	Moderate	123	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Satisfactory	60	PM <sub>10</sub>	1
74	Mandikhera	Satisfactory	66	PM <sub>10</sub>	1
75	Manesar	Moderate	148	PM <sub>2.5</sub>	1
76	Manglore	Satisfactory	71	PM <sub>10</sub>	1
77	Medikeri	Satisfactory	70	PM <sub>10</sub>	1
78	Meerut	Moderate	156	PM <sub>10</sub>	2
79	Mumbai	Moderate	170	PM <sub>2.5</sub> , PM <sub>10</sub>	19
80	Muzaffarnagar	Moderate	136	PM <sub>10</sub>	1
81	Muzaffarpur	Moderate	164	PM <sub>10</sub> , PM <sub>2.5</sub>	2
82	Mysuru	Satisfactory	67	PM <sub>10</sub>	1
83	Nandesari	Satisfactory	78	со	1
84	Narnaul	Moderate	152	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	85	PM <sub>10</sub>	1
86	Navi Mumbai	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	3
87	Noida	Moderate	146	PM <sub>10</sub>	3
88	Pali	Moderate	168	PM <sub>2.5</sub>	1
89	Palwal	Satisfactory	87	PM <sub>10</sub>	1
90	Panchkula	Satisfactory	55	PM <sub>2.5</sub>	1
91	Panipat	Moderate	105	PM <sub>10</sub>	1
92	Patiala	Satisfactory	72	PM <sub>10</sub>	1
93	Patna	Poor	230	PM <sub>2.5</sub> , PM <sub>10</sub>	5
94	Pithampur	Moderate	125	PM <sub>10</sub>	1
95	Puducherry	Satisfactory	99	PM <sub>10</sub>	1
96	Pune	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	140	PM <sub>2.5</sub>	1
98	Rajamahendravaram	Moderate	159	PM <sub>10</sub>	1
99	Ramanagara	Satisfactory	75	PM <sub>10</sub>	1
100	Ratlam	Moderate	142	PM <sub>10</sub>	1
101	Rohtak	Satisfactory	84	PM <sub>2.5</sub>	1
102	Rupnagar	Satisfactory	87	PM <sub>10</sub>	1
103	Sagar	Satisfactory	74	PM <sub>2.5</sub>	1
104	Satna	Moderate	107	PM <sub>10</sub>	1
105	Shillong	Satisfactory	64	PM <sub>10</sub>	1
106	Shivamogga	Satisfactory	64	O <sub>3</sub>	1
107	Siliguri	Poor	282	PM <sub>2.5</sub>	1
108	Singrauli	Poor	280	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Good	49	PM <sub>2.5</sub>	1
110	Solapur	Moderate	123	PM <sub>10</sub>	1
111	Sonipat	Moderate	186	PM <sub>10</sub>	1
112	Srinagar	Good	26	PM <sub>10</sub>	1
113	Talcher	Moderate	128	PM <sub>2.5</sub>	1
114	Thane	Poor	220	NO <sub>2</sub>	1
115	Thiruvananthapuram	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub>	2
116	Thoothukudi	Satisfactory	75	PM <sub>10</sub>	1
117	Thrissur	Satisfactory	81	PM <sub>10</sub>	1
118	Tirupati	Moderate	179	PM <sub>2.5</sub>	1
119	Udaipur	Moderate	107	PM <sub>10</sub>	1
120	Udupi	Poor	255	O <sub>3</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	143	PM <sub>10</sub>	1
122	Vapi	Moderate	149	PM <sub>10</sub>	1
123	Varanasi	Poor	201	PM <sub>10</sub>	1
124	Vatva	Moderate	123	PM <sub>10</sub>	1
125	Vijayapura	Satisfactory	65	PM <sub>2.5</sub>	1
126	Visakhapatnam	Poor	206	PM <sub>10</sub>	1
127	Yadgir	Moderate	195	O <sub>3</sub>	1
128	Yamunanagar	Moderate	104	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bidar, Chamarajanagar, Chandigarh, Coimbatore, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Khanna, Kollam, Koppal, Maihar, Moradabad, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.