

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	83	SO <sub>2</sub>	1
2	Agra	Satisfactory	74	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	112	PM <sub>10</sub>	7
4	Aizawl	Good	34	PM <sub>10</sub>	1
5	Ajmer	Moderate	138	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	89	PM <sub>10</sub>	1
7	Amaravati	Moderate	102	PM <sub>10</sub>	1
8	Ambala	Moderate	141	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	100	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	60	PM <sub>10</sub>	1
11	Ankleshwar	Good	43	PM <sub>10</sub>	1
12	Araria	Satisfactory	62	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

#### Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	67	PM <sub>10</sub>	1
14	Arrah	Moderate	169	PM <sub>2.5</sub>	1
15	Asansol	Moderate	108	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Poor	218	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Satisfactory	71	PM <sub>10</sub>	1
18	Baddi	Poor	210	O <sub>3</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Bahadurgarh	Very Poor	310	PM <sub>10</sub>	1
21	Ballabgarh	Moderate	154	PM <sub>2.5</sub>	1
22	Banswara	Moderate	116	PM <sub>10</sub>	1
23	Bareilly	Moderate	104	PM <sub>10</sub> , PM <sub>2.5</sub>	2
24	Baripada	Moderate	190	03	1

# Coimbatore, Damol Notes: Imphal, Kanchipura

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### 

Coimbatore, Damoh, Darbhanga, Dhanbad, Ernakulam, Gummidipoondi, Hassar Imphal, Kanchipuram, Kannur, Kashipur, Kolar, Kozhikode, Kunjemura, Maihar, Mandi Gobindgarh, Manguraha, Naharlagun, Nalbari, Nandesari, Palkalaiperur,

Purnia, Raichur, Rajsamand, Rupnagar, Salem, Samastipur, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Tensa, Thane, Tumakuru, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	81	PM <sub>10</sub>	1
26	Bathinda	Poor	213	PM <sub>2.5</sub>	1
27	Begusarai	Moderate	191	PM <sub>10</sub>	1
28	Belgaum	Good	49	PM <sub>10</sub>	1
29	Bengaluru	Satisfactory	90	PM <sub>10</sub> , PM <sub>2.5</sub>	11
30	Bettiah	Moderate	176	PM <sub>10</sub>	1
31	Bhagalpur	Moderate	144	PM <sub>10</sub>	2
32	Bharatpur	Moderate	142	PM <sub>10</sub>	1
33	Bhilai	Satisfactory	52	PM <sub>10</sub>	2
34	Bhilwara	Satisfactory	75	PM <sub>10</sub>	1
35	Bhiwadi	Moderate	185	PM <sub>10</sub>	1
36	Bhiwani	Poor	284	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	87	PM <sub>10</sub>	3
38	Bihar Sharif	Moderate	151	PM <sub>10</sub>	1
39	Bikaner	Poor	251	PM <sub>10</sub>	1
40	Bileipada	Moderate	131	PM <sub>10</sub>	1
41	Brajrajnagar	Good	49	03	1
42	Bulandshahr	Moderate	125	PM <sub>10</sub>	1
43	Bundi	Moderate	104	PM <sub>10</sub>	1
44	Chamarajanagar	Good	49	PM <sub>10</sub>	1
45	Chandigarh	Moderate	172	PM <sub>2.5</sub>	3
46	Chandrapur	Moderate	108	PM <sub>10</sub>	1
47	Charkhi Dadri	Very Poor	375	PM <sub>2.5</sub>	1
48	Chennai	Satisfactory	88	NO <sub>2</sub> , PM <sub>10</sub>	7

### Possible Health Impacts

Good
Satisfactory
Moderate
Poor
Very Poor
Severe
Moderate Poor Very Poor

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	82	PM <sub>10</sub>	1
50	Chhapra	Poor	218	PM <sub>10</sub>	1
51	Chikkaballapur	Satisfactory	69	PM <sub>10</sub>	1
52	Chikkamagaluru	Satisfactory	67	PM <sub>10</sub>	1
53	Cuddalore	Satisfactory	98	NO <sub>2</sub>	2
54	Dausa	Moderate	191	PM <sub>10</sub>	1
55	Davanagere	Good	45	PM <sub>2.5</sub>	1
56	Dehradun	Moderate	169	PM <sub>10</sub>	1
57	Delhi	Very Poor	336	PM <sub>10</sub> , PM <sub>2.5</sub>	37
58	Dewas	Satisfactory	96	PM <sub>10</sub>	1
59	Dharuhera	Poor	243	PM <sub>10</sub>	1
60	Dharwad	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	63	PM <sub>10</sub>	1
62	Dindigul	Good	40	O <sub>3</sub>	1
63	Durgapur	Satisfactory	99	PM <sub>10</sub>	1
64	Eloor	Satisfactory	69	PM <sub>10</sub>	1
65	Faridabad	Moderate	148	PM <sub>10</sub>	4
66	Fatehabad	Satisfactory	94	03	1
67	Firozabad	Moderate	108	PM <sub>10</sub>	2
68	Gadag	Good	45	SO <sub>2</sub>	1
69	Gandhinagar	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub>	3
70	Gangtok	Good	43	O <sub>3</sub>	1
71	Gaya	Moderate	159	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Ghaziabad	Very Poor	317	PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Moderate	104	PM <sub>2.5</sub>	1
74	Greater Noida	Very Poor	339	PM <sub>10</sub>	2
75	Gurugram	Poor	280	PM <sub>2.5</sub>	4
76	Guwahati	Good	50	O <sub>3</sub> , PM <sub>2.5</sub>	4
77	Gwalior	Moderate	113	PM <sub>10</sub> , O <sub>3</sub>	4
78	Hajipur	Moderate	104	PM <sub>10</sub>	1
79	Haldia	Satisfactory	57	PM <sub>10</sub>	1
80	Hanumangarh	Poor	201	PM <sub>10</sub>	1
81	Hapur	Moderate	163	PM <sub>10</sub>	1
82	Haveri	Good	44	PM <sub>10</sub>	1
83	Hisar	Poor	237	PM <sub>2.5</sub>	1
84	Hosur	Moderate	134	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	72	PM <sub>10</sub> , CO	3
86	Hubballi	Satisfactory	67	PM <sub>10</sub> , CO	2
87	Hyderabad	Satisfactory	80	PM <sub>10</sub>	12
88	Indore	Satisfactory	52	03	2
89	Jabalpur	Satisfactory	98	PM <sub>10</sub>	1
90	Jaipur	Moderate	135	PM <sub>10</sub>	6
91	Jaisalmer	Moderate	127	PM <sub>10</sub>	1
92	Jalandhar	Moderate	137	PM <sub>10</sub>	1
93	Jhalawar	Satisfactory	74	PM <sub>10</sub>	1
94	Jhansi	Moderate	126	PM <sub>10</sub>	1
95	Jhunjhunu	Moderate	169	03	1
96	Jind	Poor	225	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	99	PM <sub>10</sub>	3
98	Jorapokhar	Moderate	125	PM <sub>10</sub>	1
99	Kadapa	Satisfactory	71	03	1
100	Kaithal	Poor	272	PM <sub>10</sub>	1
101	Kalaburgi	Good	38	со	2
102	Kalyan	Satisfactory	74	PM <sub>10</sub>	1
103	Kanpur	Moderate	131	PM <sub>10</sub>	3
104	Karauli	Satisfactory	62	PM <sub>10</sub>	1
105	Karnal	Moderate	170	PM <sub>2.5</sub>	1
106	Katihar	Satisfactory	72	со	1
107	Katni	Moderate	108	PM <sub>10</sub>	1
108	Keonjhar	Satisfactory	79	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Moderate	103	PM <sub>10</sub>	1
110	Khurja	Satisfactory	84	PM <sub>2.5</sub>	1
111	Kishanganj	Satisfactory	65	PM <sub>10</sub>	1
112	Kochi	Satisfactory	92	PM <sub>10</sub>	1
113	Kohima	Satisfactory	63	PM <sub>10</sub>	1
114	Kolhapur	Satisfactory	66	03	2
115	Kolkata	Satisfactory	64	PM <sub>10</sub> , O <sub>3</sub>	7
116	Kollam	Satisfactory	91	PM <sub>10</sub>	1
117	Koppal	Satisfactory	53	со	1
118	Korba	Moderate	129	PM <sub>10</sub>	2
119	Kota	Satisfactory	68	PM <sub>10</sub> , O <sub>3</sub>	2
120	Kurukshetra	Poor	258	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

#### Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Very Poor	311	PM <sub>10</sub>	6
122	Ludhiana	Moderate	135	PM <sub>10</sub>	1
123	Madikeri	Good	37	PM <sub>10</sub>	1
124	Mandideep	Satisfactory	85	PM <sub>10</sub>	1
125	Mandikhera	Moderate	119	PM <sub>10</sub>	1
126	Manesar	Poor	218	PM <sub>10</sub>	1
127	Mangalore	Good	49	PM <sub>10</sub>	1
128	Meerut	Very Poor	351	PM <sub>10</sub>	3
129	Milupara	Satisfactory	95	PM <sub>10</sub>	1
130	Moradabad	Moderate	188	PM <sub>10</sub> , PM <sub>2.5</sub>	6
131	Motihari	Satisfactory	81	NO <sub>2</sub>	1
132	Mumbai	Satisfactory	69	CO, PM <sub>10</sub>	16

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	214	PM <sub>10</sub>	1
134	Muzaffarnagar	Very Poor	369	PM <sub>10</sub>	1
135	Muzaffarpur	Moderate	150	O <sub>3</sub> , PM <sub>2.5</sub>	3
136	Mysuru	Satisfactory	73	PM <sub>10</sub>	1
137	Nagaon	Satisfactory	70	03	1
138	Nagpur	Satisfactory	73	PM <sub>10</sub>	1
139	Narnaul	Moderate	140	PM <sub>10</sub>	1
140	Nashik	Good	46	PM <sub>10</sub>	1
141	Navi Mumbai	Satisfactory	70	NO <sub>2</sub>	3
142	Nayagarh	Satisfactory	86	PM <sub>10</sub>	1
143	Noida	Very Poor	324	PM <sub>10</sub> , PM <sub>2.5</sub>	4
144	Ooty	Moderate	114	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Moderate	105	PM <sub>10</sub>	1
146	Palwal	Satisfactory	95	PM <sub>10</sub>	1
147	Panchkula	Moderate	106	PM <sub>2.5</sub>	1
148	Panipat	Poor	215	PM <sub>10</sub>	1
149	Patiala	Satisfactory	90	03	1
150	Patna	Poor	202	PM <sub>2.5</sub>	5
151	Pimpri Chinchwad	Satisfactory	71	PM <sub>10</sub>	2
152	Pithampur	Satisfactory	73	PM <sub>10</sub>	1
153	Pratapgarh	Satisfactory	100	PM <sub>10</sub>	1
154	Prayagraj	Satisfactory	78	PM <sub>10</sub>	3
155	Puducherry	Satisfactory	63	PM <sub>10</sub>	1
156	Pune	Moderate	122	NO <sub>2</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

#### Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raipur	Satisfactory	82	PM <sub>10</sub> , NO <sub>2</sub>	4
158	Rairangpur	Satisfactory	78	03	1
159	Rajamahendravaram	Moderate	103	PM <sub>10</sub>	1
160	Rajgir	Moderate	154	03	1
161	Ramanagara	Satisfactory	90	PM <sub>10</sub>	1
162	Ramanathapuram	Satisfactory	74	со	1
163	Ratlam	Satisfactory	84	PM <sub>10</sub>	1
164	Rishikesh	Moderate	158	PM <sub>2.5</sub>	1
165	Rohtak	Poor	262	PM <sub>2.5</sub>	1
166	Rourkela	Moderate	128	PM <sub>10</sub>	2
167	Sagar	Satisfactory	98	O <sub>3</sub>	1
168	Saharsa	Moderate	113	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Poor	208	O <sub>3</sub>	1
170	Satna	Satisfactory	95	PM <sub>10</sub>	1
171	Shillong	Satisfactory	56	PM <sub>10</sub>	1
172	Shivamogga	Satisfactory	78	O <sub>3</sub>	1
173	Sikar	Moderate	159	PM <sub>10</sub>	1
174	Silchar	Good	25	СО	1
175	Siliguri	Good	48	O <sub>3</sub>	1
176	Singrauli	Moderate	145	PM <sub>10</sub>	1
177	Sirsa	Moderate	191	PM <sub>10</sub>	1
178	Sivasagar	Good	13	NO <sub>2</sub>	1
179	Siwan	Moderate	169	PM <sub>10</sub>	1
180	Solapur	Moderate	126	PM <sub>10</sub>	2

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Srinagar	Poor	251	PM <sub>2.5</sub>	1
182	Suakati	Satisfactory	84	PM <sub>10</sub>	1
183	Surat	Satisfactory	74	со	1
184	Talcher	Satisfactory	84	PM <sub>2.5</sub>	1
185	Thiruvananthapuram	Good	46	PM <sub>10</sub>	2
186	Thoothukudi	Satisfactory	85	PM <sub>10</sub>	1
187	Thrissur	Satisfactory	94	PM <sub>10</sub>	1
188	Tirupati	Satisfactory	69	PM <sub>10</sub>	1
189	Tirupur	Good	44	PM <sub>10</sub>	1
190	Tonk	Moderate	167	PM <sub>10</sub>	1
191	Tumidih	Moderate	180	PM <sub>2.5</sub>	1
192	Udaipur	Moderate	108	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

#### Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Ujjain	Satisfactory	87	PM <sub>2.5</sub>	1
194	Vapi	Satisfactory	51	PM <sub>2.5</sub>	1
195	Varanasi	Satisfactory	91	PM <sub>10</sub> , NO <sub>2</sub>	4
196	Vatva	Satisfactory	100	PM <sub>10</sub>	1
197	Vijayapura	Good	49	PM <sub>10</sub>	1
198	Vijayawada	Satisfactory	51	со	1
199	Visakhapatnam	Moderate	107	PM <sub>10</sub>	1
200	Vrindavan	Moderate	155	PM <sub>10</sub>	1
201	Yadgir	Satisfactory	58	PM <sub>10</sub>	1
202	Yamunanagar	Moderate	160	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Baghpat, Baran, Bidar,

#### Bilaspur, Buxar, Byrnihat, Chengalpattu, Chittoor, Chittorgarh, Churu

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.