

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	142	PM <sub>2.5</sub>	1
2	Agra	Poor	257	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	162	PM <sub>2.5</sub>	1
4	Aizawl	Satisfactory	89	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	97	PM <sub>10</sub>	1
6	Alwar	Moderate	115	PM <sub>10</sub>	1
7	Amaravati	Good	26	PM <sub>10</sub>	1
8	Ambala	Moderate	127	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	81	PM <sub>10</sub>	1
10	Asansol	Poor	203	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	99	PM <sub>10</sub>	1
12	Baghpat	Very Poor	306	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	266	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	199	PM <sub>2.5</sub>	1
15	Bathinda	Satisfactory	60	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
17	Bhiwadi	Poor	280	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	171	PM <sub>10</sub>	1
19	Bhopal	Moderate	114	PM <sub>10</sub>	1
20	Bidar	Satisfactory	96	PM <sub>10</sub>	1
21	Bulandshahr	Very Poor	304	PM <sub>2.5</sub>	1
22	Chamarajanagar	Satisfactory	90	PM <sub>10</sub>	1
23	Chandigarh	Satisfactory	97	PM <sub>10</sub>	1
24	Chandrapur	Moderate	153	O <sub>3</sub> , PM <sub>10</sub>	2

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	196	PM <sub>10</sub>	1
26	Chennai	Satisfactory	76	O <sub>3</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	7
27	Chikkaballapur	Satisfactory	61	PM <sub>10</sub>	1
28	Chikkamagaluru	Satisfactory	75	PM <sub>10</sub>	1
29	Damoh	Satisfactory	71	PM <sub>10</sub>	1
30	Davanagere	Moderate	102	PM <sub>10</sub>	1
31	Delhi	Poor	283	PM <sub>10</sub> , PM <sub>2.5</sub>	36
32	Dewas	Satisfactory	98	PM <sub>10</sub>	1
33	Dharuhera	Poor	259	PM <sub>2.5</sub>	1
34	Durgapur	Poor	212	PM <sub>2.5</sub>	1
35	Eloor	Good	47	со	1
36	Ernakulam	Satisfactory	64	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	277	PM <sub>10</sub> , PM <sub>2.5</sub>	4
38	Fatehabad	Moderate	174	PM <sub>2.5</sub>	1
39	Gadag	Moderate	109	PM <sub>2.5</sub>	1
40	Gandhinagar	Satisfactory	75	PM <sub>10</sub>	1
41	Ghaziabad	Very Poor	334	PM <sub>10</sub> , PM <sub>2.5</sub>	3
42	Greater Noida	Very Poor	339	PM <sub>10</sub>	1
43	Gummidipoondi	Moderate	116	PM <sub>10</sub>	1
44	Gurugram	Poor	272	PM <sub>2.5</sub>	4
45	Guwahati	Poor	212	PM <sub>2.5</sub>	1
46	Gwalior	Moderate	186	PM <sub>10</sub>	1
47	Hajipur	Moderate	168	PM <sub>10</sub>	1
48	Hisar	Very Poor	318	PM <sub>2.5</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	3
50	Hubballi	Moderate	129	PM <sub>2.5</sub>	1
51	Hyderabad	Moderate	106	PM <sub>10</sub> , PM <sub>2.5</sub>	6
52	Indore	Moderate	132	PM <sub>10</sub>	1
53	Jabalpur	Moderate	155	PM <sub>10</sub>	1
54	Jaipur	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Jalandhar	Moderate	107	PM <sub>10</sub>	1
56	Jind	Poor	294	PM <sub>2.5</sub>	1
57	Jodhpur	Poor	207	PM <sub>2.5</sub>	1
58	Jorapokhar	Moderate	118	PM <sub>10</sub>	1
59	Kaithal	Moderate	175	PM <sub>10</sub>	1
60	Kalaburgi	Satisfactory	91	PM <sub>10</sub>	1

# Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	166	PM <sub>10</sub>	1
62	Kannur	Moderate	108	PM <sub>10</sub>	1
63	Kanpur	Poor	262	PM <sub>2.5</sub>	2
64	Karnal	Poor	269	PM <sub>2.5</sub>	1
65	Katni	Poor	249	PM <sub>10</sub>	1
66	Khanna	Moderate	110	PM <sub>2.5</sub>	1
67	Kolar	Satisfactory	53	СО	1
68	Kolkata	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	6
69	Kollam	Satisfactory	88	PM <sub>10</sub>	1
70	Koppal	Moderate	108	PM <sub>10</sub>	1
71	Kota	Moderate	126	PM <sub>10</sub>	1
72	Kozhikode	Satisfactory	80	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	210	PM <sub>2.5</sub>	1
74	Lucknow	Poor	234	PM <sub>2.5</sub> , PM <sub>10</sub>	4
75	Ludhiana	Moderate	183	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	107	PM <sub>10</sub>	1
77	Mandideep	Satisfactory	69	PM <sub>10</sub>	1
78	Manesar	Poor	284	PM <sub>2.5</sub>	1
79	Manglore	Satisfactory	94	PM <sub>10</sub>	1
80	Medikeri	Satisfactory	55	PM <sub>10</sub>	1
81	Meerut	Poor	290	PM <sub>2.5</sub>	2
82	Mumbai	Moderate	137	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	18
83	Muzaffarnagar	Poor	247	PM <sub>10</sub>	1
84	Muzaffarpur	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	2

# Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	65	PM <sub>10</sub>	1
86	Nandesari	Moderate	112	со	1
87	Narnaul	Moderate	137	PM <sub>2.5</sub>	1
88	Nashik	Satisfactory	64	PM <sub>10</sub>	1
89	Navi Mumbai	Moderate	196	PM <sub>10</sub> , O <sub>3</sub>	2
90	Noida	Poor	293	PM <sub>10</sub> , PM <sub>2.5</sub>	4
91	Pali	Moderate	163	PM <sub>2.5</sub>	1
92	Palwal	Satisfactory	54	со	1
93	Panchkula	Moderate	105	PM <sub>2.5</sub>	1
94	Panipat	Poor	273	PM <sub>2.5</sub>	1
95	Patiala	Moderate	138	PM <sub>10</sub>	1
96	Patna	Moderate	197	PM <sub>2.5</sub> , PM <sub>10</sub>	5

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	109	PM <sub>10</sub>	1
98	Puducherry	Good	25	СО	1
99	Pune	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	7
100	Raichur	Satisfactory	98	PM <sub>10</sub>	1
101	Rajamahendravaram	Good	49	PM <sub>10</sub>	1
102	Ramanagara	Satisfactory	79	03	1
103	Rohtak	Moderate	163	PM <sub>2.5</sub>	1
104	Sagar	Moderate	172	PM <sub>2.5</sub>	1
105	Satna	Satisfactory	98	PM <sub>10</sub>	1
106	Shivamogga	Satisfactory	58	O <sub>3</sub>	1
107	Siliguri	Moderate	187	PM <sub>2.5</sub>	1
108	Singrauli	Poor	279	PM <sub>2.5</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	150	PM <sub>2.5</sub>	1
110	Solapur	Moderate	145	PM <sub>10</sub>	1
111	Sonipat	Very Poor	311	PM <sub>10</sub>	1
112	Srinagar	Satisfactory	59	PM <sub>2.5</sub>	1
113	Talcher	Satisfactory	92	PM <sub>2.5</sub>	1
114	Thane	Moderate	128	PM <sub>10</sub>	1
115	Thiruvananthapuram	Satisfactory	60	PM <sub>10</sub>	2
116	Thoothukudi	Good	39	PM <sub>10</sub>	1
117	Thrissur	Satisfactory	77	PM <sub>10</sub>	1
118	Tirupati	Satisfactory	52	PM <sub>10</sub>	1
119	Udaipur	Moderate	117	PM <sub>10</sub>	1
120	Ujjain	Moderate	154	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	137	PM <sub>10</sub>	1
122	Varanasi	Poor	257	PM <sub>2.5</sub>	1
123	Vatva	Poor	290	PM <sub>2.5</sub>	1
124	Vijayapura	Good	47	PM <sub>2.5</sub>	1
125	Yadgir	Moderate	172	O <sub>3</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bagalkot, Brajrajnagar, Coimbatore, Gaya, Haldia, Hapur, Kochi, Kohima, Maihar, Mandikhera, Moradabad, Nagpur, Ratlam, Rupnagar, Shillong, Udupi, Visakhapatnam, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.