

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM <sub>2.5</sub> , SO <sub>2</sub>	2
2	Agra	Good	42	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	68	PM <sub>10</sub>	1
4	Aizawl	Good	21	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	86	PM <sub>10</sub>	1
6	Alwar	Satisfactory	57	PM <sub>10</sub>	1
7	Amaravati	Good	34	со	1
8	Ambala	Good	48	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	67	NO <sub>2</sub>	1
10	Araria	Satisfactory	68	03	1
11	Arrah	Satisfactory	93	PM <sub>10</sub>	1
12	Aurangabad (Bihar)	Satisfactory	98	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	97	PM <sub>10</sub>	1
14	Baghpat	Good	48	03	1
15	Bahadurgarh	Satisfactory	79	PM <sub>10</sub>	1
16	Ballabgarh	Good	50	PM <sub>10</sub>	1
17	Bareilly	Satisfactory	63	PM <sub>10</sub>	1
18	Bathinda	Moderate	117	PM <sub>10</sub>	1
19	Begusarai	Satisfactory	60	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	57	PM <sub>10</sub>	8
21	Bettiah	Satisfactory	91	PM <sub>10</sub>	1
22	Bhagalpur	Satisfactory	66	PM <sub>10</sub>	2
23	Bhiwadi	Moderate	118	PM <sub>2.5</sub>	1
24	Bhiwani	Satisfactory	60	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Good	45	O <sub>3</sub>	1
26	Bihar Sharif	Moderate	133	PM <sub>10</sub>	1
27	Bilaspur	Satisfactory	61	PM <sub>10</sub>	1
28	Brajrajnagar	Good	49	со	1
29	Bulandshahr	Satisfactory	52	PM <sub>10</sub>	1
30	Chandigarh	Satisfactory	54	PM <sub>10</sub> , NO <sub>2</sub>	3
31	Chandrapur	Satisfactory	74	PM <sub>2.5</sub> , CO	2
32	Charkhi Dadri	Satisfactory	81	PM <sub>10</sub>	1
33	Chennai	Satisfactory	53	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	7
34	Chhapra	Satisfactory	64	PM <sub>10</sub>	1
35	Chikkaballapur	Good	29	со	1
36	Chikkamagaluru	Good	32	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	66	со	1
38	Darbhanga	Satisfactory	93	PM <sub>10</sub>	1
39	Davanagere	Good	11	со	1
40	Dehradun	Good	33	PM <sub>10</sub>	1
41	Delhi	Satisfactory	87	PM <sub>2.5</sub> , PM <sub>10</sub>	35
42	Dewas	Good	36	PM <sub>10</sub>	1
43	Dharuhera	Satisfactory	96	PM <sub>2.5</sub>	1
44	Durgapur	Good	50	PM <sub>10</sub>	1
45	Eloor	Satisfactory	52	PM <sub>10</sub>	1
46	Ernakulam	Good	23	NO <sub>2</sub>	1
47	Faridabad	Satisfactory	92	PM <sub>10</sub>	2
48	Fatehabad	Satisfactory	65	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	74	O <sub>3</sub>	1
50	Gadag	Good	24	SO <sub>2</sub>	1
51	Gandhinagar	Good	39	PM <sub>10</sub>	1
52	Gangtok	Good	13	03	1
53	Gaya	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Ghaziabad	Satisfactory	70	PM <sub>10</sub> , CO	3
55	Gorakhpur	Good	47	SO <sub>2</sub>	1
56	Greater Noida	Satisfactory	76	PM <sub>10</sub>	2
57	Gummidipoondi	Good	12	PM <sub>2.5</sub>	1
58	Gurugram	Satisfactory	80	PM <sub>10</sub>	3
59	Guwahati	Satisfactory	74	03	1
60	Gwalior	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	78	PM <sub>10</sub>	1
62	Haldia	Good	37	со	1
63	Hapur	Satisfactory	52	со	1
64	Hassan	Good	32	SO <sub>2</sub>	1
65	Haveri	Satisfactory	69	со	1
66	Hisar	Satisfactory	90	PM <sub>10</sub>	1
67	Howrah	Good	40	CO, PM <sub>10</sub>	2
68	Hubballi	Good	49	со	1
69	Hyderabad	Good	45	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	10
70	Imphal	Satisfactory	74	O <sub>3</sub>	1
71	Indore	Good	47	NO <sub>2</sub>	1
72	Jabalpur	Satisfactory	54	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	60	PM <sub>10</sub> , CO, O <sub>3</sub>	3
74	Jalandhar	Satisfactory	55	PM <sub>10</sub>	1
75	Jhansi	Satisfactory	64	PM <sub>10</sub>	1
76	Jind	Satisfactory	52	PM <sub>10</sub>	1
77	Jodhpur	Satisfactory	68	PM <sub>10</sub>	1
78	Kaithal	Satisfactory	52	03	1
79	Kalaburgi	Good	26	SO <sub>2</sub>	1
80	Kalyan	Good	46	PM <sub>10</sub>	1
81	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
82	Kanpur	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub>	4
83	Karnal	Good	42	PM <sub>10</sub>	1
84	Katihar	Satisfactory	71	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Satisfactory	52	PM <sub>10</sub>	1
86	Khanna	Good	35	PM <sub>10</sub>	1
87	Khurja	Good	19	со	1
88	Kishanganj	Satisfactory	73	03	1
89	Kochi	Moderate	145	PM <sub>2.5</sub>	1
90	Kohima	Satisfactory	51	SO <sub>2</sub>	1
91	Kolkata	Good	35	O <sub>3</sub> , CO, NO <sub>2</sub>	6
92	Kollam	Satisfactory	53	PM <sub>10</sub>	1
93	Koppal	Good	22	PM <sub>10</sub>	1
94	Kota	Good	46	PM <sub>10</sub>	1
95	Kozhikode	Satisfactory	69	PM <sub>10</sub>	1
96	Kurukshetra	Good	49	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Satisfactory	91	O <sub>3</sub> , PM <sub>10</sub>	6
98	Ludhiana	Moderate	112	PM <sub>10</sub>	1
99	Madikeri	Good	50	со	1
100	Mandi Gobindgarh	Satisfactory	86	PM <sub>2.5</sub>	1
101	Mandideep	Satisfactory	68	NO <sub>2</sub>	1
102	Mandikhera	Satisfactory	51	со	1
103	Manesar	Satisfactory	81	PM <sub>10</sub>	1
104	Manglore	Satisfactory	51	со	1
105	Manguraha	Good	33	03	1
106	Meerut	Good	47	CO, PM <sub>10</sub>	3
107	Moradabad	Satisfactory	65	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
108	Motihari	Satisfactory	64	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	53	CO, SO <sub>2</sub> , PM <sub>10</sub>	7
110	Munger	Moderate	118	PM <sub>10</sub>	1
111	Muzaffarnagar	Satisfactory	59	PM <sub>2.5</sub>	1
112	Muzaffarpur	Satisfactory	72	PM <sub>10</sub> , CO	3
113	Mysuru	Good	36	PM <sub>10</sub>	1
114	Nagpur	Good	27	PM <sub>10</sub>	1
115	Narnaul	Satisfactory	87	PM <sub>2.5</sub>	1
116	Navi Mumbai	Moderate	111	O <sub>3</sub>	1
117	Noida	Satisfactory	79	CO, PM <sub>10</sub>	3
118	Pali	Satisfactory	61	PM <sub>10</sub>	1
119	Palwal	Satisfactory	55	PM <sub>2.5</sub>	1
120	Panchkula	Satisfactory	52	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Satisfactory	95	PM <sub>10</sub>	1
122	Patiala	Good	32	PM <sub>10</sub>	1
123	Patna	Satisfactory	89	PM <sub>10</sub> , NO <sub>2</sub>	5
124	Pithampur	Good	45	PM <sub>10</sub>	1
125	Prayagraj	Moderate	103	PM <sub>10</sub>	1
126	Puducherry	Good	46	PM <sub>10</sub>	1
127	Pune	Satisfactory	65	со	1
128	Purnia	Satisfactory	75	PM <sub>10</sub>	1
129	Rajamahendravaram	Good	26	PM <sub>10</sub>	1
130	Rajgir	Good	22	со	1
131	Ramanagara	Good	31	SO <sub>2</sub>	1
132	Ratlam	Good	27	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rohtak	Good	46	NO <sub>2</sub>	1
134	Rupnagar	Good	49	PM <sub>10</sub>	1
135	Saharsa	Good	33	PM <sub>2.5</sub>	1
136	Sasaram	Satisfactory	51	03	1
137	Satna	Satisfactory	70	PM <sub>10</sub>	1
138	Shivamogga	Good	45	PM <sub>10</sub>	1
139	Siliguri	Good	43	PM <sub>10</sub>	1
140	Singrauli	Satisfactory	91	NO <sub>2</sub>	1
141	Sirsa	Satisfactory	57	PM <sub>10</sub>	1
142	Siwan	Satisfactory	86	PM <sub>10</sub>	1
143	Solapur	Satisfactory	64	PM <sub>10</sub>	1
144	Sonipat	Satisfactory	86	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Srinagar	Satisfactory	72	PM <sub>10</sub>	1
146	Thane	Satisfactory	51	PM <sub>10</sub>	1
147	Thiruvananthapuram	Satisfactory	62	PM <sub>2.5</sub> , CO	2
148	Thoothukudi	Good	31	PM <sub>10</sub>	1
149	Tirupati	Good	35	СО	1
150	Udaipur	Good	50	PM <sub>10</sub>	1
151	Ujjain	Satisfactory	61	PM <sub>2.5</sub>	1
152	Varanasi	Satisfactory	56	PM <sub>10</sub>	4
153	Vatva	Satisfactory	59	PM <sub>10</sub>	1
154	Vijayapura	Good	49	PM <sub>10</sub>	1
155	Visakhapatnam	Good	40	NO <sub>2</sub>	1
156	Vrindavan	Good	41	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Good	30	SO <sub>2</sub>	1
158	Yamunanagar	Moderate	140	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad (Maharashtra), Bagalkot, Bhilai, Bidar, Buxar, Chamarajanagar, Damoh, Jorapokhar, Kolar, Maihar, Naharlagun, Nandesari, Nashik, Raichur, Sagar, Samastipur, Shillong, Talcher, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.