

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	210	PM _{2.5}	1
2	Agra	Satisfactory	59	PM ₁₀	6
3	Ahmedabad	Moderate	102	PM ₁₀	8
4	Aizawl	Satisfactory	61	PM ₁₀	1
5	Ajmer	Satisfactory	76	03	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Satisfactory	62	СО	1
8	Ambala	Moderate	113	PM _{2.5}	1
9	Amritsar	Moderate	117	PM _{2.5}	1
10	Ankleshwar	Satisfactory	62	со	1
11	Ariyalur	Good	30	NO ₂	1
12	Arrah	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	131	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	124	PM ₁₀	1
15	Baddi	Poor	279	03	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Baghpat	Very Poor	301	PM ₁₀	1
18	Bahadurgarh	Poor	211	PM _{2.5}	1
19	Ballabgarh	Moderate	109	PM _{2.5}	1
20	Banswara	Satisfactory	65	СО	1
21	Bareilly	Satisfactory	94	PM ₁₀	2
22	Baripada	Satisfactory	88	PM ₁₀	1
23	Barmer	Satisfactory	64	O ₃	1
24	Bathinda	Good	42	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	276	PM _{2.5}	1
26	Belgaum	Satisfactory	55	PM ₁₀	1
27	Bengaluru	Satisfactory	75	PM ₁₀	13
28	Bettiah	Poor	222	PM ₁₀	1
29	Bhagalpur	Moderate	192	PM ₁₀	2
30	Bharatpur	Moderate	106	PM ₁₀	1
31	Bhilai	Good	36	CO, NO ₂	2
32	Bhiwadi	Moderate	163	PM ₁₀	1
33	Bhiwani	Satisfactory	97	PM ₁₀	1
34	Bhopal	Satisfactory	62	O ₃	3
35	Bihar Sharif	Moderate	197	PM ₁₀	1
36	Bikaner	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	161	PM ₁₀	1
38	Brajrajnagar	Satisfactory	91	СО	1
39	Bulandshahr	Moderate	163	PM _{2.5}	1
40	Byrnihat	Moderate	157	PM ₁₀	1
41	Chamarajanagar	Good	46	PM ₁₀	1
42	Chandigarh	Moderate	194	O ₃ , PM ₁₀	3
43	Chandrapur	Moderate	101	O ₃	1
44	Charkhi Dadri	Poor	241	PM _{2.5}	1
45	Chennai	Satisfactory	54	CO, SO ₂	6
46	Chhal	Good	37	O ₃	1
47	Chhapra	Poor	220	PM ₁₀	1
48	Chikkamagaluru	Good	27	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Satisfactory	59	PM ₁₀	1
50	Churu	Satisfactory	95	PM ₁₀	1
51	Coimbatore	Good	41	PM _{2.5}	1
52	Cuddalore	Satisfactory	77	NO ₂	2
53	Damoh	Good	16	со	1
54	Dausa	Moderate	173	PM ₁₀	1
55	Davanagere	Good	50	PM ₁₀	1
56	Dehradun	Satisfactory	79	PM ₁₀	1
57	Delhi	Poor	216	PM ₁₀ , PM _{2.5}	37
58	Dhanbad	Poor	242	PM _{2.5}	1
59	Dharuhera	Moderate	200	PM _{2.5}	1
60	Dharwad	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	68	03	1
62	Dindigul	Good	45	SO ₂	1
63	Durgapur	Moderate	145	PM ₁₀	1
64	Eloor	Satisfactory	75	PM ₁₀	1
65	Faridabad	Moderate	170	PM _{2.5}	3
66	Fatehabad	Moderate	152	PM ₁₀	1
67	Firozabad	Good	44	PM ₁₀	2
68	Gadag	Good	45	SO ₂	1
69	Gandhinagar	Satisfactory	93	PM _{2.5} , PM ₁₀	3
70	Gangtok	Good	44	PM _{2.5}	1
71	Gaya	Moderate	114	PM ₁₀ , PM _{2.5}	3
72	Ghaziabad	Moderate	195	PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Satisfactory	91	PM _{2.5}	1
74	Greater Noida	Poor	207	PM ₁₀	2
75	Gummidipoondi	Moderate	104	PM ₁₀	1
76	Gurugram	Moderate	192	PM _{2.5}	3
77	Guwahati	Satisfactory	78	03	4
78	Gwalior	Satisfactory	73	O ₃ , PM _{2.5}	4
79	Hajipur	Poor	224	PM ₁₀	1
80	Haldia	Good	44	PM ₁₀	1
81	Hanumangarh	Moderate	129	PM ₁₀	1
82	Hapur	Satisfactory	76	03	1
83	Hassan	Satisfactory	54	PM ₁₀	1
84	Hisar	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Moderate	158	со	1
86	Howrah	Satisfactory	75	PM ₁₀	3
87	Hubballi	Satisfactory	80	PM ₁₀ , CO	2
88	Hyderabad	Satisfactory	76	PM ₁₀	13
89	Imphal	Satisfactory	89	SO ₂	2
90	Indore	Good	40	со	2
91	Jabalpur	Satisfactory	71	O ₃	1
92	Jaipur	Satisfactory	94	PM ₁₀	6
93	Jalandhar	Moderate	146	PM ₁₀	1
94	Jhalawar	Satisfactory	54	03	1
95	Jhansi	Satisfactory	76	PM ₁₀	1
96	Jhunjhunu	Poor	224	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jind	Poor	201	PM _{2.5}	1
98	Jodhpur	Satisfactory	80	03	4
99	Jorapokhar	Moderate	129	PM ₁₀	1
100	Kadapa	Good	36	03	1
101	Kaithal	Moderate	162	PM _{2.5}	1
102	Kalaburgi	Good	40	PM ₁₀	2
103	Kalyan	Satisfactory	98	PM ₁₀	1
104	Kanchipuram	Good	41	PM ₁₀	1
105	Kanpur	Satisfactory	89	PM _{2.5}	4
106	Karauli	Satisfactory	72	O ₃	1
107	Katihar	Moderate	157	PM ₁₀	1
108	Katni	Satisfactory	59	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Satisfactory	74	PM ₁₀	1
110	Khanna	Moderate	113	PM ₁₀	1
111	Khurja	Moderate	115	PM _{2.5}	1
112	Kishanganj	Moderate	146	PM ₁₀	1
113	Kohima	Satisfactory	73	PM _{2.5}	1
114	Kolhapur	Satisfactory	61	PM ₁₀	2
115	Kolkata	Satisfactory	68	O ₃ , PM ₁₀	7
116	Kollam	Satisfactory	91	PM ₁₀	1
117	Koppal	Satisfactory	83	СО	1
118	Korba	Satisfactory	66	NO ₂ , PM ₁₀	2
119	Kota	Satisfactory	70	PM _{2.5}	3
120	Kunjemura	Good	29	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Poor	208	PM _{2.5}	1
122	Lucknow	Satisfactory	99	PM ₁₀	6
123	Ludhiana	Moderate	189	PM _{2.5}	1
124	Madikeri	Good	32	O ₃	1
125	Mandi Gobindgarh	Poor	238	PM _{2.5}	1
126	Mandideep	Satisfactory	83	PM ₁₀	1
127	Mandikhera	Satisfactory	92	PM ₁₀	1
128	Manesar	Moderate	166	PM _{2.5}	1
129	Mangalore	Satisfactory	53	СО	1
130	Manguraha	Moderate	187	O ₃	1
131	Meerut	Poor	259	PM _{2.5}	2
132	Milupara	Good	39	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Moderate	147	PM _{2.5}	6
134	Motihari	Moderate	107	PM ₁₀	1
135	Mumbai	Satisfactory	81	PM _{2.5}	18
136	Munger	Poor	241	PM ₁₀	1
137	Muzaffarnagar	Very Poor	309	PM _{2.5}	1
138	Muzaffarpur	Poor	216	PM ₁₀ , PM _{2.5}	3
139	Mysuru	Satisfactory	53	PM ₁₀	1
140	Nagaon	Satisfactory	95	PM ₁₀	1
141	Nagpur	Satisfactory	73	PM ₁₀	1
142	Nandesari	Good	50	со	1
143	Narnaul	Moderate	135	PM ₁₀	1
144	Navi Mumbai	Moderate	114	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Moderate	194	PM ₁₀	4
146	Ooty	Good	49	SO ₂	1
147	Pali	Satisfactory	69	PM ₁₀	1
148	Palwal	Satisfactory	80	PM ₁₀	1
149	Panchkula	Moderate	170	PM _{2.5}	1
150	Patiala	Moderate	131	PM ₁₀	1
151	Patna	Poor	230	PM _{2.5}	6
152	Pithampur	Good	46	со	1
153	Pratapgarh	Satisfactory	65	PM ₁₀	1
154	Prayagraj	Good	46	PM ₁₀	3
155	Puducherry	Good	31	PM ₁₀	1
156	Pune	Satisfactory	98	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not coloulated for today's bulletin for Apontanur, Argrin

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Satisfactory	76	PM _{2.5}	1
158	Raipur	Satisfactory	54	PM ₁₀ , NO ₂	4
159	Rairangpur	Satisfactory	89	PM ₁₀	1
160	Rajamahendravaram	Satisfactory	67	PM ₁₀	1
161	Rajgir	Moderate	117	PM ₁₀	1
162	Rajsamand	Good	45	PM ₁₀	1
163	Ramanagara	Satisfactory	51	03	1
164	Ramanathapuram	Good	28	со	1
165	Ratlam	Satisfactory	73	NO ₂	1
166	Rishikesh	Satisfactory	66	PM ₁₀	1
167	Rohtak	Moderate	168	PM _{2.5}	1
168	Rourkela	Moderate	133	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Poor	234	PM _{2.5}	1
170	Sagar	Satisfactory	89	O ₃	1
171	Saharsa	Poor	219	PM _{2.5}	1
172	Salem	Satisfactory	88	SO ₂	1
173	Samastipur	Poor	249	PM ₁₀	1
174	Sasaram	Poor	297	03	1
175	Satna	Good	41	PM ₁₀	1
176	Sawai Madhopur	Satisfactory	69	PM ₁₀	1
177	Shillong	Satisfactory	81	PM ₁₀	1
178	Shivamogga	Good	48	PM ₁₀	1
179	Sikar	Moderate	104	PM ₁₀	1
180	Silchar	Satisfactory	89	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Satisfactory	72	PM ₁₀	1
182	Singrauli	Satisfactory	91	NO ₂	1
183	Sirohi	Satisfactory	67	03	1
184	Sirsa	Moderate	127	PM ₁₀	1
185	Sivasagar	Good	31	PM ₁₀	1
186	Siwan	Moderate	194	PM ₁₀	1
187	Sri Ganganagar	Moderate	167	PM ₁₀	1
188	Srinagar	Good	43	PM ₁₀	1
189	Suakati	Satisfactory	65	03	1
190	Surat	Satisfactory	77	со	1
191	Talcher	Moderate	101	PM _{2.5}	1
192	Tensa	Good	50	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	39	СО	2
194	Thoothukudi	Good	29	PM ₁₀	1
195	Thrissur	Good	50	PM ₁₀	1
196	Tirupati	Satisfactory	68	PM ₁₀ , NO ₂	2
197	Tonk	Moderate	111	PM ₁₀	1
198	Tumakuru	Moderate	113	PM ₁₀	1
199	Tumidih	Good	36	NO ₂	1
200	Udaipur	Moderate	102	PM ₁₀	1
201	Ujjain	Satisfactory	61	03	1
202	Vapi	Satisfactory	77	PM _{2.5}	1
203	Varanasi	Good	50	SO ₂	4
204	Vatva	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayapura	Good	46	PM ₁₀	1
206	Visakhapatnam	Satisfactory	94	PM ₁₀	1
207	Vrindavan	Moderate	135	PM ₁₀	1
208	Yadgir	Good	34	PM _{2.5}	1
209	Yamunanagar	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	od Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQL is not coloulated for today's bulletin for Apontonur, Araria

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.