

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	114	PM _{2.5}	1
2	Agra	Moderate	117	PM _{2.5}	4
3	Ahmedabad	Satisfactory	72	PM ₁₀ , CO	6
4	Aizawl	Good	17	PM ₁₀	1
5	Ajmer	Good	45	03	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Satisfactory	93	PM _{2.5}	1
8	Ambala	Poor	258	PM _{2.5}	1
9	Amritsar	Moderate	143	PM ₁₀	1
10	Asansol	Moderate	148	PM _{2.5}	1
11	Aurangabad	Satisfactory	88	PM ₁₀	1
12	Bagalkot	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	324	PM _{2.5}	1
14	Ballabgarh	Poor	282	PM _{2.5}	1
15	Bathinda	Moderate	181	PM ₁₀	1
16	Bengaluru	Satisfactory	98	PM _{2.5} , PM ₁₀	9
17	Bettiah	Very Poor	387	PM ₁₀	1
18	Bhagalpur	Poor	270	PM _{2.5}	1
19	Bhilai	Satisfactory	60	PM ₁₀	1
20	Bhiwadi	Poor	232	PM _{2.5}	1
21	Bhiwani	Moderate	150	PM ₁₀	1
22	Bhopal	Poor	292	PM _{2.5}	1
23	Bihar Sharif	Severe	407	PM ₁₀	1
24	Bilaspur	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	258	PM _{2.5}	1
26	Buxar	Severe	427	PM _{2.5}	1
27	Chamarajanagar	Good	32	PM ₁₀	1
28	Chandigarh	Poor	244	PM _{2.5}	2
29	Chandrapur	Moderate	153	PM _{2.5}	2
30	Charkhi Dadri	Very Poor	306	PM _{2.5}	1
31	Chennai	Satisfactory	81	PM ₁₀ , PM _{2.5}	7
32	Chhapra	Very Poor	381	PM _{2.5}	1
33	Chikkaballapur	Satisfactory	75	PM _{2.5}	1
34	Chikkamagaluru	Good	35	PM ₁₀	1
35	Coimbatore	Satisfactory	68	PM _{2.5}	1
36	Damoh	Very Poor	312	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Very Poor	328	PM _{2.5}	1
38	Davanagere	Good	37	PM ₁₀	1
39	Delhi	Very Poor	346	PM _{2.5}	37
40	Dewas	Satisfactory	76	PM ₁₀	1
41	Durgapur	Poor	219	PM _{2.5}	1
42	Eloor	Satisfactory	72	PM ₁₀	1
43	Ernakulam	Good	42	со	1
44	Faridabad	Poor	292	PM _{2.5} , PM ₁₀	4
45	Fatehabad	Very Poor	321	PM _{2.5}	1
46	Firozabad	Poor	211	PM _{2.5}	1
47	Gandhinagar	Good	41	PM _{2.5} , CO	3
48	Gaya	Poor	220	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Very Poor	342	PM _{2.5}	4
50	Gorakhpur	Moderate	138	PM _{2.5}	1
51	Greater Noida	Poor	262	PM _{2.5}	2
52	Gurugram	Poor	296	PM _{2.5}	3
53	Guwahati	Moderate	170	PM _{2.5}	2
54	Gwalior	Moderate	151	PM _{2.5}	1
55	Hajipur	Poor	272	PM _{2.5}	1
56	Haldia	Moderate	190	PM _{2.5}	1
57	Hapur	Very Poor	301	PM _{2.5}	1
58	Hassan	Satisfactory	91	O ₃	1
59	Hisar	Very Poor	370	PM _{2.5}	1
60	Howrah	Poor	254	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Good	35	со	1
62	Hyderabad	Moderate	170	PM _{2.5}	5
63	Indore	Moderate	187	PM _{2.5}	1
64	Jabalpur	Very Poor	302	PM _{2.5}	1
65	Jaipur	Satisfactory	94	PM ₁₀ , PM _{2.5}	3
66	Jalandhar	Poor	213	PM _{2.5}	1
67	Jind	Very Poor	353	PM _{2.5}	1
68	Jodhpur	Moderate	111	PM _{2.5}	1
69	Kaithal	Very Poor	302	PM _{2.5}	1
70	Kalaburgi	Moderate	127	PM _{2.5}	1
71	Kalyan	Satisfactory	74	PM ₁₀	1
72	Kannur	Good	50	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	189	PM _{2.5}	3
74	Karnal	Poor	238	PM _{2.5}	1
75	Katihar	Severe	402	PM ₁₀	1
76	Katni	Poor	297	PM _{2.5}	1
77	Khanna	Poor	229	PM _{2.5}	1
78	Kishanganj	Poor	204	PM ₁₀	1
79	Kohima	Satisfactory	85	PM ₁₀	1
80	Kolkata	Poor	202	PM _{2.5}	6
81	Kollam	Moderate	107	PM ₁₀	1
82	Koppal	Satisfactory	62	O ₃	1
83	Kota	Satisfactory	97	PM _{2.5}	1
84	Kozhikode	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Very Poor	326	PM _{2.5}	1
86	Lucknow	Moderate	184	PM _{2.5}	6
87	Ludhiana	Poor	227	PM _{2.5}	1
88	Maihar	Poor	209	PM _{2.5}	1
89	Mandideep	Moderate	115	PM ₁₀	1
90	Mandikhera	Satisfactory	56	со	1
91	Manesar	Very Poor	327	PM _{2.5}	1
92	Manglore	Satisfactory	75	NO ₂	1
93	Medikeri	Good	31	O ₃	1
94	Meerut	Very Poor	328	PM _{2.5}	2
95	Moradabad	Poor	299	PM _{2.5}	1
96	Motihari	Very Poor	332	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Satisfactory	93	PM _{2.5} , PM ₁₀ , CO	18
98	Muzaffarnagar	Very Poor	334	PM _{2.5}	1
99	Muzaffarpur	Very Poor	338	PM _{2.5} , PM ₁₀	3
100	Mysuru	Satisfactory	51	PM ₁₀	1
101	Nagpur	Moderate	108	PM ₁₀	1
102	Nandesari	Satisfactory	90	со	1
103	Narnaul	Poor	216	PM _{2.5}	1
104	Nashik	Moderate	104	PM _{2.5}	1
105	Navi Mumbai	Satisfactory	94	PM _{2.5} , PM ₁₀	3
106	Noida	Very Poor	312	PM _{2.5}	3
107	Pali	Satisfactory	62	PM _{2.5}	1
108	Palwal	Moderate	142	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Poor	256	PM _{2.5}	1
110	Panipat	Very Poor	311	PM ₁₀	1
111	Patiala	Poor	231	PM _{2.5}	1
112	Patna	Very Poor	331	PM _{2.5} , PM ₁₀	6
113	Pithampur	Moderate	138	PM _{2.5}	1
114	Prayagraj	Poor	221	PM _{2.5} , PM ₁₀	3
115	Puducherry	Satisfactory	74	PM ₁₀	1
116	Pune	Satisfactory	81	PM _{2.5} , PM ₁₀ , CO	5
117	Purnia	Very Poor	303	PM _{2.5}	1
118	Raichur	Moderate	118	PM ₁₀	1
119	Rajamahendravaram	Moderate	104	PM _{2.5}	1
120	Rajgir	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Satisfactory	97	PM _{2.5}	1
122	Ratlam	Satisfactory	66	PM _{2.5}	1
123	Rohtak	Very Poor	307	PM _{2.5}	1
124	Rupnagar	Very Poor	312	PM _{2.5}	1
125	Sagar	Moderate	151	PM _{2.5}	1
126	Saharsa	Very Poor	318	PM ₁₀	1
127	Sasaram	Very Poor	394	PM _{2.5}	1
128	Satna	Satisfactory	68	PM ₁₀	1
129	Shillong	Good	22	SO ₂	1
130	Shivamogga	Good	46	PM ₁₀	1
131	Siliguri	Satisfactory	89	PM ₁₀	1
132	Singrauli	Very Poor	364	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Poor	266	PM _{2.5}	1
134	Siwan	Severe	406	PM _{2.5}	1
135	Sonipat	Poor	222	PM ₁₀	1
136	Talcher	Moderate	116	PM ₁₀	1
137	Thane	Satisfactory	99	PM ₁₀	1
138	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
139	Thoothukudi	Good	42	PM ₁₀	1
140	Thrissur	Good	39	PM ₁₀	1
141	Tirupati	Satisfactory	99	PM _{2.5}	1
142	Udaipur	Satisfactory	80	PM ₁₀	1
143	Ujjain	Satisfactory	97	O ₃	1
144	Vapi	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi,
 Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Poor	226	PM _{2.5}	4
146	Vatva	Satisfactory	75	PM ₁₀	1
147	Vijayapura	Good	46	PM ₁₀	1
148	Visakhapatnam	Satisfactory	99	PM ₁₀	1
149	Vrindavan	Moderate	197	PM _{2.5}	1
150	Yadgir	Satisfactory	97	PM _{2.5}	1
151	Yamunanagar	Very Poor	346	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bidar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kochi, Kolar, Mandi Gobindgarh, Manguraha, Munger, Naharlagun, Solapur, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.