

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	PM ₁₀	1
2	Agra	Satisfactory	57	PM ₁₀	4
3	Ahmedabad	Good	50	PM ₁₀ , CO	7
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	86	PM _{2.5}	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Good	45	PM _{2.5}	1
8	Ambala	Satisfactory	69	PM ₁₀	1
9	Amritsar	Satisfactory	60	PM ₁₀	1
10	Asansol	Satisfactory	55	PM ₁₀	1
11	Aurangabad	Satisfactory	66	PM ₁₀	1
12	Bagalkot	Good	25	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	93	PM ₁₀	1
14	Bahadurgarh	Satisfactory	64	со	1
15	Ballabgarh	Satisfactory	93	PM ₁₀	1
16	Bathinda	Good	30	со	1
17	Bengaluru	Satisfactory	51	PM ₁₀ , PM _{2.5} , O ₃	9
18	Bhiwadi	Satisfactory	91	PM ₁₀	1
19	Bhiwani	Satisfactory	62	O ₃	1
20	Bhopal	Satisfactory	62	PM ₁₀	1
21	Brajrajnagar	Good	45	со	1
22	Bulandshahr	Satisfactory	58	PM ₁₀	1
23	Chamarajanagar	Good	38	PM ₁₀	1
24	Chandigarh	Satisfactory	72	O ₃ , PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	/ery Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	32	PM ₁₀	2
26	Charkhi Dadri	Satisfactory	56	PM ₁₀	1
27	Chennai	Satisfactory	64	CO, PM ₁₀	6
28	Chikkaballapur	Good	50	NO ₂	1
29	Chikkamagaluru	Good	30	PM ₁₀	1
30	Damoh	Good	35	PM _{2.5}	1
31	Davanagere	Good	20	со	1
32	Delhi	Satisfactory	100	PM ₁₀ , CO	34
33	Dewas	Satisfactory	52	PM ₁₀	1
34	Dharuhera	Satisfactory	81	со	1
35	Durgapur	Moderate	129	PM _{2.5}	1
36	Eloor	Satisfactory	70	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	37	PM ₁₀	1
38	Faridabad	Satisfactory	96	O ₃ , PM ₁₀	4
39	Fatehabad	Satisfactory	51	PM ₁₀	1
40	Firozabad	Good	44	PM ₁₀	1
41	Gadag	Good	18	со	1
42	Gandhinagar	Satisfactory	52	CO, PM ₁₀	2
43	Gaya	Satisfactory	72	O ₃ , CO	2
44	Ghaziabad	Moderate	136	PM _{2.5} , PM ₁₀	4
45	Gorakhpur	Good	25	со	1
46	Greater Noida	Satisfactory	99	PM ₁₀	2
47	Gummidipoondi	Moderate	176	PM _{2.5}	1
48	Gurugram	Satisfactory	78	PM ₁₀ , PM _{2.5}	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	56	SO ₂ , PM _{2.5}	2
50	Gwalior	Satisfactory	68	PM ₁₀	1
51	Hajipur	Satisfactory	71	со	1
52	Haldia	Satisfactory	52	PM ₁₀	1
53	Hapur	Satisfactory	86	PM _{2.5}	1
54	Hassan	Satisfactory	63	PM ₁₀	1
55	Hisar	Satisfactory	75	PM _{2.5}	1
56	Howrah	Satisfactory	62	PM ₁₀	3
57	Hyderabad	Satisfactory	63	NO ₂ , CO, PM _{2.5}	5
58	Indore	Satisfactory	66	PM ₁₀	1
59	Jabalpur	Satisfactory	74	PM ₁₀	1
60	Jaipur	Satisfactory	74	PM ₁₀ , PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	64	PM ₁₀	1
62	Jind	Satisfactory	72	PM _{2.5}	1
63	Kalaburgi	Good	34	03	1
64	Kanpur	Satisfactory	53	PM ₁₀ , PM _{2.5}	3
65	Karnal	Satisfactory	55	PM _{2.5}	1
66	Katni	Satisfactory	75	PM ₁₀	1
67	Khanna	Satisfactory	52	PM ₁₀	1
68	Kochi	Good	42	PM ₁₀	1
69	Kohima	Satisfactory	56	PM ₁₀	1
70	Kolar	Satisfactory	51	SO ₂	1
71	Kolkata	Satisfactory	68	PM ₁₀ , PM _{2.5} , O ₃	7
72	Kollam	Satisfactory	100	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	46	СО	1
74	Kota	Satisfactory	54	PM ₁₀	1
75	Kozhikode	Good	42	со	1
76	Kurukshetra	Satisfactory	66	PM ₁₀	1
77	Lucknow	Satisfactory	51	CO, PM ₁₀ , PM _{2.5}	6
78	Ludhiana	Satisfactory	73	PM ₁₀	1
79	Maihar	Good	23	PM ₁₀	1
80	Mandi Gobindgarh	Moderate	178	PM _{2.5}	1
81	Mandideep	Good	41	PM ₁₀	1
82	Mandikhera	Satisfactory	60	PM ₁₀	1
83	Manesar	Satisfactory	78	PM ₁₀	1
84	Medikeri	Good	29	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	83	PM ₁₀	3
86	Moradabad	Moderate	108	PM _{2.5}	1
87	Mumbai	Good	48	PM ₁₀ , CO	16
88	Muzaffarnagar	Satisfactory	82	со	1
89	Muzaffarpur	Good	44	CO, PM ₁₀	2
90	Mysuru	Good	39	PM ₁₀	1
91	Naharlagun	Good	38	SO ₂	1
92	Nashik	Good	31	PM ₁₀	1
93	Navi Mumbai	Satisfactory	62	PM ₁₀ , CO	2
94	Noida	Moderate	102	PM ₁₀ , CO	3
95	Pali	Satisfactory	59	PM ₁₀	1
96	Palwal	Satisfactory	68	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	76	PM _{2.5}	1
98	Panipat	Very Poor	376	PM ₁₀	1
99	Patiala	Good	40	PM ₁₀	1
100	Patna	Satisfactory	95	O ₃ , CO, PM ₁₀	5
101	Pithampur	Satisfactory	68	PM ₁₀	1
102	Prayagraj	Satisfactory	53	PM ₁₀	3
103	Puducherry	Satisfactory	60	03	1
104	Pune	Satisfactory	74	PM _{2.5} , CO, SO ₂	6
105	Raichur	Satisfactory	72	PM ₁₀	1
106	Rajamahendravaram	Satisfactory	58	со	1
107	Ratlam	Good	47	PM ₁₀	1
108	Rohtak	Satisfactory	98	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	61	PM ₁₀	1
110	Sagar	Good	29	PM _{2.5}	1
111	Satna	Good	47	PM ₁₀	1
112	Shivamogga	Good	40	PM ₁₀	1
113	Siliguri	Good	37	PM ₁₀	1
114	Singrauli	Satisfactory	52	PM ₁₀	1
115	Sirsa	Satisfactory	66	03	1
116	Sonipat	Good	47	PM _{2.5}	1
117	Srinagar	Satisfactory	81	PM ₁₀	1
118	Talcher	Satisfactory	66	со	1
119	Thane	Moderate	106	PM ₁₀	1
120	Thiruvananthapuram	Good	50	PM ₁₀ , CO	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	42	PM ₁₀	1
122	Tirupati	Good	39	СО	1
123	Udaipur	Satisfactory	79	PM ₁₀	1
124	Varanasi	Satisfactory	54	PM ₁₀	3
125	Vatva	Satisfactory	74	PM ₁₀	1
126	Visakhapatnam	Satisfactory	83	PM ₁₀	1
127	Vrindavan	Good	46	PM ₁₀	1
128	Yadgir	Good	30	PM ₁₀	1
129	Yamunanagar	Satisfactory	67	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Hubballi, Jodhpur, Jorapokhar, Kaithal, Kalyan, Kannur, Manglore, Motihari, Nagpur, Nandesari, Narnaul, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Ujjain, Vapi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.