

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	SO ₂	1
2	Agra	Moderate	111	PM ₁₀	6
3	Ahmedabad	Moderate	122	PM ₁₀	6
4	Aizawl	Good	45	PM ₁₀	1
5	Ajmer	Moderate	119	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	75	PM ₁₀	1
8	Ambala	Satisfactory	90	PM ₁₀	1
9	Amritsar	Satisfactory	60	NO ₂	1
10	Anantapur	Satisfactory	53	PM ₁₀	1
11	Ankleshwar	Satisfactory	62	PM ₁₀	1
12	Araria	Satisfactory	76	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	47	PM ₁₀	1
14	Arrah	Moderate	173	PM ₁₀	1
15	Asansol	Satisfactory	93	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	171	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	95	PM ₁₀	1
18	Baddi	Moderate	200	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Poor	243	PM ₁₀	1
21	Bahadurgarh	Satisfactory	84	PM _{2.5}	1
22	Ballabgarh	Moderate	123	PM ₁₀	1
23	Banswara	Moderate	113	PM ₁₀	1
24	Bareilly	Satisfactory	66	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Moderate	152	O ₃	1
26	Barmer	Moderate	107	PM ₁₀	1
27	Bathinda	Satisfactory	85	PM ₁₀	1
28	Begusarai	Poor	257	PM _{2.5}	1
29	Belgaum	Good	47	PM ₁₀	1
30	Bengaluru	Satisfactory	65	CO, PM _{2.5}	9
31	Bettiah	Moderate	148	PM ₁₀	1
32	Bhagalpur	Moderate	130	PM ₁₀	2
33	Bharatpur	Moderate	154	PM ₁₀	1
34	Bhilai	Good	46	PM ₁₀	2
35	Bhilwara	Moderate	111	PM ₁₀	1
36	Bhiwadi	Moderate	171	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	79	PM _{2.5}	1
38	Bhopal	Satisfactory	94	PM ₁₀	3
39	Bidar	Good	36	NH ₃	1
40	Bihar Sharif	Moderate	160	PM ₁₀	1
41	Bikaner	Poor	258	PM ₁₀	1
42	Bileipada	Moderate	121	PM ₁₀	1
43	Bulandshahr	Moderate	145	PM ₁₀	1
44	Bundi	Moderate	148	PM ₁₀	1
45	Byrnihat	Poor	236	PM ₁₀	1
46	Chamarajanagar	Good	46	PM ₁₀	1
47	Chandigarh	Moderate	130	PM _{2.5} , PM ₁₀	3
48	Chandrapur	Moderate	111	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Poor	230	PM _{2.5}	1
50	Chennai	Satisfactory	76	NO ₂ , CO	7
51	Chhal	Satisfactory	68	PM ₁₀	1
52	Chhapra	Very Poor	326	PM ₁₀	1
53	Chikkaballapur	Satisfactory	73	PM ₁₀	1
54	Chikkamagaluru	Good	49	PM ₁₀	1
55	Chittorgarh	Moderate	107	PM ₁₀	1
56	Cuddalore	Satisfactory	96	NO ₂	2
57	Damoh	Satisfactory	54	PM ₁₀	1
58	Dausa	Moderate	160	PM ₁₀	1
59	Davanagere	Good	37	PM _{2.5}	1
60	Dehradun	Satisfactory	84	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspul

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	186	PM ₁₀ , PM _{2.5}	34
62	Dewas	Moderate	117	PM ₁₀	1
63	Dharuhera	Moderate	182	PM ₁₀	1
64	Dharwad	Satisfactory	73	PM _{2.5}	1
65	Dholpur	Moderate	124	03	1
66	Dindigul	Good	29	03	1
67	Durgapur	Satisfactory	64	O ₃	1
68	Eloor	Satisfactory	80	PM ₁₀	1
69	Faridabad	Moderate	120	PM ₁₀ , PM _{2.5}	4
70	Fatehabad	Moderate	177	O ₃	1
71	Firozabad	Moderate	134	PM ₁₀	2
72	Gadag	Good	50	SO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	99	PM _{2.5} , O ₃	3
74	Gangtok	Good	36	03	1
75	Gaya	Moderate	112	PM ₁₀ , PM _{2.5}	3
76	Ghaziabad	Moderate	178	PM ₁₀	4
77	Gorakhpur	Moderate	132	PM ₁₀	1
78	Greater Noida	Moderate	187	PM ₁₀	2
79	Gummidipoondi	Moderate	120	PM ₁₀	1
80	Gurugram	Moderate	198	PM _{2.5}	4
81	Guwahati	Moderate	103	PM ₁₀ , PM _{2.5}	4
82	Gwalior	Moderate	140	O ₃	3
83	Hajipur	Moderate	108	PM ₁₀	1
84	Haldia	Good	37	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspul

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	190	PM ₁₀	1
86	Hapur	Moderate	115	O ₃	1
87	Hassan	Satisfactory	70	PM ₁₀	1
88	Haveri	Good	45	PM ₁₀	1
89	Hisar	Satisfactory	100	PM _{2.5}	1
90	Hosur	Satisfactory	76	PM ₁₀	1
91	Howrah	Satisfactory	71	PM ₁₀	3
92	Hubballi	Satisfactory	82	PM ₁₀	2
93	Hyderabad	Satisfactory	98	PM ₁₀	11
94	Indore	Satisfactory	56	NO ₂	2
95	Jaipur	Moderate	153	PM ₁₀	6
96	Jaisalmer	Moderate	121	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Paran, Rilaspur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Moderate	104	PM ₁₀	1
98	Jhalawar	Moderate	103	PM ₁₀	1
99	Jhansi	Moderate	108	PM _{2.5}	1
100	Jhunjhunu	Poor	232	03	1
101	Jodhpur	Moderate	143	PM ₁₀	3
102	Jorapokhar	Moderate	113	PM ₁₀	1
103	Kadapa	Satisfactory	53	O ₃	1
104	Kaithal	Moderate	113	PM ₁₀	1
105	Kalaburgi	Satisfactory	97	PM ₁₀	2
106	Kalyan	Satisfactory	86	PM ₁₀	1
107	Kannur	Satisfactory	77	PM ₁₀	1
108	Kanpur	Moderate	101	PM ₁₀	3

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur

website(http://cpcb.nic.in) website may be referred.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Moderate	120	03	1
110	Karnal	Satisfactory	79	PM ₁₀	1
111	Katihar	Satisfactory	88	PM _{2.5}	1
112	Katni	Moderate	176	PM ₁₀	1
113	Khanna	Satisfactory	77	PM ₁₀	1
114	Khurja	Satisfactory	92	PM _{2.5}	1
115	Kishanganj	Satisfactory	65	PM ₁₀	1
116	Kochi	Satisfactory	71	PM ₁₀	1
117	Kohima	Satisfactory	75	PM ₁₀	1
118	Kolhapur	Satisfactory	78	O ₃ , PM ₁₀	2
119	Kolkata	Satisfactory	55	PM ₁₀ , O ₃	7
120	Korba	Moderate	104	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Moderate	128	CO, PM _{2.5}	3
122	Kurukshetra	Moderate	116	PM ₁₀	1
123	Lucknow	Moderate	147	PM _{2.5} , PM ₁₀	6
124	Ludhiana	Moderate	106	PM ₁₀	1
125	Madikeri	Good	32	PM ₁₀	1
126	Mandi Gobindgarh	Moderate	137	PM ₁₀	1
127	Mandideep	Moderate	102	PM ₁₀	1
128	Mangalore	Satisfactory	56	PM ₁₀	1
129	Manguraha	Satisfactory	78	O ₃	1
130	Meerut	Moderate	181	O ₃	1
131	Milupara	Satisfactory	74	PM ₁₀	1
132	Moradabad	Moderate	128	PM _{2.5}	6

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspul

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Motihari	Satisfactory	71	NO ₂	1
134	Mumbai	Satisfactory	80	PM ₁₀	17
135	Munger	Moderate	160	PM ₁₀	1
136	Muzaffarnagar	Moderate	140	PM ₁₀	1
137	Muzaffarpur	Poor	228	03	1
138	Mysuru	Satisfactory	70	PM ₁₀	1
139	Nagaon	Satisfactory	84	03	1
140	Nagpur	Satisfactory	79	PM ₁₀	1
141	Naharlagun	Good	31	PM _{2.5}	1
142	Nalbari	Moderate	154	PM ₁₀	1
143	Narnaul	Moderate	112	PM ₁₀	1
144	Nashik	Satisfactory	60	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspul

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Navi Mumbai	Satisfactory	86	PM ₁₀	2
146	Nayagarh	Moderate	106	PM ₁₀	1
147	Noida	Moderate	172	NO ₂ , PM ₁₀	4
148	Ooty	Moderate	110	PM ₁₀	1
149	Pali	Moderate	122	PM ₁₀	1
150	Palkalaiperur	Satisfactory	62	SO ₂	1
151	Palwal	Satisfactory	89	PM ₁₀	1
152	Panchkula	Moderate	158	PM _{2.5}	1
153	Panipat	Moderate	110	PM ₁₀	1
154	Patiala	Satisfactory	79	03	1
155	Patna	Moderate	190	PM _{2.5}	6
156	Pimpri Chinchwad	Satisfactory	98	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pithampur	Satisfactory	89	PM ₁₀	1
158	Pratapgarh	Satisfactory	100	PM ₁₀	1
159	Prayagraj	Satisfactory	82	PM ₁₀	3
160	Puducherry	Good	48	PM ₁₀	1
161	Pune	Moderate	104	PM ₁₀	4
162	Raipur	Satisfactory	57	PM ₁₀ , NO ₂	4
163	Rajamahendravaram	Satisfactory	67	PM ₁₀	1
164	Rajsamand	Moderate	109	PM ₁₀	1
165	Ramanagara	Satisfactory	67	PM ₁₀	1
166	Ratlam	Satisfactory	94	PM ₁₀	1
167	Rishikesh	Satisfactory	62	03	1
168	Rohtak	Satisfactory	91	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rourkela	Moderate	131	PM ₁₀	3
170	Rupnagar	Moderate	154	PM ₁₀	1
171	Sagar	Satisfactory	93	PM ₁₀	1
172	Saharsa	Poor	209	03	1
173	Salem	Satisfactory	51	PM _{2.5}	1
174	Sasaram	Moderate	122	03	1
175	Shillong	Satisfactory	85	PM ₁₀	1
176	Shivamogga	Satisfactory	81	O ₃	1
177	Sikar	Moderate	162	PM ₁₀	1
178	Silchar	Good	26	со	1
179	Siliguri	Satisfactory	56	PM ₁₀	1
180	Singrauli	Moderate	198	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sirsa	Moderate	101	PM ₁₀	1
182	Sivasagar	Good	21	PM _{2.5}	1
183	Siwan	Moderate	173	PM ₁₀	1
184	Solapur	Moderate	120	PM ₁₀	2
185	Sonipat	Moderate	189	PM ₁₀	1
186	Sri Ganganagar	Moderate	124	PM _{2.5}	1
187	Srinagar	Satisfactory	90	PM ₁₀	1
188	Suakati	Satisfactory	88	PM ₁₀	1
189	Surat	Poor	245	PM ₁₀	1
190	Tensa	Satisfactory	64	PM ₁₀	1
191	Thiruvananthapuram	Good	48	PM _{2.5} , CO	2
192	Thoothukudi	Satisfactory	58	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thrissur	Satisfactory	88	PM ₁₀	1
194	Tirupati	Satisfactory	72	PM ₁₀	1
195	Tonk	Moderate	162	PM ₁₀	1
196	Tumakuru	Moderate	130	PM ₁₀	1
197	Tumidih	Moderate	176	PM ₁₀	1
198	Udaipur	Moderate	125	PM ₁₀	1
199	Ujjain	Moderate	114	PM _{2.5}	1
200	Vapi	Satisfactory	55	PM _{2.5}	1
201	Varanasi	Satisfactory	71	PM ₁₀ , O ₃	4
202	Vatva	Moderate	118	PM ₁₀	1
203	Vijayapura	Good	49	PM ₁₀	1
204	Vijayawada	Satisfactory	59	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baran, Bilaspur

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Visakhapatnam	Moderate	112	PM ₁₀	1
206	Vrindavan	Moderate	139	PM ₁₀	1
207	Yadgir	Satisfactory	81	PM ₁₀	1
208	Yamunanagar	Moderate	141	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.